FPUP_00-150E-A

ELEVATION CERTIFICATE

PPUP: #
Date Issued: 5-3/-0 FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999 Type 1 MHDAG

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	Instructions for o	ompleting this	s form can be found on	the following p	ages.
	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	Stack	,, ,, ,, ,, ,			POLICY NUMBER
STREET ADDRESS (Including Ap	t., Unit, Suite and/or Bldg.		OUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and I		0620		T/3	R / O S /
TUCSON		-		STATE AZ	ZIP CODE 85735
	SECTION B F	LOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	•
Provide the following from t	ne proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER 040073	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX 2.8.99	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE.	no BFE, is provided (on the FIRM, ar	nd the community has est	ablished a BFE-1	Other (describe on back) or this building site, indicate
**************************************	SECTI	ON C BUILDI	NG ELEVATION INFORI	MATION	
of	et NGVD (or other FIVE, and V (with BFE) is at an elevation of BFE). The floor use the highest grade a floor used as the refe adjacent to the build ordance with the correctum system used in	RM datum—see a). The bottom ad as the refere adjacent to the become level from ding. If no flood munity's floodp determining the	Section B, Item 7). of the lowest horizontal size feet NGVD (or other Filence level from the selected diagram is display the selected diagram is display to management ordinary.	ructural member of the datum see Seed diagram is less the building once? Yes less the building once?	above or below (check y's lowest floor (reference) No Unknown
the FIRM [see Section equation under Comme. 4. Elevation reference mar	B, Item 7], then conv nts on Page 2.)	vert the elevation	ons to the datum system t	used on the FIRN	A and show the conversion
5. The reference level elev	ation is based on: x ction drawings is only nly be valid for the b	x actual construction valid if the build if the build if the build ing during the construction of the cons	uction aconstruction of the construction of t	drawings ne reference leve	l floor in place, in which ction Elevation Certificate
6. The elevation of the low Section B, Item 7).	est grade immediate	ly adjacent to th	ne building is:		Cor other FIRM datum-see
		SECTION D C	OMMUNITY INFORMAT	ION '	
If the community official is not the "lowest floor" floor" as defined by the 2. Date of the start of constant is not the start of constant in	as defined in the con ordinance is:	nmunity's floodp	lain management ordina NGVD (or other FIRM d a	nce, the elevation	indicated in Section C, Item 1- n of the building's "lowest n B, Item 7).

SECTION E CERTIFICATION


1.307 -00 3

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

	IALD STACK
CERTIFIER'S NAM	ME .
	INER LICENSE NUMBER (or Affix Seal)
TITLE	
P. 0 1	BOX 867 COMPANY NAME
ADDRESS .	2 11 QI D CITY AZ 850
	STATE 7
SIGNATURE	3-24-00 (520) 795-80
	DATE PHONE.
Copies should	d be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.
COMMENTS:	Pima County Floodplain and Erosion Hazard Management Ordinance 1994-FC2 in Article XI requires the bottom of the structural frame of a manufactured home to be a minimum of one foot above the base flood elevation. For "A" or "AO" Zones Pima County requires the manufactured home floor reference level to be a minimum of one and one half feet above the bottom of the structural frame elevation which equals two and one half feet above the base flood elevation as listed in item 6 of Section B of this form. This elevation certificate is to be certified in Sections C and E. A copy is to be returned within



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.