.00-187E-A

ELEVATION CERTIFIC

Date Issued:4

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

Type 1 MHDAG ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not

	SECTION A PRO	PERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	, , , , , , , , , , , , , , , , , , ,				POLICY NUMBER
STREET ADDRESS (Including Ap 3060 W.		lumber) OR P.O. R	OUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Lot 9, Sa	Block Numbers, etc.)	Ests.			R/3 S20
Tucson	•		•	AR 1701	zip code v a 8594
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	ورمني
Provide the following from t	ne proper FIRM (See	Instructions):			· · · · · · · · · · · · · · · · · · ·
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION/
040073	28/0	K	2-8-99	A	1.0
7. Indicate the elevation da B. For Zones A or V, where the community's BFE.	-no BFE, is provided o	n the FIRM, a r	nd the community has est	ablished a BFE-f	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILD	NG ELEVATION INFORM	NATION	
(b). FIRM Zones V1 V30, the celected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grad level) elevated in accordance Comments on Pathe FIRM [see Section equation under Comme	AE, AH, and A (with Het NGVD (or other FIFVE, and V (with BFE) is at an elevation of the BFE). The floor used the highest grade at floor used as the reference adjacent to the build ordance with the compatum system used in a ge 2). (NOTE: If the B, Item 7], then convents on Page 2.)	The top And datum—see The bottom d as the refere diacent to the bear rence level from ling. If no flood munity's floodp letermining the elevation datule ent the elevation	Section B, Item 7): of the lowest horizontal st _ feet NGVD (or other FIF nce level from the selecte building. In the selected diagram is d depth number is availabulain management ordinant above reference level ele in used in measuring the tons to the datum system uses	ructural member M datum see S d diagram is le, is the building ce? X Yes evations: NG evations is difference on the FIRM	3.3 feet above or above or check is lowest floor (reference No Unknown VD '29 Other (describe
4. Elevation reference mar					
case this certificate will o will be required once co	ction drawings is only only be valid for the bu nstruction is complete	valid if the buil uilding during th)	lding does not yet have the course of construction.	e reference leve A post-construc	I floor in place, in which ction Elevation Certificate
	· . S	ECTION D C	OMMUNITY INFORMATI	ON	
is not the "lowest-floor"	responsible for verify as defined in the com ordinance is:	ing building ele munity's floodp	evations specifies that the plain management ordinar NGVD (or other FIRM dat	reference level ince, the elevation	ndicated in Section C, Item 1 of the building's "lowest D, Item 7).


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available

CERTIFIER'S NAM	ERTY OWNER	x Seal)
SIGNATURE	LO R. Rubio GOMPANY NAME GOMPANY NAME TUCSON CITY TUCSON CONTRA DOROTER TO TUCSON COMPANY NAME TO TUCSON COMPANY N	PHONE
Copies should	be made of this Certificate for: 1) community official, 2) insurance agent/	company, and 3) building owner.
COMMENTS:	Pima County Floodplain and Erosion Hazard Management Ordi Article XI requires the bottom of the structural frame of a manu- minimum of one foot above the base flood.	Co
	minimum of one foot above the base flood elevation. For "A" of County requires the manufactured home floor reference level to one half feet above the bottom of the structural frame elevation whalf feet above the base flood elevation as listed in item 6 of Sectional County requires the manufactured in Sections C and E. A cope elevation certificate is to be certified in Sections C and E. A cope seven days of placement of the manufactured home, to Pima County Management Section, 201 N. Stone Ave., 4th Floor, Tucson, AZ 6350.	be a minimum of one and which equals two and one tion B of this form. This by is to be returned within



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.