### 01-022ER

#### FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires December 31, 2005

## **ELEVATION CERTIFICAT**

Important: Read the instructions on pages 1 - 7.

|   | SECTION A -                   | PROPERTY OWNER INFORMAT                       | ION                                   | For Insurance Company Use:      |
|---|-------------------------------|---|---------------------------------------|---------------------------------|
| BUILDING OWNER'S NAME   |                               |   |                                       | Policy Number                   |
| Stein, Murray and Patricia  |                               |   |                                       | a the production                |
| BUILDING STREET ADDRESS (Including Ap<br>1863 North King Street                       | t., Unit, Suite, and/or B     | lidg. No.) OR P.O. ROUTE AND BO               | X NO.                                 | Company NAIC Number             |
| CITY<br>Tucson  |                               | STATE<br>AZ                                   | ZIP C<br>85749                        |                                 |
| PROPERTY DESCRIPTION (Lot and Block N<br>Tax Code #133-01-039D T14S, R15E, Sec.       |                               | umber, Legal Description, etc.)               |                                       |                                 |
| BUILDING USE (e.g., Residential, Non-resider  |                               | ory, etc. Use a Comments area, if ne          | ecessary.)                            |                                 |
| Residential, Guest House/SFR  |                               | •••••••••••••••••••••••••••••••••••••••       |                                       |                                 |
| LATITUDE/LONGITUDE (OPTIONAL)<br>( ##°-##'-##.##" or ##.#####")                       |                               | ITAL DATUM: SC<br>☐ NAD 1983                  | OURCE: GPS (T) USGS (                 |                                 |
| SEC   | CTION B - FLOOD IN            | SURANCE RATE MAP (FIRM) IN                    | FORMATION                             |                                 |
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBE   | R B2                          | 2. COUNTY NAME                                |                                       | B3. STATE                       |
| Pima County 040073  |                               | ma  | ŀ                                     | AZ                              |
| B4, MAP AND PANEL   |                               | B7. FIRM PANEL                                |                                       | B9. BASE FLOOD ELEVATION(S)     |
| NUMBER B5. SUFFIX 04019C 2257 K   | B6. FIRM INDEX DATE<br>2-8-99 | EFFECTIVE/REVISED DATE<br>2-8-99              | B8. FLOOD ZONE(S)<br>AE               |                                 |
| B10. Indicate the source of the Base Flood Elevation                                  | (BFE) data or base floo       | d depth entered in B9.                        | L                                     | ·                               |
| ☐ FIS Profile ☒ FIRM  | ☐ Community Deter             | nined Other (Describ                          |                                       |                                 |
| B11. Indicate the elevation datum used for the BFE in                                 | _                             |   | Other (Describe):                     |                                 |
| B12. Is the building located in a Coastal Barrier Reso                                | ources System (CBRS) a        | area or Otherwise Protected Area (OPA)        | ? ☐ Yes ⊠ No                          | Designation Date <u>n/a</u>     |
| SECTION   | ON C - BUILDING EL            | EVATION INFORMATION (SURV                     | EY REQUIRED)                          |                                 |
| C1. Building elevations are based on:  Construction                                   | on Drawings*                  | Building Under Construction*                  | Finished Construction                 |                                 |
| *A new Elevation Certificate will be required whe                                     | en construction of the bui    | lding is complete.                            |                                       |                                 |
| C2. Building Diagram Number 1 (Select the building                                    | diagram most similar to t     | the building for which this certificate is be | ing completed - see p                 | ages 6 and 7. If no diagram     |
| accurately represents the building, provide a ske                                     | -                             | •   |                                       |                                 |
| C3. Elevations - Zones A1-A30, AE, AH, A (with BF)                                    |                               | BFE), AR, AR/A, AR/AE, AR/A1-A30, AI          | R/AH, AR/AO                           |                                 |
| Complete Items C3a-i below according to the b   |                               |   |                                       | m the datum used for the BFE in |
| Section B, convert the datum to that used for the                                     |                               |   |                                       |                                 |
| Section D or Section G, as appropriate, to docum                                      |                               |   |                                       |                                 |
| Datum NGVD29 Conversion/Comments n/a  |                               |   |                                       | ••                              |
| Elevation reference mark used FC23 Does the a   | elevation reference mark      | used appear on the FIRM? Yes                  | ⊠No I                                 | 14415                           |
| o a) Top of bottom floor (including basement or                                       |                               | 2590. 42 ft.(m)                               |                                       | SED LAND SIL                    |
| o b) Top of next higher floor   |                               | <u>n/a</u> ft.(m)                             | oossed Seal,<br>Date                  | SE STIFICATE TO SE              |
| o c) Bottom of lowest horizontal structural memi                                      | her (V zones only)            | <u>n/a</u> ft.(m)                             | sed l                                 | // (5// ° ///33 ' Will W        |
| o d) Attached garage (top of slab)  | 201 (1 20100 011)             | <u>n/a</u> ft.(m)                             | a Do                                  | DANIEL R.                       |
| o e) Lowest elevation of machinery and/or equip                                       | nment                         | <u>110</u> 10(11)                             | a ii                                  | TREMBLAY A                      |
| servicing the building (Describe in a Com   |                               | 2593 . 25 ft.(m)                              | License Number, Emb<br>Signature, and | SALE SIGNED LAND                |
| o f) Lowest adjacent (finished) grade (LAG)   | TICIW area)                   | 2590 . 00 ft.(m)                              | E E                                   | ES/GNEOV!                       |
| o g) Highest adjacent (finished) grade (HAG)  |                               | 2590. 06 ft.(m)                               | ်<br>ကို ကို                          | 120                             |
| o h) No. of permanent openings (flood vents) w  | ithin 1 ft aharn adiacont     | , ,   | ĕ                                     | A The state of                  |
| o i) Total area of all permanent openings (flood                                      | •                             | •   | ± 1                                   | way bit                         |
|   |                               |   |                                       | <u> </u>                        |
|   |                               | R, ENGINEER, OR ARCHITECT CI                  |                                       |                                 |
| This certification is to be signed and sealed by                                      |                               |   |                                       |                                 |
| I certify that the information in Sections A, B, a                                    |                               |   |                                       | <del>3</del> .                  |
| I understand that any false statement may be p<br>CERTIFIER'S NAME Daniel R. Tremblay | punisnable by fine of i       |   | ection 1001.<br>LICENSE NUMBER R      | 1 \$ 27755                      |
| OLIVIE IERO MANIE DANIE R. HERIDAY  |                               |   | LIOCINOE NUMBER R                     | LS 21133                        |
| TITLEVice President   |                               | COMPANY NAME Urb                              | an Engineering, Inc.                  |                                 |
| ADDRESS   |                               | CITY  | STATE                                 | ZIP CODE                        |
| 877 S. Alvemon  |                               | Tucson  | AZ                                    | 85711                           |
| SIGNATURE /   |                               | DATE  |                                       | PHONE                           |
| - A / Com Mical   | K                             | 6-19-0/-                                      | 520-31                                | 8-3800                          |

| HIDADTALE ! !!   |   |  |                     |                                     |
|--|---|--|---------------------|-------------------------------------|
| IMPORTANT: In these spaces, copy the   |   |  |                     | For Insurance Company Use:          |
| BUILDING STREET ADDRESS (Including Apt., Unit, St<br>1863 North King Street  |   |  |                     | Policy Number                       |
| CITY<br>Tucson   | STATE<br>AZ   | ZIP (<br>8574  | CODE<br>9           | Company NAIC Number                 |
| SECTION D  | - SURVEYOR, ENGINEER, OR ARCHITI  | ECT CERTIFICATION (  | CONTINUED)          |                                     |
| Copy both sides of this Elevation Certificate for (1)  | ) community official, (2) insurance agent/compan  | y, and (3) building owner.   |                     |                                     |
| COMMENTS   |   |  |                     |                                     |
| There is one electric panel on the east side of the  | house approximately 2.75' above the FFE.  |  |                     |                                     |
|  |   |  |                     |                                     |
|  |   |  |                     | Check here if attachments           |
| SECTION E - BUILDING ELEVA   | ATION INFORMATION (SURVEY NOT RE  | QUIRED) FOR ZONE A   | O AND ZONE          | A (WITHOUT BFE)                     |
| For Zone AO and Zone A (without BFE), complete I   | Items E1 through E4. If the Elevation Certificate   | is intended for use as suppo   | orting information  | for a LOMA or LOMR-F,               |
| Section C must be completed.   |   |  |                     |                                     |
| E1. Building Diagram Number _(Select the building  |   | nis certificate is being compl   | eted – see pages    | 6 and 7. If no diagram accurately   |
| represents the building, provide a sketch or pho<br>E2. The top of the bottom floor (including basement  | • , ,   | m)∏ahove or ∏helov   | v (check one) the   | hinhest adiacent arado. (I lse      |
| natural grade, if available).  | a a country of the bullaring toitt(ii)itt(c   |  | · (alook alo) ilic  | nights again glace. (Osc            |
| E3. For Building Diagrams 6-8 with openings (see p   |   | evation b) of the building is  | ft.(m)in.(cr        | n) above the highest adjacent       |
| grade. Complete items C3.h and C3.i on front   |   |  |                     |                                     |
| E4. The top of the platform of machinery and/or equ  | ipment servicing the building isft.(m)in.(c   | om) Labove or Lbelov   | v (check one) the   | highest adjacent grade. (Use        |
| natural grade, if available).<br>E5. For Zone AO only: If no flood depth number is:  | available is the top of the bottom floor elevated in  | n accordance with the como   | nunitv's floodolain | management omfinance?               |
| Yes No Unknown. The local of   |   | TO COMPANY THE PROPERTY OF THE CONTRACT OF THE | nunity 5 hoodpain   | management ordinaree:               |
|  | - PROPERTY OWNER (OR OWNER'S R  | EPRESENTATIVE) CE  | RTIFICATION         |                                     |
| The property owner or owner's authorized representation  | entative who completes Sections A, B, C (Items (  | C3.h and C3.i only), and E fo  | or Zone A (withou   | a FEMA-issued or community-         |
| issued BFE) or Zone AO must sign here. The sta   | itements in Sections A, B, C, and E are correct to  | o the best of my knowledge.  |                     |                                     |
| PROPERTY OWNER'S OR OWNER'S AUTHOR   | RIZED REPRESENTATIVE'S NAME   |  |                     |                                     |
| ADDRESS  | CITY  | /  | STATE               | ZIP CODE                            |
|  |   |  |                     |                                     |
| SIGNATURE  | DAT   | E  | TELEPHO             | DNE                                 |
| COMMENTS   |   |  |                     | ·                                   |
|  |   |  |                     |                                     |
|  |   |  |                     |                                     |
|  |   |  |                     | Check here if attachments           |
|  | SECTION G - COMMUNITY INFORM  | <del></del>  |                     |                                     |
| The local official who is authorized by law or ordinar   |   | nagement ordinance can co  | mplete Sections i   | A, B, C (or E), and G of this Eleva |
| Certificate. Complete the applicable item(s) and sig   |   | d embossed by a licensed s   | urvevor engineer    | or architect who is authorized by   |
|  |   |  |                     | , or aramoa into b dationed b       |
| G1.   The information in Section C was taken from  |   |  | (Elow.)             |                                     |
| <ol> <li>The information in Section C was taken from or local law to certify elevation information.</li> <li>A community official completed Section E file</li> </ol>  | (Indicate the source and date of the elevation door a building located in Zone A (without a FEMA  | ata in the Comments area bissued or community-issued   |                     | O.                                  |
| <ol> <li>The information in Section C was taken from or local law to certify elevation information.</li> <li>A community official completed Section E file</li> </ol>  | (Indicate the source and date of the elevation door a building located in Zone A (without a FEMA  | ata in the Comments area bissued or community-issued   |                     | 0.                                  |
| <ul> <li>G1.  The information in Section C was taken from or local law to certify elevation information.</li> <li>G2.  A community official completed Section E for G3.  The following information (Items G4-G9) is</li> </ul>   | (Indicate the source and date of the elevation door a building located in Zone A (without a FEMA  | ata in the Comments area be<br>issued or community-issued<br>purposes.   | d BFE) or Zone A    | O.                                  |
| G1. The information in Section C was taken from or local law to certify elevation information. G2. A community official completed Section E fig. G3. The following information (Items G4-G9) is G4. PERMIT NUMBER G5   | (Indicate the source and date of the elevation date of the elevation date of the elevation date of building located in Zone A (without a FEMA-provided for community floodplain management DATE PERMIT ISSUED                             | ata in the Comments area be<br>issued or community-issued<br>purposes.   | d BFE) or Zone A    |                                     |
| G1.  The information in Section C was taken from or local law to certify elevation information.  G2.  A community official completed Section E for G3.  The following information (Items G4-G9) is  G4. PERMIT NUMBER  G5  G7. This permit has been issued for:  New Constitution (Items G4-G9).   | . (Indicate the source and date of the elevation date of the elevation date of a building located in Zone A (without a FEMA-provided for community floodplain management b. DATE PERMIT ISSUED  | ata in the Comments area to<br>issued or community-issued<br>purposes.  G6. DATE CERTIFIC  | I BFE) or Zone A    | NCE/OCCUPANCY ISSUED                |
| G1.  The information in Section C was taken from or local law to certify elevation information.  G2.  A community official completed Section E from the following information (Items G4-G9) is  G4. PERMIT NUMBER  G5  G7. This permit has been issued for:  New Consequence New York (Including base)   | . (Indicate the source and date of the elevation date of a building located in Zone A (without a FEMA-provided for community floodplain management is. DATE PERMIT ISSUED  struction   Substantial Improvement ement) of the building is: | ata in the Comments area to issued or community-issued purposes.  G6. DATE CERTIFIC  | d BFE) or Zone A    | NCE/OCCUPANCY ISSUED  Datum:        |
| G1.  The information in Section C was taken from or local law to certify elevation information. G2.  A community official completed Section E fig. The following information (Items G4-G9) is G4. PERMIT NUMBER  G5 G7. This permit has been issued for:  New Cons G8. Elevation of as-built lowest floor (including base G9. BFE or (in Zone AO) depth of flooding at the built in the section of the secti | . (Indicate the source and date of the elevation date of a building located in Zone A (without a FEMA-provided for community floodplain management is. DATE PERMIT ISSUED  struction   Substantial Improvement ement) of the building is: | ata in the Comments area to issued or community-issued purposes.    G6. DATE CERTIFIC  | d BFE) or Zone A    | NCE/OCCUPANCY ISSUED                |
| G1.  The information in Section C was taken from or local law to certify elevation information. G2.  A community official completed Section E fig.  The following information (Items G4-G9) is G4. PERMIT NUMBER G5. G7. This permit has been issued for:  New Cons G8. Elevation of as-built lowest floor (including base G9. BFE or (in Zone AO) depth of flooding at the built LOCAL OFFICIAL'S NAME  | . (Indicate the source and date of the elevation date of a building located in Zone A (without a FEMA-provided for community floodplain management is. DATE PERMIT ISSUED  struction   Substantial Improvement ement) of the building is: | ata in the Comments area be issued or community-issued purposes.  G6. DATE CERTIFIC  | d BFE) or Zone A    | NCE/OCCUPANCY ISSUED  Datum:        |
| G1.  The information in Section C was taken from or local law to certify elevation information. G2.  A community official completed Section E fig. The following information (Items G4-G9) is G4. PERMIT NUMBER G5. G7. This permit has been issued for:  New Cons G8. Elevation of as-built lowest floor (including base G9. BFE or (in Zone AO) depth of flooding at the built in the section of the secti | . (Indicate the source and date of the elevation date of a building located in Zone A (without a FEMA-provided for community floodplain management is. DATE PERMIT ISSUED  struction   Substantial Improvement ement) of the building is: | ata in the Comments area to issued or community-issued purposes.    G6. DATE CERTIFIC  | d BFE) or Zone A    | NCE/OCCUPANCY ISSUED  Datum:        |
| G1.  The information in Section C was taken from or local law to certify elevation information.  G2.  A community official completed Section E fig.  The following information (Items G4-G9) is  G4. PERMIT NUMBER  G5  G7. This permit has been issued for:  New Consequence New York (Including based G9. BFE or (in Zone AO) depth of flooding at the but LOCAL OFFICIAL'S NAME   | . (Indicate the source and date of the elevation date of a building located in Zone A (without a FEMA-provided for community floodplain management is. DATE PERMIT ISSUED  struction   Substantial Improvement ement) of the building is: | ata in the Comments area be issued or community-issued purposes.  G6. DATE CERTIFIC  | d BFE) or Zone A    | NCE/OCCUPANCY ISSUED  Datum:        |
| G1.  The information in Section C was taken from or local law to certify elevation information. G2.  A community official completed Section E for G3.  The following information (Items G4-G9) is G4. PERMIT NUMBER  G5. G7. This permit has been issued for:  New Cons G8. Elevation of as-built lowest floor (including base G9. BFE or (in Zone AO) depth of flooding at the built LOCAL OFFICIAL'S NAME  | . (Indicate the source and date of the elevation date of a building located in Zone A (without a FEMA-provided for community floodplain management is. DATE PERMIT ISSUED  struction   Substantial Improvement ement) of the building is: | ata in the Comments area be issued or community-issued purposes.  G6. DATE CERTIFIC  TITLE  TELEPHONE  | d BFE) or Zone A    | NCE/OCCUPANCY ISSUED  Datum:        |

FPUP 01-022 ER-A POOCPO9674 MKS-7/3/03

# FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires December 31; 2005

### **ELEVATION CERTIFICATE**

| Importante Donal the Instructions on the A. M.  | ****   |
|---|--|
| Important: Read the instructions on pages 1 - 7.  | POFE RUB 127844413433  |
| SECTION A - PROPERTY OWNER INFORMATION  | For Insurance Company Use:   |
| BUILDING OWNER'S NAME   | Policy Number  |
| Stein, Murray and Patricia 13501-839A   |  |
| BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bidg. No.) OR P.O. ROUTE AND BOX NO.   | Company NAIC Number  |
| CITY STATE  | ZIP CODE   |
| Tuesen . AZ   | 85749  |
| PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)  | /  |
| 133 01039 D   | 14-15-1  |
| BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary  Gues 1  Heuse  | 1-)  |
| LATITUDE/LONGITUDE (OPTIONAL) HORIZONTAL DATUM: SOURCE:   | GPS (Type):  |
| (##°-##'-###" or ##.#####°) NAD 1927 NAD 1983   | USGS Quad Map Other.   |
|   |  |
| SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMA   | TION   |
| B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER B2. COUNTY NAME  | B3. STATE  |
| Ping CO 040073 Ping   | A Z  |
| B4. MAP AND PANEL B7. FIRM PANEL  | B9. BASE FLOOD ELEVATION(S)  |
|   | OOD ZONE(S) (Zone AO, use depth of flooding)   |
| 04019C2257 K 2/8/99 2-8-99 A  | E 2589.42  |
| B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.  |  |
| ☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe):   | · · · · · · · · · · · · · · · · · · ·  |
| B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?   |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REC  |  |
| C1. Building elevations are based on: Construction Drawings During Under Construction Finished (  |  |
| *A new Elevation Certificate will be required when construction of the building is complete.  | Construction .   |
| C2. Building Diagram Number [ (Select the building diagram most similar to the building for which this certificate is being comp  | ploted associations from the disamm  |
| accurately represents the building, provide a sketch or photograph.)  | deted - see pages 6 and 7. If no diagram   |
|   |  |
|   | 2/40   |
| C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR  |  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is   | is different from the datum used for the BFE in  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use  | is different from the datum used for the BFE in  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.   | is different from the datum used for the BFE in  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum MCVD Conversion/Comments  | is different from the datum used for the BFE in  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM? Yes No   | is different from the datum used for the BFE in the space provided or the Comments area of   |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVO Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM? Yes No o a) Top of bottom floor (including basement or enclosure)   | s different from the datum used for the BFE in the space provided or the Comments area of  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes X No or a) Top of bottom floor (including basement or enclosure)  Difference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes X No or a) Top of next higher floor   | s different from the datum used for the BFE in the space provided or the Comments area of  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVO Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM? Yes No o a) Top of bottom floor (including basement or enclosure)   | s different from the datum used for the BFE in the space provided or the Comments area of  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes X No or a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Vences only)  | s different from the datum used for the BFE in the space provided or the Comments area of  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR  Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum it  Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use  Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVD Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Vacanes solly)  o e) Lowest elevation of machinery and/or equipment  servicing the building (Describe in a Comments area)  | s different from the datum used for the BFE in the space provided or the Comments area of  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes No a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (Vacance only)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  | s different from the datum used for the BFE in the space provided or the Comments area of the space provided or the Comments area of 31030 MICHAEL D. 60 OWENS OWENS   |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR  Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum it  Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use  Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVD Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Vacanes solly)  o e) Lowest elevation of machinery and/or equipment  servicing the building (Describe in a Comments area)  | s different from the datum used for the BFE in the space provided or the Comments area of Seal and Date of S |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes No a) Top of bottom floor (including basement or enclosure)  b) Top of next higher floor  c) Bottom of lowest horizontal structural member (Vacance only)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  | s different from the datum used for the BFE in the space provided or the Comments area of Seal and Date of S |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes No or a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Venes early)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)   | s different from the datum used for the BFE in the space provided or the Comments area of the space provided or the Comments area of 31030 MICHAEL D. 60 OWENS OWENS   |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum its Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum Nevo Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM? Yes No o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Vacanes soly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade   | s different from the datum used for the BFE in the space provided or the Comments area of Signature and Date 31030 MICHAEL D. SOOR SIGNATURE AND SIGNATURE A |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR  Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum its  Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use  Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVO Conversion/Comments  Elevation reference mark used FC2-3 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (V zenes soly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment  servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (HAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade  "SECTION D - SURVEYOR, Exoting Care (SECTIFIC)  CERTIFIC  | s different from the datum used for the BFE in the space provided or the Comments area of Signature, and Date a |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR  Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum it Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum Novo Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM? Yes No o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Vaenes soly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade   | s different from the datum used for the BFE in the space provided or the Comments area of the space provided or the Space provided or the Comments area of the space provided or the Space provided or the Comments area of the space provided or the Space provided or the Space provided or the Comments area of the space provided or  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR  Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum its  Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use  Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVO Conversion/Comments  Elevation reference mark used FC2-3 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (V zenes soly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment  servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (HAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade  "SECTION D - SURVEYOR, Exoting Care (SECTIFIC)  CERTIFIC  | s different from the datum used for the BFE in the space provided or the Comments area of the space provided or the Comments area of 3 1030 Michael D. Solvens Sidnature and Sidnature a |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/AI-A30, AR/AH, AR  Complete Items C3ai below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used PC23 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Vacance soly)  o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade  SECTION D - SURVEYOR, Subtraction is to be signed and sealed by a land surveyor, as authorized by law to certify I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the datum used. If the datum is a law in the datum used. If the datum in the datum is a law in the datum conversion in the certificate represents my best efforts to interpret the datum in the datum used. If the datum in the datum conversion.  CEPTIEIEPS NAME   | s different from the datum used for the BFE in the space provided or the Comments area of the space provided or |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR  Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVD Conversion/Comments  Elevation reference mark used C223 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (V senes enly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment  servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade  SECTION D - SURVEYOR,  This certification is to be signed and sealed by a land surveyor,  SECTION D - SURVEYOR,  SECTION D - SURVEYOR,  This certification is to be signed and sealed by a land surveyor,  authorized by law to certify I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the d. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 10 CERTIFIER'S NAME    UCENSE   M 3 10   | s different from the datum used for the BFE in the space provided or the Comments area of the space provided or |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section G, as appropriate, to document the datum conversion.  Datum NCVV Conversion/Comments  Elevation reference mark used C23 Does the elevation reference mark used appear on the FIRM?  Yes No o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (Vacces enly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade   | s different from the datum used for the BFE in the space provided or the Comments area of the space provided or the SFE in the space provided or the Comments area of the space provided or the Comme |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3.—ai below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVD Conversion/Comments  Elevation reference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (V senes enly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment  servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (HAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade  o i) Total area of all permanent openings (flood vents) in C3.hsq. in. (sq. cm)  SECTION D - SURVEYOR,  This certification is to be signed and sealed by a land surveyor,  SECTION D - SURVEYOR,  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  COMPANY NAME  PRESIDENT  ADDRESS  CITY | stifferent from the datum used for the BFE in the space provided or the Comments area of the space provided or  |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion. Datum NCVV Conversion/Comments  | stifferent from the datum used for the BFE in the space provided or the Comments area of the space provided or the Comments area of 31030 MICHAEL D. SO OWENS SO OWEN |
| C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR Complete Items C3.—ai below according to the building diagram specified in Item C2. State the datum used. If the datum is Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use Section D or Section, G, as appropriate, to document the datum conversion.  Datum NCVD Conversion/Comments  Elevation reference mark used FC23 Does the elevation reference mark used appear on the FIRM? Yes No  o a) Top of bottom floor (including basement or enclosure)  o b) Top of next higher floor  o c) Bottom of lowest horizontal structural member (V senes enly)  o d) Attached garage (top of slab)  o e) Lowest elevation of machinery and/or equipment  servicing the building (Describe in a Comments area)  o f) Lowest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (LAG)  o g) Highest adjacent (finished) grade (HAG)  o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade  o i) Total area of all permanent openings (flood vents) in C3.hsq. in. (sq. cm)  SECTION D - SURVEYOR,  This certification is to be signed and sealed by a land surveyor,  SECTION D - SURVEYOR,  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  CERTIFIC  This certification is to be signed and sealed by a land surveyor,  COMPANY NAME  PRESIDENT  ADDRESS  CITY | stifferent from the datum used for the BFE in the space provided or the Comments area of the space provided or  |

| FP4P O1-022 ER   |   |                              |   |                                       |   |
|--|---|------------------------------|---|---------------------------------------|---|
| IMPORTANT: In these spaces, cop  |   |                              | Α.  |                                       | For Insurance Company Use:              |
| BUILDING STREET ADDRESS (Including Apt   |   | ROUTE AND BOX NO.            |   |                                       | Policy Number · ; \ ;                   |
| CITY   |   | STATE                        |   | ZIP CODE                              | Company NAIC Number                     |
|  | 749   |                              |   |                                       |   |
| SECT   | TION D - SURVEYOR,                          |                              | CERTIFICATIO                              | N (CONTINUE                           | D)                                      |
| Copy both sides of this Elevation Certificat   | te for (1) community official, (2) ins      | surance agent/company        | , and (3) building owner                  | er.                                   | • •                                     |
| COMMENTS   | · · · · · · · · · · · · · · · · · · ·       |                              |   |                                       |   |
|  |   |                              |   |                                       |   |
|  |   |                              |   | <del> </del>                          |   |
| <u> </u>   | · · · · · · · · · · · · · · · · · · ·       |                              | <u></u>                                   |                                       |   |
| CECTION E DIN DINO   | T T / T   C   C   C   C   C   C   C   C   C | (0110) (0110)                |   |                                       | Check here if attachmen                 |
|  | ELEVATION INFORMATION                       |                              |   |                                       |   |
| or Zone AO and Zone A (without BFE), con   | mplete Items E1 through E4. If the          | e Elevation Certificate is   | s intended for use as su                  | apporting informa                     | ation for a LOMA or LOMR-F,             |
| ection C must be completed.  1. Building Diagram Number _(Select the                           | building diagram most similar to th         | ne huilding for which thi    | s cortificate is being co                 | moleted — seë n                       | ones 6 and 7. If no discrem securate    |
| represents the building, provide a sketo   |   | ie building for willout this | s cerunicate is being con                 | inpreted – see pa                     | nges o and 7. If no diagram accurate    |
| 2. The top of the bottom floor (including ba   |   | ng isft.(m)in.(a             | n) 🗌 above or 🔲 b                         | elow (check one                       | ) the highest adjacent grade. (Use      |
| natural grade, if available).  |   |                              |   |                                       |   |
| For Building Diagrams 6-8 with opening   |   | or or elevated floor (ele    | vation b) of the building                 | isft.(m)i                             | n.(cm) above the highest adjacent       |
| grade. Complete items C3.h and C3.i o  |   | ing in the first in for      | m) [Tabana as [T] b                       | alaw lahadi ana                       | Na historia adiasani arada 11 las       |
| <ul> <li>The top of the platform of machinery and<br/>natural grade, if available).</li> </ul> | Tot equipment servicing the builds          | ing isir(in)in.(ci           | n) 🗀 above or 🗀 b                         | elow (check one                       | ) the highest adjacent grade. (Use      |
| . For Zone AO only: If no flood depth nur  | nber is available, is the top of the t      | bottom floor elevated in     | accordance with the co                    | ommunity's flood                      | plain management ordinance?             |
| Yes No Unknown. The  | •   |                              | 3 4                                       |                                       | · · · · · · · · · · · · · · · · · · ·   |
| SECT   | TION F - PROPERTY OWNER                     | R (OR OWNER'S RE             | PRESENTATIVE)                             | CERTIFICATION                         | ON                                      |
| The property owner or owner's authorized   | representative who completes Se             | ctions A, B, C (Items C      | 3.h and C3.i only), and                   | E for Zone A (wi                      | thout a FEMA-issued or community-       |
| ssued BFE) or Zone AO must sign here.  | The statements in Sections A, B,            | C, and E are correct to      | the best of my knowled                    | lge.                                  | •                                       |
| PROPERTY OWNER'S OR OWNER'S A  | UTHORIZED REPRESENTATIV                     | ES NAME                      |   |                                       |   |
| ADDRESS  |   | CITY                         |   | STA                                   | E ZIP CODE                              |
| SIGNATURE  |   | DATE                         |   | TFI F                                 | PHONE                                   |
|  | s esta                                      |                              | •   |                                       |   |
| COMMENTS   |   |                              |   |                                       | ,                                       |
| 11,161,146   |   | •                            |   |                                       |   |
|  |   |                              |   |                                       | Check here if attachmen                 |
|  | SECTION G. COL                              | MMUNITY INFORM               | ATION (OPTIONAL)                          |                                       |   |
| e local official who is authorized by law or   |   |                              |   |                                       | ons A. B. C. (or E) and G. of this Flow |
| entificate. Complete the applicable item(s)  |   | nonty s noopan man           | agentient ordinales car                   |                                       | SIST, D, O (O L), and O O mis Lief      |
| . The information in Section C was ta  |   | at has been signed and       | embossed by a license                     | ed surveyor, engi                     | neer, or architect who is authorized t  |
| or local law to certify elevation infor  | mation. (Indicate the source and o          | date of the elevation da     | tain the Comments are                     | ea below.)                            |   |
| 2. A community official completed Sec  | •   | •                            |   | sued BFE) or Zo                       | ne AO.                                  |
| . The following information (Items G4  | -G9) is provided for community flo          | odplain management p         | ourposes.                                 |                                       | •                                       |
| 34. PERMIT NUMBER  | G5. DATE PERMIT ISSUED                      |                              | G6. DATE CERT                             | IFICATE OF COM                        | PLIANCE/OCCUPANCY ISSUED                |
| OI - O22 ER  7. This permit has been issued for: Ne  | Construction                                | Improvement                  |   | - · · · ·                             |   |
| B. Elevation of as-built lowest floor (including   |   | impovencii                   | w = 0 * * * * * * * * * * * * * * * * * * | ft_(m)                                | Datum:                                  |
| BFE or (in Zone AO) depth of flooding a  | •   |                              | •   | ft.(m)                                | Datum:                                  |
| OCAL OFFICIAL'S NAME   | <u> </u>                                    |                              | TITLE                                     |                                       |   |
| COMMUNITY NAME   |   |                              | TELEPHONE                                 | <del></del>                           |   |
|  |   |                              |   |                                       |   |
| SIGNATURE  |   | <del></del>                  | DATE                                      | · · · · · · · · · · · · · · · · · · · |   |
| COMMENTS   |   |                              |   |                                       | Handar Color                            |
|  | N   |                              |   |                                       |   |
|  |   |                              |   |                                       | Check here if attachmen                 |

FEMA Form 81-31, January 2003 Replaces all previous edi