P 05 CP 10332

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Ernergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012 N

Important: Read the instructions on pages 1-9. National Flood Insurance Program DM **SECTION A - PROPERTY INFORMATION** For Insurance Company Use: A1. Building Owner's Name VANDERBILT MORTGAGE AND FINANCE, INC **Policy Number** A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 5920 S. SOUTH ARROW Company NAIC Number City ZIP Code TUCSON AZ 85757 A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)

Tax Code 210-18-1270 Township 15S Range 12E Section 10 Tax Code 210-18-1270 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential: Manufactured Home A5. Latitude/Longitude: Lat. 32.143657 Horizontal Datum: NAD 1927 Long. -111.110563 X NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 6 A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: 1524 sq ft a) Square footage of attached garage NA a) Square footage of crawlspace or enclosure(s) sa ft b) No. of permanent flood openings in the attached garage b) No. of permanent flood openings in the crawlspace or 21 NA enclosure(s) within 1.0 foot above adjacent grade within 1.0 foot above adjacent grade 1800 sq in c) Total net area of flood openings in A9.b c) Total net area of flood openings in A8.b NA d) Engineered flood openings? Yes V No d) Engineered flood openings? ₩ No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION **B1. NFIP Community Name & Community Number B2.** County Name B3. State **Pima County** AZ Pima County / 040073 B4. Map/Panel Number **B6. FIRM Index B7. FIRM Panel** R8 Flood B9. Base Flood Elevation(s) (Zone **B5** Suffix Date Effective/Revised Date Zone(s) AO, use base flood depth) 04019C 2265 L 6-16-11 AO Depth 2 6-16-11 B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. Community Determined FIRM Other (Describe) Other (Describe) Highest Adj. Nat. Grade (=100 ft) NAVD 1988 B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.e-h below according to the building diagram specified in Item A7. Use the same datum as the BFE. Vertical Datum 100.0' = HIGHEST ADJ. GRADE Benchmark Utilized LOCAL Conversion/Comments NONE Check the measurement used. 100.4 X feet Top of bottom floor (including basement, crawlspace, or enclosure floor) meters (Puerto Rico only) 104.5 X feet Top of the next higher floor meters (Puerto Rico only) NA X feet Bottom of the lowest horizontal structural member (V Zones only) meters (Puerto Rico only) NA X feet meters (Puerto Rico only) d) Attached garage (top of slab) 103.4 X feet Lowest elevation of machinery or equipment servicing the building meters (Puerto Rico only) (Describe type of equipment and location in Comments) 99.6 X feet Lowest adjacent (finished) grade next to building (LAG) meters (Puerto Rico only) 100.0 X feet Highest adjacent (finished) grade next to building (HAG) meters (Puerto Rico only) Lowest adjacent grade at lowest elevation of deck or stairs, including 99.9 X feet meters (Puerto Rico only) structural support When B.9 is a depth above grade, it is required to indicate high SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No EDGAR B. Certifier's Name
EDGAR REYNOLDS AND ASSOCIATES REYNOLDS JR Company Name EDGAR REYNOLDS AND ASSOCIATES LAND SURVEYOR State TUCSON Address 1926 W. CALLE MECEDORA Date 9/30/2012 Telephone 520-884-0292 Signature

FEMA Form 81/31, Mar 09

See reverse side for continuation.

Replaces all previous editions

TOTAL PARTY	THOUGH	OF COM	100
rru	UP#	05-607	Ľ.

P 05 CP 10332

IMPORTANT: In these spaces				F	or Insurance Company Use:
Building Street Address (including A 5920 S. SOUTH ARROW	7 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -		0.	P	olicy Number
City TUCSON	State	⁰ AZ	ZIP 8575		company NAIC Number
SECTION	ON D - SURVEYOR, ENGINEE	R, OR ARCHITECT	CERTIFICA	TION (CONTI	NUED)
Copy both sides of this Elevation Co	ertificate for (1) community official, ((2) insurance agent/com	pany, and (3)	building owner.	
	ment (C3.e) is the _AC and t		ER HEATER	is	are above this elevation.
ghest adjacent natural grade is1				_	
	RED HOME, BLOCK SI		E IS 3.0' I	BETWEEN	HIGHEST ADJACEN
	ST STRUCTURAL MEM				710
Signature // // S	1	Date 9/30/2	012		Check here if attachmen
SECTION E BUILDING EI	EVATION INFORMATION (SU			ONE AO AND	
E5. Zone AO only: If no flood deportinance? Yes No SECTION NO SECT	al grade, if available. Check the more for the following and check the appendiacent grade (LAG). Ing basement, crawlspace of the permanent flood openings properties of the building is the building is the top of the deciration of the building is the top of the permanent savailable, is the top of Unknown. The local official more properties of the permanents in Sections A, B, and E all decirations are properties.	easurement used. In Propriete boxes to show sure is	eet	y, enter meters. elevation is above eters above eters above eters above pages 8-9 of in below the Holes above meters above mee with the corne. (E) CERTIFICATION AND ADDRESS AND ADDRESS ADDR	e or below the highest adjacent or below the HAG. or below the LAG. structions), the next higher floor HAG. or below the HAG. nmunity's floodplain management
Comments					
	- Well -				☐ Check here if attachm
	SECTION G - COMM	UNITY INFORMATIO	N (OPTION	AL)	
2. A community official compl	omplete the applicable item(s) and	sign below. Check the ation that has been signe the source and date of to d in Zone A (without a F	measurement ed and sealed the elevation of EMA-issued	t used in Items (by a licensed s data in the Comi or community-is	G8 and G9. urveyor, engineer, or architect wi ments area below.)
G4. Permit Number FPUP# 05-607E	G5. Date Permit Issued	G6.	Date Certific	ate Of Complian	nce/Occupancy Issued
	r (including basement) of the building	Substantial Improvemen	feet [meters (PR)	Datum
BFE or (in Zone AO) depth of fi Community's design flood class		· · · · · · · · · · · · · · · · · · ·		meters (PR)	Datum
10. Community's design flood eleve	AUOII	•	feet _	Timerens (EK)	Datum
Local Official's Name		Title			
Community Name		Telephon	0		
Signature		Date			
Comments					
					Check here if attachm

FPUP# 05-607E

Building Photographs See Instructions for Item A6.

			For Insurance Company Use:
Building Street Address (including 5920 S. SOUTH ARROW	ng Apt., Unit, Suite, and/or Bldg. No.) or P.0	D. Route and Box No.	Policy Number
City TUCSON	State	ZIP Code 85757	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the





elcert_05_607E P05CP10332 Client's Initials FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires December 31, 2005

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

	SECTION	A - PROPERTY OWNER INFORM	MATION	For Insurance Company Use:
BUILDING OWNER'S NAME	Policy Number			
Jose Valdez				
BUILDING STREET ADDRESS (Inclu 5920 S. South Arrow	iding Apt., Unit, Suite, and			Company NAIC Number
CITY Tucson		STATE AZ	ZIP C 8575	
PROPERTY DESCRIPTION (Lot and	Block Numbers Tax Pan		6575	
Tax Code: 210-18-1270	Dioac Harrison, Fast Fast	, 100, 100, 100, 100, 100, 100, 100, 10		
BUILDING USE (e.g., Residential, Nor			, if necessary.)	
Residential: Manufactured Home Rep			COLIDCE: CI CDC (T	ime).
LATITUDE/LONGITUDE (OPTIONAL) (##° - ##' - ##.##" or ##.####")		IZONTAL DATUM: 1927	SOURCE: GPS (T	
	SECTION B - FLOO	DD INSURANCE RATE MAP (FIRM	I) INFORMATION	
B1. NFIP COMMUNITY NAME & COMMUNITY Pima County 040073	YNUMBER	B2. COUNTY NAME Pima County		B3. STATE Arizona
B4. MAP AND PANEL NUMBER 04019C 2225 K	B6. FIRM INDEX DA 2/8/99	B7. FIRM PANEL EFFECTIVE/REVISED DATE 2/8/99	B8. FLOOD ZONE(S) AO2	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) 2.0
10. Indicate the source of the Base Flood B FIS Profile FIRM 11. Indicate the elevation datum used for the second seco	Community D	Determined Other (De 929 NAVD 19	88 Other (Describe):	
12. Is the building located in a coastal ball		IG ELEVATION INFORMATION (S		Designation Date
Building elevations are based on: C		200		
		-	M I maned constituction	
		le ballali ig is corriblete.		
*A new Elevation Certificate will be requ			icata is boing completed a	on pages 6 and 7 If no diagram
*A new Elevation Certificate will be requ Building Diagram Number <a> (Select	the building diagram most s	similar to the building for which this certifi	icate is being completed - s	ee pages 6 and 7. If no diagram
*A new Elevation Certificate will be requ 2. Building Diagram Number <u></u> (Select accurately represents the building, provi	the building diagram most side a sketch or photograph.	similar to the building for which this certifi)		ee pages 6 and 7. If no diagram
*A new Elevation Certificate will be requ 2. Building Diagram Number <u>S</u> (Select accurately represents the building, prov 3. Elevations – Zones A1-A30, AE, AH, A	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (similar to the building for which this certifi) (with BFE), AR, AR/A, AR/AE, AR/A1-A3	30, AR/AH, AR/AO	
*A new Elevation Certificate will be requ 2. Building Diagram Number (Select accurately represents the building, provi 3. Elevations – Zones A1-A30, AE, AH, A Complete Items C3a-i below according	the building diagram most s ide a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sp	similar to the building for which this certifi) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 ecified in Item C2. State the datum used	30, AR/AH, AR/AO d. If the datum is different fro	om the datum used for the BFE in
*A new Elevation Certificate will be requ Building Diagram Number _<_ (Select accurately represents the building, provi Belevations – Zones A1-A30, AE, AH, A Complete Items C3a-i below according Section B, convert the datum to that use	the building diagram most s ide a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sp ed for the BFE. Show field n	similar to the building for which this certifi) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 ecified in Item C2. State the datum used neasurements and datum conversion ca	30, AR/AH, AR/AO d. If the datum is different fro	om the datum used for the BFE in
*A new Elevation Certificate will be required. Building Diagram Number (Select accurately represents the building, provided the second of the second	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram speed for the BFE. Show field in the document the datum control of the datu	similar to the building for which this certifi) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 secified in Item C2. State the datum used measurements and datum conversion can pression	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p	om the datum used for the BFE in
*A new Elevation Certificate will be requive the second of	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not document the datum cor	similar to the building for which this certification) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 secified in Item C2. State the datum used measurements and datum conversion can version.	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p	om the datum used for the BFE in
*A new Elevation Certificate will be requive the second of	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not document the datum cor	similar to the building for which this certifi) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 ecified in Item C2. State the datum used neasurements and datum conversion ca	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes X No	om the datum used for the BFE in
*A new Elevation Certificate will be requive the second of	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not odocument the datum core of the diagram specific of the BFE.	similar to the building for which this certification) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 secified in Item C2. State the datum used measurements and datum conversion can version.	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes X No	om the datum used for the BFE in
*A new Elevation Certificate will be requive the second of	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not odocument the datum core of the diagram specific of the BFE.	similar to the building for which this certification) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 excified in Item C2. State the datum used the assurements and datum conversion can expression. Express Lowers Ads Can be a mark used appear on the FIRM?	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes X No	om the datum used for the BFE in
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provide Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Description of the proportion of the property of the propert	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corposes the elevation reference ement or enclosure)	similar to the building for which this certification) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 excified in Item C2. State the datum used measurements and datum conversion can version. SCARED LOWEST Add CASE mark used appear on the FIRM? 4.9_ft.(m) 1/ft.(m)	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes X No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provided the Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Elevation reference mark used Elevation for including base of D Top of next higher floor of Bottom of lowest horizontal structure.	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corposes the elevation reference ement or enclosure)	similar to the building for which this certification (with BFE), AR, AR/A, AR/AE, AR/A1-A3 excified in Item C2. State the datum used measurements and datum conversion can version. Secure 2 Lowes F Ads. Compared to the FIRM? 4. 9.ft.(m) 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requested. Building Diagram Number (Select accurately represents the building, provided in the second of the sec	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not document the datum corposes the elevation reference ement or enclosure)	similar to the building for which this certification) (with BFE), AR, AR/A, AR/AE, AR/A1-A3 excified in Item C2. State the datum used measurements and datum conversion can version. SCARED LOWEST Add CASE mark used appear on the FIRM? 4.9_ft.(m) 1/ft.(m)	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provide Elevations – Zones A1-A30, AE, AH, AH, Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Datum Conversion/Comments Elevation reference mark used Do a) Top of bottom floor (including base of b) Top of next higher floor of a) Bottom of lowest horizontal structured d) Attached garage (top of slab) of b) Lowest elevation of machinery and	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not odocument the datum corposes the elevation reference ement or enclosure) aral member (V-zones only)	similar to the building for which this certification (with BFE), AR, AR/A, AR/AE, AR/A1-A3 secified in Item C2. State the datum used measurements and datum conversion can version. Secondo Lowers F. Ads. Case mark used appear on the FIRM? 4.9.ft.(m) MALA_ft.(m) MALA_ft.(m)	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provide Belevations – Zones A1-A30, AE, AH, AH, Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Do and Top of bottom floor (including based of b) Top of next higher floor of Bottom of lowest horizontal structured d) Attached garage (top of slab) of e) Lowest elevation of machinery and servicing the building (Describe in	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not document the datum corposes the elevation reference ement or enclosure) arai member (V-zenes only) d/or equipment na Comments area)	similar to the building for which this certification (with BFE), AR, AR/A, AR/AE, AR/A1-A3 secified in Item C2. State the datum used measurements and datum conversion can version. Security Lowers F Ads Case mark used appear on the FIRM? 4. 9. ft.(m) 14. 15. ft.(m) 15. 16. (m) 16. 16. (m) 17. 16. (m) 18. 16. (m) 18. 16. (m)	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provided the Elevations – Zones A1-A30, AE, AH, AH, Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum (Conversion/Comments Elevation reference mark used (Datum Top of bottom floor (including base of b) Top of next higher floor of Bottom of Iowest horizontal structure of Attached garage (top of slab) of Elevation of machinery and servicing the building (Describe in D. Lowest adjacent (finished) grade (L.)	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not document the datum corposes the elevation reference ement or enclosure) arai member (V-zones only) d/or equipment na Comments area) LAG)	similar to the building for which this certification (with BFE), AR, AR/A, AR/AE, AR/A1-A3 excified in Item C2. State the datum used measurements and datum conversion can expression. Some Lowers F Add Care mark used appear on the FIRM? 4.9_ft.(m) 1.0_ft.(m) 2.1 4.9_ft.(m) 2.1 4.9_ft.(m) 2.1 4.9_ft.(m)	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provided Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Do and Top of bottom floor (including base of b) Top of next higher floor of Bottom of Iowest horizontal structure of all Attached garage (top of slab) of b) Lowest elevation of machinery and servicing the building (Describe in of 1) Lowest adjacent (finished) grade (Log) Highest adjacent (finished) grade (Log)	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram speed for the BFE. Show field not document the datum corposes the elevation reference ement or enclosure) d/or equipment not a Comments area) AG) (HAG)	similar to the building for which this certification in the building for which this certification is certificated in Item C2. State the datum used measurements and datum conversion can expression. Secure Lowest Ads. Conversion to the FIRM? 4.9_ft.(m) 1.9_ft.(m)	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provide Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum (Conversion/Comments Elevation reference mark used (Datum Top of bottom floor (including base of b) Top of next higher floor of Bottom of Iowest horizontal structured d) Attached garage (top of slab) of b) Lowest elevation of machinery and servicing the building (Describe in f) Lowest adjacent (finished) grade (Log) Highest adjacent (finished) grade (Log) Highest adjacent (permanent openings (flood)	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not document the datum corporate the elevation reference ement or enclosure) divor equipment not a Comments area) LAG) (HAG) vents) within 1 ft. above adj	similar to the building for which this certification in the building for which this certification is certificated in Item C2. State the datum used measurements and datum conversion can expression. Secure Lowest Ads. Conversion to the FIRM? 4.9_ft.(m) 1.9_ft.(m) 1.9_ft.(m) 2.9_ft.(m) 2.9_ft.(m) 2.9_ft.(m) 2.9_ft.(m) 2.9_ft.(m) 3.9_ft.(m) 2.9_ft.(m) 3.9_ft.(m) 3.9_ft.(m)	30, AR/AH, AR/AO d. If the datum is different fro alculation. Use the space p Yes No Telegraphy and Delegraphy and Delegrap	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provided Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Do and Top of bottom floor (including base of b) Top of next higher floor of Bottom of Iowest horizontal structure of all Attached garage (top of slab) of b) Lowest elevation of machinery and servicing the building (Describe in of 1) Lowest adjacent (finished) grade (Log) Highest adjacent (finished) grade (Log)	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field not document the datum corposes the elevation reference ement or enclosure) arai member (V-zenes only) d/or equipment not a Comments area) LAG) (HAG) vents) within 1 ft. above adjugs (flood vents) in C3.h	similar to the building for which this certification in the building for which this certification is certificated in the management of the datum used measurements and datum conversion can expression. Secure of Lower of Addition in the FIRM? 4.9_ft.(m) 1.1_ft.(m) 2.1_ft.(m) 2.1_ft.(m) 3.1_ft.(m) 2.1_ft.(m) 3.1_ft.(m) 4.1_ft.(m) 4.1_ft.(m) 4.1_ft.(m) 5.1_ft.(m) 5.1_ft.(m) 6.1_ft.(m) 6.1_ft.(m) 6.1_ft.(m) 6.1_ft.(m) 6.1_ft.(m)	30, AR/AH, AR/AO d. If the datum is different for alculation. Use the space p Yes No	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requested. Building Diagram Number (Select accurately represents the building, proving a Elevations – Zones A1-A30, AE, AH, AH, AH, Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Datum Conversion/Comments Elevation of Including	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corposes the elevation reference ement or enclosure) d/or equipment in a Comments area) AG) (HAG) vents) within 1 ft. above adjugs (flood vents) in C3.h	similar to the building for which this certification in the security of the se	30, AR/AH, AR/AO d. If the datum is different for alculation. Use the space p Yes No Read page page and page page page page page page page page	om the datum used for the BFE in rovided or the Comments area of
*A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provided Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Determined to a Top of bottom floor (including base of b) Top of next higher floor of Bottom of Iowest horizontal structured all Attached garage (top of slab) of b) Lowest elevation of machinery and servicing the building (Describe in of 1) Lowest adjacent (finished) grade (Logi) Highest adjacent (finished) grade (Logi) Highest adjacent (finished) grade (Logi) Total area of all permanent opening.	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corporate the elevation reference ement or enclosure) dor equipment in a Comments area) AG) (HAG) vents) within 1 ft. above adjugs (flood vents) in C3.h	similar to the building for which this certification is the building for which this certification is secretary and a secretary and datum conversion can be mark used appear on the FIRM? 4.9_ft.(m) 4.9_ft.(m) 4.9_ft.(m) 6.0_ft.(m) 7.9_ft.(m) 7.9_ft.(m) 8.5_0.0_ft.(m) 8.5_0.0_ft.(m) 9.0_ft.(m) 9.0_ft.(m) 1.0_ft.(m) 1.0_	30, AR/AH, AR/AO d. If the datum is different for alculation. Use the space p Yes No TCERTIFICATION law to certify elevation in the spect of the space of the	om the datum used for the BFE in rovided or the Comments area of
"A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provided the Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-I below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Determined to a Top of bottom floor (including base of b) Top of next higher floor of Bottom of Iowest horizontal structured d) Attached garage (top of slab) of b) Lowest elevation of machinery and servicing the building (Describe in the Complete of b) No. of permanent openings (flood of b) No. of permanent openings (flood of b) Total area of all permanent openings (flood of b) Total area o	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corporate the elevation reference ement or enclosure) dor equipment in a Comments area) AG) (HAG) vents) within 1 ft. above adjugs (flood vents) in C3.h	similar to the building for which this certification is the building for which this certification is secretary and a secretary and datum conversion can be mark used appear on the FIRM? 4.9_ft.(m) 4.9_ft.(m) 4.9_ft.(m) 6.0_ft.(m) 7.9_ft.(m) 7.9_ft.(m) 8.5_0.0_ft.(m) 8.5_0.0_ft.(m) 9.0_ft.(m) 9.0_ft.(m) 1.0_ft.(m) 1.0_	30, AR/AH, AR/AO d. If the datum is different for alculation. Use the space p Yes No TCERTIFICATION law to certify elevation in the spect of the space of the	om the datum used for the BFE in rovided or the Comments area of 1031 Page 1
"A new Elevation Certificate will be requive Building Diagram Number (Select accurately represents the building, provided the Elevations – Zones A1-A30, AE, AH, All Complete Items C3a-i below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Elevation of new through the properties of the Elevation of new through the properties of the Elevation of new through the properties of the Elevation of new through the properties of through the properties of the Elevation of new through thr	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corposes the elevation reference ement or enclosure) dior equipment a Comments area) AG) (HAG) vents) within 1 ft. above adjust of the second of th	similar to the building for which this certification in the building for which this certification is secretary and a secretary and the conversion can be mark used appear on the FIRM? 4.9_ft.(m) 2.1_ft.(m) 3.4_ft.(m) 3.4_ft.(m) 3.4_ft.(m) 3.4_ft.(m) 3.4_ft.(m) 4.9_ft.(m) 6.0_ft.(m) 7.0_ft.(m) 7.0_ft.(m) 8.5_ft.(m) 8.5_ft.(m) 9.0_ft.(m) 1.0_ft.(m) 1.	AND ARIAH, ARIAO If the datum is different for alculation. Use the space policy of th	om the datum used for the BFE in rovided or the Comments area of 1031 Page 1
*A new Elevation Certificate will be requested. Building Diagram Number (Select accurately represents the building, proving accurately represents the section B, convert the datum to that use according section B, convert the datum to that use according accurately	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corposes the elevation reference ement or enclosure) dior equipment a Comments area) AG) (HAG) vents) within 1 ft. above adjust of the second of th	similar to the building for which this certification in the building for which this certification is certificated in Item C2. State the datum used in the mass and datum conversion can reside in Item C2. State the datum used in the mass and datum conversion can reside in Item C2. State the datum used in the mass and datum conversion can reside in the FIRM? 4. 9. ft.(m) 7. ft.(m) 7. ft.(m) 7. gt.(m) 7. gt.(m) 7. gt.(m) 7. gt.(m) 7. gt.(m) 8. second of the firm of	AND ARIAH, ARIAO If the datum is different for alculation. Use the space policy of th	om the datum used for the BFE in rovided or the Comments area of 31031 Comments area of 21031 Comments area of 210
"A new Elevation Certificate will be requested." Building Diagram Number (Select accurately represents the building, proving a Elevations – Zones A1-A30, AE, AH, AI Complete Items C3a-I below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Datum Conversion/Comments Elevation reference mark used Datum Conversion/Comments Elevation reference mark used Datum Conversion/Comments Elevation of bottom floor (including base of b) Top of next higher floor of Bottom of lowest horizontal structured and Attached garage (top of slab) of b) Lowest elevation of machinery and servicing the building (Describe in of b) Lowest adjacent (finished) grade (Long) Highest adjacent (finished) grade (Long) Total area of all permanent opening (flood of lowest that the information in Sections (understand that any false statement in CERTIFIER'S NAME	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corposes the elevation reference ement or enclosure) dior equipment a Comments area) AG) (HAG) vents) within 1 ft. above adjust of the second of th	similar to the building for which this certification in the building for which this certification is certificated in Item C2. State the datum used in the mass and datum conversion can reside in Item C2. State the datum used in the mass and datum conversion can reside in Item C2. State the datum used in the mass and datum conversion can reside in the FIRM? 4. 9. ft.(m) 7. ft.(m) 7. ft.(m) 7. gt.(m) 7. gt.(m) 7. gt.(m) 7. gt.(m) 7. gt.(m) 8. second of the firm of	ASSOCIATION To CERTIFICATION Law to certify elevation in the pret the data available de, Section 1001. LICENSE NUMBER 3103	om the datum used for the BFE in rovided or the Comments area of 1031 Comments area of 1
"A new Elevation Certificate will be requested." Building Diagram Number (Select accurately represents the building, proving a Elevations – Zones A1-A30, AE, AH, AI Complete Items C3a-I below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Datum Conversion/Conversi	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corporate the elevation reference ement or enclosure) aral member (V-zenes only) d/or equipment in a Comments area) AG) (HAG) vents) within 1 ft. above adjust (HAG) vents) within 1 ft. above adjust (HAG) section D-surve ealed by a land surveyor, is A, B, and C on this certification in the surveyor of the punishable by fine	similar to the building for which this certification in the building for which this certification is certificated in Item C2. State the datum used measurements and datum conversion can expression. Secretar Lowers Fads Can expression and the FIRM? 4.9 ft.(m) 4.9 ft.(m) 4.9 ft.(m) 6.0 ft.(m) 7.4 ft.(m) 7.5 ft.(m) 7.7 ft.(m) 8.5 control of the FIRM? 9.1 ft.(m) 9.2 ft.(m) 9.3 ft.(m) 9.4 ft.(m) 9.5 ft.(m) 9.5 ft.(m) 9.7 ft.(m) 9.7 ft.(m) 10.7 ft.(m) 10.8 ft.(m) 10.9	30, AR/AH, AR/AO d. If the datum is different for alculation. Use the space p Yes No T CERTIFICATION law to certify elevation in interpret the data available de, Section 1001. LICENSE NUMBER 3103	om the datum used for the BFE in rovided or the Comments area of 31031 TOTAL PRINCIPAL PRINCIPA
*A new Elevation Certificate will be requested. Building Diagram Number (Select accurately represents the building, provided according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Datum Developments of Datum Bottom floor (including base of Disposition of Data thigher floor of Bottom of Iowest horizontal structure of Data thigher floor of Bottom of Iowest horizontal structure of Data thigher floor of Data acceptation of machinery and servicing the building (Describe in the Data thigher floor of Data accept (finished) grade (Dosentification is to be signed and set of Certify that the information in Sections of Data area of all permanent opening CERTIFIER'S NAME CERTIFIER'S NAME CERTIFIER'S NAME CERTIFIER'S NAME CALLE Macaning Data (Macaning Data (Data	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corporate the elevation reference ement or enclosure) aral member (V-zenes only) d/or equipment in a Comments area) AG) (HAG) vents) within 1 ft. above adjust (HAG) vents) within 1 ft. above adjust (HAG) section D-surve ealed by a land surveyor, is A, B, and C on this certification in the surveyor of the punishable by fine	similar to the building for which this certification in the building for which this certification is certificated in Item C2. State the datum used measurements and datum conversion can enversion. Secretar Lowers Ads. Compared to the FIRM? 4.9 ft.(m) 4.9 ft.(m) 4.9 ft.(m) 6.0 ft.(m) 6.0 ft.(m) 7.0 ft.(m) 7.0 ft.(m) 7.0 ft.(m) 8.0 ft.(m) 8.0 ft.(m) 8.0 ft.(m) 8.0 ft.(m) 9.0 f	ASSOCIATION 130, AR/AH, AR/AO 15. If the datum is different for alculation. Use the space property of the sp	om the datum used for the BFE in rovided or the Comments area of 31031 FGA RADFORD CARRYOLDS IR 10 / 18 / 10 / 10
"A new Elevation Certificate will be requested." Building Diagram Number (Select accurately represents the building, proving a Elevations – Zones A1-A30, AE, AH, AI Complete Items C3a-I below according Section B, convert the datum to that use Section D or Section G, as appropriate, Datum Conversion/Comments Elevation reference mark used Datum Top of bottom floor (including base of b) Top of next higher floor of Bottom of Iowest horizontal structured by Attached garage (top of slab) of b) Lowest elevation of machinery and servicing the building (Describe in of b) Lowest adjacent (finished) grade (Logi) Highest adjacent (finished) grade (Logi) Highest adjacent (finished) grade (Logi) Total area of all permanent opening (Iood of logi) Total area of all permanen	the building diagram most side a sketch or photograph. (with BFE), VE, V1-V30, V (g to the building diagram sped for the BFE. Show field into document the datum corporate the elevation reference ement or enclosure) aral member (V-zenes only) d/or equipment in a Comments area) AG) (HAG) vents) within 1 ft. above adjust (HAG) vents) within 1 ft. above adjust (HAG) section D-surve ealed by a land surveyor, is A, B, and C on this certification in the surveyor of the punishable by fine	similar to the building for which this certification in the building for which this certification is certificated in Item C2. State the datum used measurements and datum conversion can expression. Secretar Lowers Fads Can expression and the FIRM? 4.9 ft.(m) 4.9 ft.(m) 4.9 ft.(m) 6.0 ft.(m) 7.4 ft.(m) 7.5 ft.(m) 7.7 ft.(m) 8.5 control of the FIRM? 9.1 ft.(m) 9.2 ft.(m) 9.3 ft.(m) 9.4 ft.(m) 9.5 ft.(m) 9.5 ft.(m) 9.7 ft.(m) 9.7 ft.(m) 10.7 ft.(m) 10.8 ft.(m) 10.9	30, AR/AH, AR/AO d. If the datum is different for alculation. Use the space p Yes No T CERTIFICATION law to certify elevation in the space the data available de, Section 1001. LICENSE NUMBER 3103	om the datum used for the BFE in rovided or the Comments area of 31031 TOTAL PRINCIPAL PRINCIPA

elcert_05_607E IMPORTANT: In these spaces	s, copy the corresponding information from Sec	ction A.		For Insurance Company Use:
	ng Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX			Policy Number
CITY Tucson	STATE AZ		ZIP CODE 85757	Company NAIC Number
	SECTION D - SURVEYOR, ENGINEER, OR ARC	CHITECT CERTIFICATION		D)
	ertificate for (1) community official, (2) insurance agent/cor			
COMMENTS	initiate to (1) continuing officially (2) modulates against	inputy and (o) salaring office		
	30' BETWEEN HIGHEST 1	AJACONT CON	DE AM	o Garast
STAUTURAL A	TEMBER EVAP COLE	n ou STANK		
				Check here if attachments
SECTION E - BUILDI	ING ELEVATION INFORMATION (SURVEY NOT	REQUIRED) FOR ZON	NE AO AND ZO	
or Zone AO and Zone A (without BFE	E), complete Items E1 through E4. If the Elevation Certifi	icate is intended for use as s	supporting informa	tion for a LOMA or LOMR-F,
ection C must be completed.	41.5			
	ct the building diagram most similar to the building for wh	ich this certificate is being co	ompleted - see pa	ages 6 and 7. If no diagram accurately
represents the building, provide a	,			
	ing basement or enclosure) of the building isft.(m)_	_in.(cm) above or l	below (check one) the highest adjacent grade. (Use
natural grade, if available).	2) the seathink of a seath of the seath of t	an (alassation b) of the building	- i- # /\ :	- () also us the highest adjacent
 For Building Diagrams 6-8 with opgrade. Complete items C3.h and 	penings (see page 7), the next higher floor or elevated floor	or (elevation b) of the building	g isπ.(m)i	n.(cm) above the highest adjacent
	ery and/or equipment servicing the building is ft.(m) _	in (cm) \square above or \square	helow (check one	the highest adjacent grade // Ise
natural grade, if available).	Ty and of equipment serving the boliding isittiny_	_iii.(aii)	DOON (GICON OILC	the highest adjacent grade. (Ose
	th number is available, is the top of the bottom floor eleva	ated in accordance with the	community's flood	plain management ordinance?
The state of the s	. The local official must certify this information in Section			
5	SECTION F - PROPERTY OWNER (OR OWNER	'S REPRESENTATIVE)	CERTIFICATIO	ON
The property owner or owner's author	orized representative who completes Sections A, B, C (Ite	ems C3.h and C3.i only), and	d E for Zone A (w	thout a FEMA-issued or community-
issued BFE) or Zone AO must sign h	nere. The statements in Sections A, B, C, and E are corr	rect to the best of my knowle	edge.	
PROPERTY OWNER'S OR OWNE	R'S AUTHORIZED REPRESENTATIVE'S NAME			
ADDRESS		CITY	STA	TE ZIP CODE
ADDRESS		GIT	SIA	IL ZIF OODL
SIGNATURE		DATE	TELE	PHONE
COMMENTS				
		- very		
and the second			u	
AND STATE OF THE PARTY OF THE P				Check here if attachments
17 1831 13.0	SECTION G - COMMUNITY INFO	ORMATION (OPTIONAL	_)	
he local official who is authorized by I	law or ordinance to administer the community's floodplain	n management ordinance ca	an complete Secti	ons A, B, C (or E), and G of this Elevati
ertificate. Complete the applicable its				
61. The information in Section C v	was taken from other documentation that has been signe	ed and embossed by a licens	sed surveyor, eng	ineer, or architect who is authorized by
20 1 2 2	n information. (Indicate the source and date of the eleval			
	ed Section E for a building located in Zone A (without a Fl		ssued BFE) or Zo	ne AO.
3. I The following information (Iten	ns G4-G9) is provided for community floodplain manage			
G4. PERMIT NUMBER	G5. DATÉ PERMIT ISSUED	G6. DATE CER	RTIFICATE OF CON	IPLIANCE/OCCUPANCY ISSUED
05-607E				
	New Construction Substantial Improvement Including basement) of the building is:		ft.(m)	Datum:
69. BFE or (in Zone AO) depth of floor			it.(m)	Datum:
	unig at the boliding site of			
LOCAL OFFICIAL'S NAME		TITLE		
COMMUNITY NAME		TELEPHONE		, ,
SIGNATURE		DATE		
COMMENTS				
The Regulatory Flood Elevation (RFE) is	one foot above the Base Flood Elevation (BFE). Unless an elev	ration above mean sea level is g	iven, elevations are	based on Highest Adjacent Grade (HAG).
				Charlebers & starbard
				Check here if attachments

Denlaces all previous aditions

EEMA Form 81-31 January 2003