FPUP# 08-489E

P 08 CP 00904

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

Hr 4127/11

OMB No. 1660-0008 Expires March 31, 2012

Important: Read the instructions on pages 1-9.

A1 Building Owner's Nam		TION A - PROPERTY INFORMAT	TION	For Insurance Company Ute:
The outdoing Owner a Nath	1. Building Owner's Name Fred Trentadue			
A2. Building Street Addres 6724 W, Lezy H		Company NA IC Number		
City Tucson	Z	ZIP Code 85757		
	Lot and Block Numbers, Tax Parcel N Township 15S Range 12	lumber, Legal Description, etc.) E. Section 10 Branding Iron	Park Lot 265	
4. Building Use (e.g., Re	sidential, Non-Residential, Addition, A	Accessory, etc.) Residential: Sing	le Family Resid	ence
45. Latitude/Longitude: La	t. 32.145918 Lo	ng. <u>111.108796</u>	Horizontal Da	
A6. Attach at least 2 photo A7. Building Diagram Num		e is being used to obtain flood insurar	109.	
	rawispace or enclosure(s):	A9. For a bui	Iding with an attack	ned garage:
	crawlspace or enclosure(s)	<u>N/A</u> sq ft a) Squa	re footage of attac	hed garage <u>N/A</u> sq ft
	flood openings in the crawlspace or 1.0 foot above adjacent grade	N/A b) No. o	1.0 foot above ad	openings in the attached garage jacent grade N/A
c) Total net area of fi	ood openings in A8.b	N/A sq in c) Total	net area of flood o	penings in A9.b N/A sq in
d) Engineered flood o			neered flood openi	
		INSURANCE RATE MAP (FIRM)		
1. NFIP Community Name Tima County / 040073	a & Community Number	B2. County Name Pima County	1	B3. State AZ
84. Map/Panel Number	B5. Suffix B6. FIRM Index	B7. FIRM Panel	B8. Flood	B9. Base Flood Elevation(s) (Zone
4019C 2225	K Date 2/8/99	Effective/Revised Date 2/8/99	Zone(s) AO1	AO, use base flood depth) 1.0
0 Indicate the source of	1	or base flood depth entered in Item B		1
	FIRM Community Determi	_		
	um used for BFE in Item B9: NGV		ther (Describe) H	ighest Adjacent Natural Grade
		m (CBRS) area or Otherwise Protecte		Yes X No
Designation Date N/A	4			
	SECTION C - BUILDING	ELEVATION INFORMATION (SU	IRVET REQUIR	ED)
1. Building elevations are	based on: Construction Drawin	ngs* Building Under Cons	struction*	Finished Construction
A new Elevation Certin	cate will be required when construction	on of the building is complete.	DIA1 A20 AD/AL	AR/AO Complete Items C2 a-h
	A30 AF AH A (with BFE), VE, V1-V	30. V (with BEE), AR, AR/A, AR/AE, /	TVA PASU. ARVAR	
2. Elevations - Zones A1-	building diagram specified in Item A7	30, V (with BFE), AR, AR/A, AR/AE, / . Use the same datum as the BFE.		
2. Elevations - Zones A1-	building diagram specified in Item A7	/30, V (with BFE), AR, AR/A, AR/AE, / . Use the same datum as the BFE. 		00-ft at H.A.N.G.
2. Elevations – Zones A1- below according to the	building diagram specified in Item A7	. Use the same datum as the BFE. Vertical Datun	Assumed	100-ft at H.A.N.G.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments 	building diagram specified in Item A7 Local N/A	Use the same datum as the BFE. Vertical Datum	Assumed 1	hent used.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floor 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or	Use the same datum as the BFE. Vertical Datum	Assumed 1	hent used. ers (Puerto Rico only)
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next high 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or pher floor	Use the same datum as the BFE. Vertical Datum ch r enclosure floor) 102.00 X	Assumed 1	hent used. ers (Puerto Rico only) ers (Puerto Rico only)
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowe 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or gher floor est horizontal structural member (V Zo	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X ones only) N/A X	Assumed 1 neck the measurem feet met feet met feet met	hent used. ers (Puerto Rico only)
 2. Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (i e) Lowest elevation of 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or pher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X N/A X N/A X N/A X N/A X N/A X N/A X N/A X	Assumed 1 neck the measurem feet met feet met feet met	hent used. ers (Puerto Rico only) ers (Puerto Rico only) ers (Puerto Rico only) ers (Puerto Rico only)
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (i e) Lowest elevation of (Describe type of describe type	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or pher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X Dones only) N/A X N/A X N/A X N/A X 00 0 X 0	Assumed 1 neck the measurem feet met feet met feet met feet met	Autor fit at H.A.N.G. Internet used. Inters (Puerto Rico only) Inters (P
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next his c) Bottom of the lowe d) Attached garage (e) Lowest elevation of (Describe type of e f) Lowest adjacent (f) 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or gher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG)	Vertical Datum Vertical Datum Cr r enclosure floor) 102.00 X N/A X N/A X ones only) N/A X N/A X N/A X he building 102.00 X 99 87 X	Assumed 1 neck the measurem feet meta feet meta feet meta feet meta feet meta feet meta	Auto-ft at H.A.N.G.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowed d) Attached garage (i e) Lowest elevation of (Describe type of of 1) Lowest adjacent (i g) Highest adjacent (i 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or gher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG)	Vertical Datum Vertical Datum Cr r enclosure floor) 102.00 X N/A X N/A X ones only) N/A X N/A X N/A X he building 102.00 X) 99 87 X) 99 99 X	Assumed 1 neck the measurem feet met	Auto-ft at H.A.N.G.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowe d) Attached garage (i e) Lowest elevation of (Describe type of of 1) Lowest adjacent (i g) Highest adjacent (i 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or pher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or state	Vertical Datum Vertical Datum Cr r enclosure floor) 102.00 X N/A X N/A X ones only) N/A X N/A X N/A X he building 102.00 X) 99 87 X) 99 99 X	Assumed 1 neck the measurem feet met	Auto-ft at H.A.N.G.
 2. Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowed d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (i g) Highest adjacent (i h) Lowest adjacent g structural support 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or gher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or state When B.9 is a depth above grade, it is required SECTION D - SURVEYO	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X ones only) N/A X he building 102.00 X 99.87 X 99.99 X alrs, including 99.87 X DR, ENGINEER, OR ARCHITECT	Assumed 1 Preck the measurem feet met	Auto-ft at H.A.N.G. hent used. ers (Puerto Rico only) ers (Puerto Rico only)
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (e) Lowest elevation c (Describe type of of f) Lowest adjacent (1 g) Highest adjacent (h) Lowest adjacent (h) Lowest adjacent (building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or pher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or sta When B.9 is a depth above grade, it is required SECTION D - SURVEYO grade and sealed by a land surveyor,	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X ones only) N/A X he building 99.87 X 99.99 X 10 Indicate highest and lowest NATURAL grade in R, ENGINEER, OR ARCHITECT engineer, or architect authorized by la	Assumed 1 neck the measurem feet met fe	Auto-ft at H.A.N.G. hent used. ers (Puerto Rico only) ers (Puerto Rico only)
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (ii g) Highest adjacent (iii) h) Lowest adjacent g structural support 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or yher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or st When B.9 is a depth above grade, it is required SECTION D - SURVEYO gned and sealed by a land surveyor, he information on this Certificate repre-	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X ones only) N/A X he building 102.00 X 99.87 X 99.99 X airs, including 99.87 X 10 Indicate highest and lowest NATURAL grade in R, ENGINEER, OR ARCHITECT engineer, or architect authorized by la psents my best efforts to interpret the	Assumed 1 Peck the measurem feet met fe	Auto-ft at H.A.N.G. hent used. ers (Puerto Rico only) ers (Puerto Rico only)
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowed d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (i g) Highest adjacent (i h) Lowest adjacent g structural support 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or gher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or structures When B.9 is a depth above grade, it is required SECTION D - SURVEYO gned and sealed by a land surveyor, he information on this Certificate repre- statement may be punishable by fine	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X ones only) N/A X he building 99.87 X 99.99 X 10 Indicate highest and lowest NATURAL grade in R, ENGINEER, OR ARCHITECT engineer, or architect authorized by la	Assumed 1 Deck the measurem feet met fe	Anon-ft at HLA.N.G.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowed d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (i g) Highest adjacent (i h) Lowest adjacent g structural support 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or yher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or st When B.9 is a depth above grade, it is required SECTION D - SURVEYO gned and sealed by a land surveyor, he information on this Certificate repre-	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X ones only) N/A X N/A	Assumed 1 neck the measurem feet met f	Anon-ft at H.A.N.G.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (i e) Lowest elevation c (Describe type of of f) Lowest adjacent (i g) Highest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i g) Highest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i g) Highest adjacent (i g) Check here if comment 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or pher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or sta When B.9 is a depth above grade, it is required SECTION D - SURVEYO gred and sealed by a land surveyor, the information on this Certificate repro- statement may be punishable by fine- ts are provided on back of form.	Use the same datum as the BFE. Vertical Datum r enclosure floor) 102.00 X N/A X ones only) N/A X he building 102.00 X N/A X he building 99.87 X 99.99 X 10 Indicate highest and lowest NATURAL grade in R, ENGINEER, OR ARCHITECT engineer, or architect authorized by la assents my best efforts to interpret the or imprisonment under 18 U.S. Code Were latitude and longitude in Sectio licensed land surveyor? Yes	Assumed 1 Peck the measurem feet met fe	Anon-ft at HLA.N.G.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (i e) Lowest elevation c (Describe type of of f) Lowest adjacent (f g) Highest adjacent (f g) Highest adjacent (g structural support This certification is to be si information. I certify that til I understand that any false x Check here if comment Certifier's Name 	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or gher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or str When B.9 is a depth above grade, it is required SECTION D - SURVEYO gned and sealed by a land surveyor, to information on this Certificate repro- statement may be punishable by fine- ts are provided on back of form. n E. Settlemeyer	Use the same datum as the BFE. Vertical Datum renclosure floor) 102_00 X ones only) N/A X ones only) N/A X he building 102_00 X 99_87 X 99_99 X7 alrs, including 99_87 X alrs, including 100_00 X 99_99 X7 A X 0 0 0 X 0 0 X 0 0 0 X 0 X	Assumed 1 neck the measurem feet met f	Anon-ft at HLA.N.G.
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Commenta a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (i e) Lowest elevation c (Describe type of of f) Lowest adjacent (i g) Highest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i g) Highest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i h) Lowest adjacent (i g) Highest adjacent (i h) Lowest (i h) Lowest (i h) Lowest (i	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or yher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or structure When B.9 is a depth above grade, it is require SECTION D - SURVEYO gned and sealed by a land surveyor, he information on this Certificate repre- ts statement may be punishable by fine ts are provided on back of form. m E. Settlemeyer	Use the same datum as the BFE. Vertical Datum renclosure floor) 102.00 X ones only) N/A X ones only) N/A X he building 102.00 X 99.87 X 99.99 X 10 Indicate highest and lowest NATURAL grade in R, ENGINEER, OR ARCHITECT engineer, or architect authorized by la seents my best efforts to interpret the or imprisonment under 18 U.S. Code Were latitude and longitude in Section licensed land surveyor? Yes License Number I	Assumed 1 Peck the measurem feet met fe	Anon-ft at HLA.N.G.
2. Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lowe d) Attached garage (e) Lowest elevation c (Describe type of a f) Lowest adjacent (g) Highest adjacent (h) Lowest adjacent (h) Lowest adjacent (h) Lowest adjacent (h) Lowest adjacent (f) Check here if comment Certifier's Name Robi	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or yher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or str When B.9 is a depth above grade, it is required sECTION D - SURVEYO gned and sealed by a land surveyor, he information on this Certificate repre- ts atement may be punishable by fine its are provided on back of form. m E. Settlemeyer ter Company Name not Rd., #321 City Tucson	Use the same datum as the BFE. Vertical Datum renclosure floor) 102_00 X ones only) N/A X ones only) N/A X ones only) N/A X he building 102_00 X be building 102_00 X 0 99_87 X 0 99_99 X 10 Indicate highest and lowest NATURAL grade In DR, ENGINEER, OR ARCHITECT engineer, or architect authorized by la assents my best efforts to interpret the or imprisonment under 18 U.S. Code Were latitude and longitude in Section licensed land surveyor? Yes License Number IN Settlemeyer, L.L.C.	Assumed 1 Peck the measurem feet met fe	2
 Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hig c) Bottom of the lower d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (if g) Highest adjacent (if g) Highest adjacent (if h) Lowest adjacent (if h) Lowest adjacent (if h) Lowest adjacent (if g) Highest adjacent (if h) Lowest adjacent (if h) Lowest adjacent (if k) Lowest (if<td>building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or yher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or st When B.9 is a depth above grade, it is required SECTION D - SURVEYO gned and sealed by a land surveyor, the information on this Certificate repre- statement may be punishable by fine- ts are provided on back of form. m E. Settlemeyer ter Tucson</td><td>Use the same datum as the BFE. Vertical Datum renclosure floor) 102.00 X ones only) N/A X ones only) N/A X he building 102.00 X 99.87 X 99.99 X 101 adicate highest and lowest NATURAL grade in 0, 99.87 X 99.99 X 101 adicate highest and lowest NATURAL grade in 0, 99.87 X 102.00 X 99.87 X 99.99 X 102.00 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 102.00</td><td>Assumed 1 Proceeding of the second of the se</td><td>Antipartic at HLA.N.G.</td>	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or yher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or st When B.9 is a depth above grade, it is required SECTION D - SURVEYO gned and sealed by a land surveyor, the information on this Certificate repre- statement may be punishable by fine- ts are provided on back of form. m E. Settlemeyer ter Tucson	Use the same datum as the BFE. Vertical Datum renclosure floor) 102.00 X ones only) N/A X ones only) N/A X he building 102.00 X 99.87 X 99.99 X 101 adicate highest and lowest NATURAL grade in 0, 99.87 X 99.99 X 101 adicate highest and lowest NATURAL grade in 0, 99.87 X 102.00 X 99.87 X 99.99 X 102.00 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00	Assumed 1 Proceeding of the second of the se	Antipartic at HLA.N.G.
Elevations – Zones A1- below according to the Benchmark Utilized Conversion/Comments a) Top of bottom floo b) Top of the next hkg c) Bottom of the lowe d) Attached garage (i e) Lowest elevation of (Describe type of of f) Lowest adjacent (if g) Highest adjacent (if g) Highest adjacent (if h) Lowest adjacent (if h) Lowest adjacent (if g) Highest adjacent (if g) Highest adjacent (if g) Check here if comment certifier's Name Certifier's Name Comments 2100 N. Will	building diagram specified in Item A7 Local N/A r (including basement, crawlspace, or gher floor est horizontal structural member (V Zo top of slab) of machinery or equipment servicing the equipment and location in Comments finished) grade next to building (LAG) finished) grade next to building (LAG) finished) grade next to building (LAG) finished) grade next to building (HAG rade at lowest elevation of deck or str When B.9 is a depth above grade, it is required SECTION D - SURVEYO gned and sealed by a land surveyor, the information on this Certificate repro- ts atement may be punishable by fine- ts are provided on back of form. m E. Settlemeyer to mot Rd., #321 City Tucson Date	Use the same datum as the BFE. Vertical Datum renclosure floor) 102.00 X ones only) N/A X ones only) N/A X he building 102.00 X 99.87 X 99.99 X 101 adicate highest and lowest NATURAL grade in 0, 99.87 X 99.99 X 101 adicate highest and lowest NATURAL grade in 0, 99.87 X 102.00 X 99.87 X 99.99 X 102.00 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00 X 99.99 X 102.00 X 99.87 X 99.99 X 102.00	Assumed 1 Peck the measurem feet met fe	2

FPUP# 08-489E P	08 CP 00904		
IMPORTANT: In these space	ces, copy the corresponding information	n from Section A.	For Insurance Company Use:
Building Street Address (includin 6724 W. Lazy H	g Apt., Unit, Suite, and/or Bldg. No.) or P.O. Rou		Policy Number
City Tucson	StateAZ	ZIP Code 85757	Company NAIC Number
SEC	TION D - SURVEYOR, ENGINEER, OR AI	RCHITECT CERTIFICATION (CO	INTINUED)
Copy both sides of this Elevation	Certificate for (1) community official, (2) insuran	nce agent/company, and (3) building o	wner.
lighest adjacent natural grade is	upment (C2.e) is the <u>Water Heater</u> and the 100.00 feet Lowest adjacent natural front of residence. The elevation at	grade is 99.81 feet	
	Natural Grade was assigned 100.00		Elevation Ref. B11 & C2).
Signature		Date April 26, 2011	Check here if attachments
SECTION E - BUILDING	ELEVATION INFORMATION (SURVEY N	IOT REQUIRED) FOR ZONE AO	AND ZONE A (WITHOUT BFE)
 and C. For Items E1-E4, use na E1. Provide elevation informati grade (HAG) and the lower a) Top of bottom floor (incl b) Top of bottom floor (incl b) Top of bottom floor (incl c) For Building Diagrams 6-9 (elevation C2.b in the diag E3. Attached garage (top of states) E4. Top of platform of machine E5. Zone AO only: If no flood 	uding basement, crawlspace closure is uding basement, crawlspace closure is with permanent flood openings provided Sect rams) of the building is	nt used. In Puerto Rico only, enter me exces to show whether the elevation is the A ltems of the pages 8-6 meter by the the the pages 8-6 meter by the the the the the bove or below bove or below the	eters. above or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor the HAG. above or below the HAG.
	TION F - PROPERTY OWNER (OR OWN		TEICATION
the second s	uthorized representative who completes Section		
	e statements in Sections A, B, and E are correct		
Property Owner's or Owner's Au	thorized Representative's Name		
Address	Ci	ity State	ZIP Code
Signature	Da	a Telept	ione
Comments			
			Check here if attachmen
	SECTION G - COMMUNITY IN by law or ordinance to administer the communit		
and G of this Elevation Certificate. G1. The information in Section is authorized by law to compute the section of the secti	. Complete the applicable item(s) and sign below ion C was taken from other documentation that h certify elevation information. (Indicate the source mpleted Section E for a building located in Zone on (Items G4-G9) is provided for community flood	w. Check the measurement used in It has been signed and sealed by a licen e and date of the elevation data in the A (without a FEMA-issued or communication)	ems G8 and G9. sed surveyor, engineer, or architect who Comments area below.)
G4. Permit Number FPUP# 08-489E	G5. Date Permit Issued	G6. Date Certificate Of Con	mpliance/Occupancy issued
G7. This permit has been issued G8. Elevation of as-built lowest fi G9. BFE or (In Zone AO) depth o G10. Community's design flood el	loor (including basement) of the building of flooding at the building site	Improvement Improv	(PR) Datum
Local Official's Name		Title	
Community Name		Telephone	
Signature		Date	
Comments			
			Check bern if attashmer
FEMA Form 81-31, Mar 09			Replaces all previous edition

•

Building Photographs(Four Color Photographs Required)

FPUP# 08-489E

See Instructions for Item A6.

Building Street Address (inclue	For Insurance Company Use:			
6724 W. Lazy H	Policy Number			
City Tucson	State	AZ	ZIP Code 85757	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least Four building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



Front View (south face) (Date Taken: 2/01/2011)



Left Side View (west face) (Date Taken: 2/01/2011)



Right Side View (east face) (Date Taken: 2/01/2011)



Rear View (north face) (Date Taken: 2/01/2011)