Pagapo 1117
SECURITY ELEVATION CERTIFICATE ACCEPTED

OMB No. 1660-0008 Expires March 31, 2012

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

	SECT	ION A - PROPERTY IN	on pages 1-9. Q	For Insurance Company Use:
1. Building Owner's Name FELIX GA				Policy Number
2. Building Street Address (including	Apt., Unit, Suite, and/or Bl	ldg. No.) or P.O. Route and	d Box No.	Company NAIC Number
110 000 1111 1111 1111	IP Code 85735			
 Property Description (Lot and Bloc TAX CODE 209-23-277B 	ck Numbers, Tax Parcel Nu SEC. 28 T 15 S		etc.)	
A4. Building Use (e.g., Residential, No. 5. Latitude/Longitude: Lat. 32.09755 6. Attach at least 2 photographs of the	Long111.224054		Horizontal Dat	
 Building Diagram Number 6 For a building with a crawlspace of a) Square footage of crawlspace No. of permanent flood opening enclosure(s) within 1.0 foot ab Total net area of flood openings? 	or enclosure(s) ngs in the crawlspace or ove adjacent grade	A9. 1 <u>930</u> sq ft 2 <u>8</u> 3 <u>052</u> sq in	For a building with an a a) Square footage of a b) No. of permanent fl within 1.0 foot abov c) Total net area of flo d) Engineered flood o	attached garage NA sq ft ood openings in the attached garage re adjacent grade NA ood openings in A9.b NA sq in
	SECTION B - FLOOD II	NSURANCE RATE MA		
31. NFIP Community Name & Community Name & Community Name & Community / 040073		B2. County Name PIMA COUNTY	(nan na Oran	B3. State AZ
B4. Map/Panel Number 04019C 2800 B5. Suf	B6. FIRM Index Date 2/8/99	B7. FIRM Pane Effective/Revised I 2/8/99		B9. Base Flood Elevation(s) (Zon AO, use base flood depth) 0.5
Is the building located in a Coasta Designation Date Sec	CTION C - BUILDING E	☐ CBRS ☐ OI	PA	
	OTTON O DOILDING	THE INTESTREE OF STREET		J (
	П 6tti В			
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, Albelow according to the building diagram Benchmark Utilized HANG Vertica	H, A (with BFE), VE, V1-V3 gram specified in Item A7.	awings* Building is comple 30, V (with BFE), AR, AR/A	ng Under Construction* te. A, AR/AE, AR/A1-A30, AI	Finished Construction R/AH, AR/AO. Complete Items C2.a-h
Building elevations are based on: A new Elevation Certificate will be Elevations – Zones A1-A30, AE, AI below according to the building diag	required when constructio H, A (with BFE), VE, V1-V3 gram specified in Item A7.	awings* Building is comple 30, V (with BFE), AR, AR/A	ng Under Construction* te. A, AR/AE, AR/A1-A30, AI	☑ Finished Construction R/AH, AR/AO. Complete Items C2.a-h
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, Albelow according to the building diagram Benchmark Utilized HANG Vertica	required when constructio H, A (with BFE), VE, V1-V3 gram specified in Item A7. I Datum <u>LOCAL</u>	awings* □ Building of the building is comple 30, V (with BFE), AR, AR/A Use the same datum as t	ng Under Construction* te. A, AR/AE, AR/A1-A30, All he BFE. Check the meas	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only)
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, Al- below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including to) b) Top of the next higher floor	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or	awings* Building is comple 30, V (with BFE), AR, AR/A Use the same datum as the enclosure floor) 113.0 NA.	check the meas	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only) Puerto Rico only)
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, Al- below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including to) Top of the next higher floor c) Bottom of the lowest horizontal	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or	awings*	check the meas feet meters (F	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only) Puerto Rico only) Puerto Rico only)
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, Albelow according to the building diagenchmark Utilized HANG Vertical Conversion/Comments NA Top of bottom floor (including b) Top of the next higher floor	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or all structural member (V Zoily or equipment servicing the	enclosure floor) enclosure floor) 113.0 NA. NA. the building is comple is comple is comple is comple in of the building is comple is comple in of the building is comple is complete.	check the meas	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only) Puerto Rico only) Puerto Rico only) Puerto Rico only)
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, Al- below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including the bight) Top of the next higher floor c) Bottom of the lowest horizontal d) Attached garage (top of slab) e) Lowest elevation of machinery (Describe type of equipment and bight) towest adjacent (finished) grants	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Daturn LOCAL basement, crawlspace, or all structural member (V Zolar or equipment servicing the location in Comments) ide next to building (LAG)	awings* Building in of the building is comple 30, V (with BFE), AR, AR/A Use the same datum as the enclosure floor) 113.0 NA	check the meas Check the meas Check the meas feet meters (F	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only)
1. Building elevations are based on: *A new Elevation Certificate will be 2. Elevations – Zones A1-A30, AE, AI below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including b) Top of the next higher floor c) Bottom of the lowest horizonta d) Attached garage (top of slab) e) Lowest elevation of machinery (Describe type of equipment a f) Lowest adjacent (finished) gra g) Highest adjacent (finished) gra h) Lowest adjacent grade at lower	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or all structural member (V Zolar or equipment servicing the ind location in Comments) and enext to building (LAG) and enext to building (HAG)	awings* Building is comple in of the building is comple is 30, V (with BFE), AR, AR/A Use the same datum as the enclosure floor) 113.0 NA	check the meas Check the meas feet meters (F	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only)
1. Building elevations are based on: *A new Elevation Certificate will be 2. Elevations – Zones A1-A30, AE, AI below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including b) Top of the next higher floor c) Bottom of the lowest horizontal d) Attached garage (top of slab) e) Lowest elevation of machinery (Describe type of equipment a f) Lowest adjacent (finished) gray h) Lowest adjacent grade at lowe structural support	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or all structural member (V Zolar or equipment servicing the ind location in Comments) and enext to building (LAG) and enext to building (HAG)	awings* Building in of the building is comple 30, V (with BFE), AR, AR/A Use the same datum as the enclosure floor) 113.0 NA	check the meas Check the meas Check the meas feet meters (F	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only)
1. Building elevations are based on: *A new Elevation Certificate will be 2. Elevations – Zones A1-A30, AE, Albelow according to the building diagonal Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including b) Top of the next higher floor c) Bottom of the lowest horizontal d) Attached garage (top of slab) e) Lowest elevation of machinery (Describe type of equipment a f) Lowest adjacent (finished) grage h) Lowest adjacent (finished) grage h) Lowest adjacent grade at lower structural support SE This certification is to be signed and senformation. I certify that the information.	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Daturn LOCAL basement, crawlspace, or all structural member (V Zolar or equipment servicing the ind location in Comments) ide next to building (LAG) and enext to building (HAG) est elevation of deck or state of the individual of the control of the cont	enclosure floor) 113.0 nes only) ne building NA. nes only) NA. ne building NA. 109.9 110.0 irs, including R, ENGINEER, OR ARG engineer, or architect authorsents my best efforts to interest only in order to interest on the property of the prop	check the meas Check the meas Check the meas feet meters (F	Finished Construction R/AH, AR/AO. Complete Items C2.a-h urement used. Puerto Rico only)
1. Building elevations are based on: *A new Elevation Certificate will be 2. Elevations – Zones A1-A30, AE, Al- below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including to the conversion) b) Top of the next higher floor c) Bottom of the lowest horizontal d) Attached garage (top of slab) e) Lowest elevation of machinery (Describe type of equipment at the conversion) f) Lowest adjacent (finished) grain g) Highest adjacent (finished) grain h) Lowest adjacent grade at lowest ructural support SE This certification is to be signed and se information. I certify that the information of the conversion of th	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or all structural member (V Zora) or equipment servicing the find location in Comments) added next to building (LAG) and enext to building (HAG) and est elevation of deck or state of the find service of the control of	enclosure floor) 113.0 nes only) ne building NA. nes only) NA. ne building NA. 109.9 110.0 irs, including R, ENGINEER, OR ARG engineer, or architect authorsents my best efforts to interest only in order to interest on the property of the prop	check the meas Check the meas Check the meas feet meters (Feet mete	Prinished Construction R/AH, AR/AO. Complete Items C2.a-h Duerto Rico only) Puerto Rico only) CARLOS
1. Building elevations are based on: *A new Elevation Certificate will be 2. Elevations – Zones A1-A30, AE, Albelow according to the building diagonal Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including b) Top of the next higher floor c) Bottom of the lowest horizontate d) Attached garage (top of slab) e) Lowest elevation of machinery (Describe type of equipment at blowest adjacent (finished) gray h) Lowest adjacent (finished) gray h) Lowest adjacent grade at lower structural support	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or all structural member (V Zora) or equipment servicing the find location in Comments) added next to building (LAG) and enext to building (HAG) and est elevation of deck or state of the find service of the control of	enclosure floor) 113.0 enclosure floor) 113.0 nes only) ne building nes only) NA. 109.9 110.0 irs, including R, ENGINEER, OR ARG engineer, or architect author imprisonment under 18 Were latitude and longitud licensed land surveyor?	check the meas Check the meas Check the meas feet meters (Feet mete	Prinished Construction R/AH, AR/AO. Complete Items C2.a-h Duerto Rico only) Puerto Rico only)
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, AI below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including b) Top of the next higher floor c) Bottom of the lowest horizontal d) Attached garage (top of slab) e) Lowest elevation of machinery (Describe type of equipment a f) Lowest adjacent (finished) gra g) Highest adjacent (finished) gra h) Lowest adjacent grade at lowe structural support SE This certification is to be signed and se information. I certify that the information understand that any false statement is Check here if comments are provided.	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or all structural member (V Zolar or equipment servicing the location in Comments) and location in Comments and location in Comments and location in Comments and location of deck or state elevation elevatio	enclosure floor) 113.0 enclosure floor) 113.0 nes only) ne building nes only) NA. 109.9 110.0 irs, including R, ENGINEER, OR ARG engineer, or architect author imprisonment under 18 Were latitude and longitud licensed land surveyor?	check the meas Check the meas Check the meas feet meters (F fee	Prinished Construction R/AH, AR/AO. Complete Items C2.a-h Duerto Rico only) Puerto Rico only) TION Puerto Rico only)
Building elevations are based on: *A new Elevation Certificate will be Elevations – Zones A1-A30, AE, Al- below according to the building diag Benchmark Utilized HANG Vertical Conversion/Comments NA a) Top of bottom floor (including to the building floor conversion) b) Top of the next higher floor conversion of the lowest horizontal diagrams (top of slab) e) Lowest elevation of machinery (Describe type of equipment and the structural support conversion of the lowest adjacent (finished) grams (top of slab) b) Lowest adjacent (finished) grams (top of slab) conversion to the slag of the structural support conversion of the lowest adjacent (finished) grams (top of slab) conversion to the slag of	required when construction H, A (with BFE), VE, V1-V3 gram specified in Item A7. If Datum LOCAL basement, crawlspace, or all structural member (V Zolar or equipment servicing the location in Comments) and location in Comments and location in Comments and location in Comments and location of deck or state elevation elevatio	enclosure floor) 113.0 enclosure floor) 113.0 NA	check the meas Check the meas Check the meas feet meters (F fee	Prinished Construction R/AH, AR/AO. Complete Items C2.a-h Buerto Rico only) Puerto Rico only)

IMPORTANT: In these space	s, copy the corresponding info	mation from Section	A.	For Insurance Company Use:
Building Street Address (including 8443 SOUTH TAYLOR LANE	Apt., Unit, Suite, and/or Bldg. No.) or F	P.O. Route and Box No.		Policy Number
City TUCSON State AZ ZIP Cod	le 85735			Company NAIC Number
SECT	ON D - SURVEYOR, ENGINEER	OR ARCHITECT CE	RTIFICATION (CONT	(INUED)
	Certificate for (1) community official, (2)			
Comments NO EQUIPMENT SER		, mountained against an against a	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
HANG= 110.0	LANG = 109.9 DTTOM OF LOWEST STRUCTURAL	MEMBER = 112.1		
Signature	•	Date 8/27/11		
es established the same of	T EVATION INCORMATION (CITE	VEY NOT DECUME	D) FOR ZONE AO AN	Check here if attachments
SECTION E - BUJILDING E	LEVATION INFORMATION (SUF	EVET NOT REQUIRE	D) FOR ZONE AU AF	ID ZONE A (WITHOUT BEE)
and C. For Items E1-E4, use natu E1. Provide elevation information grade (HAG) and the lowest a) Top of bottom floor (include b) Top of bottom floor (include E2. For Building Diagrams 6-9 w (elevation C2.b in the diagra E3. Attached garage (top of slab E4. Top of platform of machinery E5. Zone AO only: If no flood de ordinance? Yes No SECT The property owner or owner's aut	ding basement, crawlspace, or encloseding basement, crawlspace, or encloseding basement, crawlspace, or encloseding basement, crawlspace, or encloseding basement flood openings provided ms) of the building is feet ms and/or equipment servicing the building path number is available, is the top of the control	surement used. In Puer opriate boxes to show who priate boxes to show who priate boxes to show who priate boxes to show who precipitate is	to Rico only, enter meters either the elevation is ab feet meters and feet meters and feet meters are done or below the levelow the HAG. Feet meters above in accordance with the coin Section G. SENTATIVE) CERTIFIER To A without a FEM.	is. ove or below the highest adjacent above or below the HAG. above or below the LAG. Instructions), the next higher floor HAG. e or below the HAG. community's floodplain management CATION A-issued or community-issued BFE)
Contrients				
	SECTION G - COMMU	NITY INFORMATION	(OPTIONAL)	Check here if attachment
and G of this Elevation Certificate.	by law or ordinance to administer the c Complete the applicable item(s) and sin C was taken from other documentation	ign below. Check the me	easurement used in Item	s G8 and G9.
is authorized by law to ce G2. A community official comp	rtify elevation information. (Indicate the oleted Section E for a building located (Items G4-G9) is provided for communication.	e source and date of the in Zone A (without a FEI	elevation data in the Co MA-issued or community	mments area below.)
G4. Permit Number	G5. Date Permit Issued	G6. D	ate Certificate Of Compl	iance/Occupancy Issued
G7. This permit has been issued for G8. Elevation of as-built lowest floor G9. BFE or (in Zone AO) depth of G10. Community's design flood elevational Official's Name	or (including basement) of the building flooding at the building site:	feet	nt meters (PR) Datum meters (PR) Datum meters (PR) Datum meters (PR) Datum	
Signature Comments		Date		
				☐ Check here if attachment
FEMA Form 81-31, Mar 09				Replaces all previous edition

Building Photographs Continuation Page

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 8443 SOUTH TAYLOR LANE	Policy Number
City TUCSON State AZ ZIP Code 85735	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



FRONT VIEW

Building Photographs Continuation Page

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 8443 SOUTH TAYLOR LANE	Policy Number
City TUCSON State AZ ZIP Code 85735	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



RIGHT SIDE VIEW

Building Photographs See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route 8443 SOUTH TAYLOR LANE	e and Box No. Policy Number
City TUCSON State AZ ZIP Code 85735	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



REAR VIEW

Building Photographs Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	For Insurance Company Use: Policy Number
8443 SOUTH TAYLOR LANE	
City TUCSON State AZ ZIP Code 85735	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



LEFT SIDE VIEW