FPUP# 09-594E

P 09 CP 04721

U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

HM.

Federal Emergency Management Agency

OMB No. 1660-0008 Expires March 31, 2012

		CECTI	ON A DRODE	DTV INFORMA	TION		For Incumpee Company Hee:	
A1. Building Owner's Name	TION A - PROPERTY INFORMATION				For Insurance Company Use: Policy Number			
		Church: Ronald Moxon, President				Splant Andrews a street at the Parketine		
0425 N. Thornydale Rd.	nit, Suite, and/or Blo	Bldg. No.) or P.O. Route and Box No.				Company NAIC Number		
City Tucson			State AZ			ZII	ZIP Code 85742	
A3. Property Description (Lo ax Code 224-17-01994		ers, Tax Parcel Nu S Range 13E		cription, etc.)				
A4. Building Use (e.g., Resi		lential, Addition, Ac	cessory, etc.)					
A5. Latitude/Longitude: Lat.			g. <u>-111.047756</u>		-	zontal Date	ım: NAD 1927 🗶 NAD 1983	
A6. Attach at least 2 photog A7. Building Diagram Numb		ng if the Certificate	is being used to o	btain flood insura	nce.			
A8. For a building with a cra		sure(s):	,	A9. For a bu	ilding with	an attache	ed garage:	
a) Square footage of c	rawispace or enclo	N/K sq ft a) Square footage of attached garage NONE sq ft						
b) No. of permanent flo			NA				penings in the attached garage	
enclosure(s) within c) Total net area of floor		within 1.0 foot above adjacent grade						
d) Engineered flood op		d) Engineered flood openings? Yes No						
	SECTIO	ON B - FLOOD IN	NSURANCE RA	TE MAP (FIRM) INFOR	MATION		
B1. NFIP Community Name & Community Number Pima County / 040073			B2. County Name Pima County			В	3. State AZ	
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index		M Panel	B8. F		B9. Base Flood Elevation(s) (Zone	
04019C 1020	K	Date 2/8/99	and the second second	evised Date	Zone		AO, use base flood depth) 0.0	
240 1-1-1-1	5 5						0.0	
310. Indicate the source of the		The state of the s			39.			
		ommunity Determin		ner (Describe)	011 (D	a. Hi	ghest Adjacent Natural Grade	
B11. Indicate elevation datum								
B12. Is the building located in Designation Date N/A		Resources System	n (CBRS) area or CBRS		ted Area (JPA)?	Yes X No	
Designation Date 1771			_ L CBR3 L	JOHA				
	SECTION	C - BUILDING E	LEVATION INF	ORMATION (SI	URVEY F	EQUIRE	D)	
C1. Building elevations are b		onstruction Drawing		uilding Under Con			Finished Construction	
*A new Elevation Certific					ou dodon		, manda danata d	
C2. Elevations - Zones A1-A	30, AE, AH, A (wit			compicto.	ADIA4 AD	O ARIAH		
below according to the b		th BFE), VE, V1-V3	0, V (with BFE),	AR, AR/A, AR/AE,	ARVAT-AS	י, הוטהוו,	AR/AO. Complete Items C2.a-h	
	uilding diagram sp	ecified in Item A7.	Use the same da	AR, AR/A, AR/AE, tum as the BFE.			AR/AO. Complete Items C2.a-h	
Benchmark Utilized	wilding diagram sp WG ≈ 100	ecified in Item A7.	Use the same da	AR, AR/A, AR/AE,			AR/AO. Complete Items C2.a-h	
	wilding diagram sp WG ≈ 100	ecified in Item A7.	Use the same da	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum_	LOC	ĄL		
Benchmark Utilized H	ouilding diagram sp MG ≈ 100 NON	ecified in Item A7.	Use the same da	AR, AR/A, AR/AE, tum as the BFEVertical Datum_	Loc heck the n	neasureme	ent used.	
Benchmark Utilized H Conversion/Comments	uilding diagram sp WG ≈ 100 NON (including baseme	ecified in Item A7.	Use the same da	AR, AR/A, AR/AE, tum as the BFEVertical Datum	Local the rest	neasureme	ent used. 's (Puerto Rico only)	
Benchmark Utilized H Conversion/Comments	wilding diagram sp WG ≈ 100 NOA (including basement floor	ecified in Item A7. - 으 한다 ent, crawlspace, or o	Use the same da	AR, AR/A, AR/AE, tum as the BFEVertical Datum_	heck the r	neasureme meter meter	ent used. s (Puerto Rico only) s (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes	wilding diagram sp	ecified in Item A7. - 으 한다 ent, crawlspace, or o	Use the same da	AR, AR/A, AR/AE, tum as the BFEVertical Datum_ CO	heck the n	neasureme meter meter meter	ent used. s (Puerto Rico only) s (Puerto Rico only) s (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to	uilding diagram sp	ecified in Item A7.	enclosure floor)	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum O A/A N/A N/A	heck the many feet feet feet feet	neasurementer meter meter meter meter meter	ent used. s (Puerto Rico only) s (Puerto Rico only) s (Puerto Rico only) s (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes	uilding diagram sp	ent, crawlspace, or cural member (V Zor	enclosure floor)	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum	heck the real feet feet feet feet feet feet	measurement meter meter meter meter meter	ent used. s (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fir	viilding diagram sp	ent, crawlspace, or cural member (V Zor ipment servicing the tion in Comments) to building (LAG)	enclosure floor)	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum O A/A N/A N/A AONE /OO.8	check the real feet feet feet feet feet	measurement meter	ent used. Its (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fir g) Highest adjacent (fir	(including basement floor st horizontal structure op of slab) if machinery or equiquipment and local nished) grade next inished)	ent, crawlspace, or cural member (V Zor ipment servicing the tion in Comments) to building (LAG) to building (HAG)	enclosure floor) nes only) e building	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum O AP N/A N/A NONE /OO 8 /OO 8	check the man feet feet feet feet feet feet feet fee	measurement meter	ent used. Is (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fir g) Highest adjacent gra	(including basement floor st horizontal structor of slab) if machinery or equiquipment and local nished) grade next inished) grade next ade at lowest elevated.	ent, crawlspace, or cural member (V Zor ipment servicing the tion in Comments) to building (LAG) at to building (HAG) atton of deck or stail	enclosure floor) nes only) e building irs, including	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum O A/A N/A N/A AONE /OO 8 /OI O N/A	check the many feet feet feet feet feet feet feet fee	measurement meter	ent used. Its (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fir g) Highest adjacent (fir	(including basementer floor st horizontal structor of slab) if machinery or equiquipment and local nished) grade next inished) grade next ade at lowest elevity when B.9 is a depth a	ecified in Item A7.	enclosure floor) nes only) e building irs, including to indicate highest and let	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum O A/A N/A N/A AONE /OO 8 /OO 8 Market NATURAL grade i	check the man feet feet feet feet feet feet feet fee	meter	ent used. Its (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fir g) Highest adjacent (fir h) Lowest adjacent grastructural support This certification is to be sig information. I certify that the	(including basementer floor st horizontal structor of slab) if machinery or equiquipment and local nished) grade next inished) grade next ade at lowest elevations by is a depth a SECTION on the second of the seco	ecified in Item A7. ont, crawlspace, or our all member (V Zor ipment servicing the tion in Comments) to building (LAG) at to building (HAG) at to building (HAG) at to building (HAG) at to Surveyor, a land surveyor, e is Certificate representations.	enclosure floor) nes only) e building irs, including o indicate highest and le R, ENGINEER, ngineer, or archite sents my best effor	NR, AR/A, AR/AE, tum as the BFE. Vertical Datum OF APPLICATION OF APPLICATION OF APPLICATION OF APPLICATION OF APPLICATION OF ARCHITECT OF ARCHITE	theck the man feet feet feet feet feet feet feet fee	meter	ent used. s (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of et f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent grastructural support This certification is to be sig information. I certify that the I understand that any false significance.	(including basement floor st horizontal structure of slab) if machinery or equipulation of slab) grade next inished) grade next when B.9 is a depth a second and sealed by the information on the statement may be	ecified in Item A7. The control of	enclosure floor)	NR, AR/A, AR/AE, tum as the BFE. Vertical Datum ON A DE	heck the name of the control of the	meter	ent used. s (Puerto Rico only)	
Benchmark Utilized History Conversion/Comments	(including basement floor st horizontal structure of slab) if machinery or equipulation of slab) grade next inished) grade next when B.9 is a depth a second and sealed by the information on the statement may be	ecified in Item A7. The control of	enclosure floor)	NR, AR/A, AR/AE, tum as the BFE. Vertical Datum ON A DATE N/A DATE N/A DATE ON A DATE West NATURAL grade in OR ARCHITEC cect authonized by I wits to interpret the inder 18 U.S. Cool I longitude in Section	heck the note of the control of the	meter	ent used. ss (Puerto Rico only)	
Benchmark Utilized Holder Conversion/Comments Conversion/Comments 2 a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of et) Lowest adjacent (fing) Highest adjacent (fing) Highest adjacent grastructural support This certification is to be signiformation. I certify that the I understand that any false structured comments.	(including basement floor st horizontal structure of slab) if machinery or equipulation of slab of sla	ecified in Item A7. The control of	enclosure floor)	AR, AR/A, AR/AE, tum as the BFE. Vertical Datum A/A N/A N/A N/A N/A ONE /OJ Z /OO S west NATURAL grade in Cert authorized by the strategy of the str	heck the name of the control of the	meter	ent used. s (Puerto Rico only)	
Benchmark Utilized Holder Conversion/Comments Conversion/Comments 2 a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of et) Lowest adjacent (fing) Highest adjacent (fing) Highest adjacent grastructural support This certification is to be signiformation. I certify that the I understand that any false states the comments of the comments of the conversion of the comments of the conversion of the	(including basement floor st horizontal structure of slab) if machinery or equipulation of slab) if machinery or equipulation of slab grade next inished) grade next when B.9 is a depth a second of slab grade on the statement may be some provided on the slab grade of the slab grade	ecified in Item A7. The control of	enclosure floor)	NR, AR/A, AR/AE, tum as the BFE. Vertical Datum N/A N/A N/A N/A N/A N/A N/A N/	heck the note that the control of th	meter	ent used. s (Puerto Rico only)	
a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of et f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent grastructural support This certification is to be signiformation. I certify that the I understand that any false signiformation.	(including basement floor st horizontal structure of slab) if machinery or equipulation of slab) if machinery or equipulation of slab grade next inished) grade next when B.9 is a depth a second of slab grade on the statement may be some provided on the slab grade of the slab grade	ecified in Item A7. The control of	enclosure floor)	RR, AR/A, AR/AE, tum as the BFE. Vertical Datum A A A A A A A A A A A A A A A A A A A	heck the note of the control of the	meter	ent used. Is (Puerto Rico only) Is (Puerto	
Benchmark Utilized Holder Conversion/Comments Conversion/Comments 2 a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of et f) Lowest adjacent (fing) Highest adjacent (fing) Highest adjacent (fing) Lowest adjacent grastructural support This certification is to be signiformation. I certify that the I understand that any false is Check here if comments. Certifier's Name Comments.	(including basemener floor st horizontal structure por fisher) if machinery or equiquipment and local mished) grade next when B.9 is a depth a SECTION pred and statement may be some provided on the statement may be some pr	ecified in Item A7. The control of	enclosure floor)	NR, AR/A, AR/AE, tum as the BFE. Vertical Datum N/A N/A N/A N/A N/A N/A N/A N/	heck the note of the control of the	meter	ent used. Is (Puerto Rico only) Is (Puerto	

FPUPH 09-394E PO9 CP 04721 IMPORTANT: In these spaces, copy the corresponding information from Section A. For Insurance Company Use: Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 10425 N. THORUYONCE Rd. Policy Number 10425 N. THORNYONLE City State ZIP Code Company NAIC Number TUCSON AZ. 85742 SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. CZ. E . BOHOM OF ELECTRIC PANEL - OUTS DE (EAST) NANG = 100.0 LANG = 97.9 BONOM HOT WATER NEATER = 102.2 Signature PNOTOS Check here if attachments 4-12-12 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). feet meters above or above or above or a) Top of bottom floor (including basement, crawlspace, or enclosure) is _ below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is _ below the LAG. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is ______ feet ___ meters ____ above or _____ below the HAG. feet meters above or below the HAG. Attached garage (top of slab) is _ feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is ____ E5. Zone AO only: If no flood depth number is available, is the top of the bottom oor elevated in accordance with the community's oodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name Address ZIP Code City State Signature Date Telephone Comments Check here if attachments SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items GB and G9. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indica te the source and date of the elevation data in the Comments area below.) A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. G3. The following information (Items G4-G9) is provided for community floodplain management purposes. G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued G7. This permit has been issued for: New Construction Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building feet meters (PR) Datum G9. BFE or (in Zone AO) depth of flooding at the building site meters (PR) Datum G10. Community's design flood elevation feet meters (PR) Datum, Local Official's Name Title Community Name Telephone Signature Date Comments Check here if attachments







