P 10 CP 02545

U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

Expires March 31, 2012

Federal Emergency Management Agency

OMB No. 1660-0008

			SECT	ION A - PROPE	RTY INFORMA	TION	For Insurance Company Use:
A1. Bui	1. Building Owner's Name George & Sally Lopez			You was	O'R IN THE		Policy Number
	Building Street Address (including Apt., Unit, Suite, and/or It 11355 South Old Nogales Highway			Bldg. No.) or P.O. Route and Box No.			Company NAIC Number
City	Tucson			- 100	State AZ		ZIP Code 85756
	perty Description (L		nbers, Tax Parcel Nu	mber, Legal Desc Section 18	cription, etc.)	V CENT DT	N OF NE4 NE4 LYG E OF OLD
	le 303-15-001						
A4. Bui	4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential: Manufactured Home				al Datum: NAD 1027 MAD 108		
	5. Latitude/Longitude: Lat. 32.044435 Long110.944835 Horizontal Datum: NAD 1927 NAD 1983 6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.						
	Iding Diagram Num		ung it the Certificate	is being used to c	DDIAHT HOOD HISUIS	noe.	
A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage:							
	Square footage of o			M/A sq ft			attached garage N/A sq ft
b)	No. of permanent fl enclosure(s) within			N/A			flood openings in the attached garage ve adjacent grade
c)	Total net area of flo			N/A sq in			ood openings in A9.b N/A sq in
	Engineered flood o			7			ppenings? Yes No
		SECT	ION B - FLOOD II	NSURANCE RA	TE MAP (FIRM) INFORMA	TION
	Community Name	& Community Nu	umber	B2. County Name	Pima County	,	B3. State AZ
Pima C	County / 040073	1			Tima Count		AL
B4. Ma	p/Panel Number	B5. Suffix	B6. FIRM Index		RM Panel	B8. Flood	
04019C	2890	L	Date 6-16-11		levised Date 6-11	Zone(s)	AO, use base flood depth)
10 Indi	icate the course of t	he Base Flood Fl	levation (BFE) data of	or hase flood denth	entered in Item I	30	
	_		Community Determin		ner (Describe)	The Light W	
_			n Item B9: NGVI			Other /Describ	e) Highest Adj. Nat. Grade (=100
			er Resources System				
	signation Date N/A		el Resources System	CBRS		ieu Aiea (Oi A	Tes A
		SECTION	N C - BUILDING E	LEVATION INF	ORMATION (S	URVEY REC	UIRED)
1 Build	ting elevations are h				C. C		
	ting elevations are to	pased on:	N C - BUILDING E Construction Drawing ed when construction	gs* B	uilding Under Cor		VIRED) Finished Construction
A ne	ew Elevation Certifications – Zones A1-A	pased on: (ate will be required)	Construction Drawing ed when construction with BFE), VE, V1-V3	gs Bin of the building is	uilding Under Con complete.	struction*	
A ne 22. Elevi belo	ew Elevation Certific ations – Zones A1-/ w according to the b	pased on: (1) (cate will be required) (A30, AE, AH, A (woulding diagrams)	Construction Drawing ed when construction with BFE), VE, V1-V3 specified in Item A7.	gs Bin of the building is	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE.	struction* AR/A1-A30, A	Finished Construction R/AH, AR/AO. Complete Items C2.a-h
A ne 22. Elev belor Beno	ew Elevation Certific ations – Zones A1-A w according to the b chmark Utilized	pased on: [] (cate will be required a30, AE, AH, A (woulding diagram s	Construction Drawing ed when construction with BFE), VE, V1-V3 specified in Item A7.	gs Bin of the building is	uilding Under Con complete.	struction* AR/A1-A30, A	Finished Construction
A ne c2. Elev belor Beno	ew Elevation Certific ations – Zones A1-/ w according to the b	pased on: [] (cate will be required a30, AE, AH, A (woulding diagram s	Construction Drawing ed when construction with BFE), VE, V1-V3 specified in Item A7.	gs Bin of the building is	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. Vertical Datum	struction* AR/A1-A30, A	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA
A ne C2. Elev belo Bend Con	ew Elevation Certific ations – Zones A1-A w according to the b chmark Utilized version/Comments	pased on: [] (cate will be required) (A30, AE, AH, A (woulding diagram s	Construction Drawing ed when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. 	struction* AR/A1-A30, A	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used.
A ne C2. Elev belo Bend Conv	ew Elevation Certifications – Zones A1-A w according to the b chmark Utilized version/Comments Top of bottom floor	pased on: Cate will be required. A30, AE, AH, A (woulding diagram something diagram diagra	Construction Drawing ted when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. Vertical Datum	AR/A1-A30, A	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A ne belor Benc Conv	ew Elevation Certifications – Zones A1-A w according to the b chmark Utilized version/Comments Top of bottom floor Top of the next high	cased on: Cate will be required. A30, AE, AH, A (woulding diagrams solutions) (including basement floor	Construction Drawing ted when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. Vertical Datum	AR/A1-A30, A	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) meters (Puerto Rico only)
A ne belor Bend Conv	ew Elevation Certifications – Zones A1-A w according to the b chmark Utilized version/Comments Top of bottom floor Top of the next high Bottom of the lower	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the control of the case of t	Construction Drawing ted when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. Vertical Datum	heck the measure feet feet feet feet	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) meters (Puerto Rico only) meters (Puerto Rico only) meters (Puerto Rico only)
A ne belor Bend Conv	ew Elevation Certifications – Zones A1-A w according to the b chmark Utilized version/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the control of the case of t	Construction Drawing and when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. 	heck the measure feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A ne belor Bend Conv	ew Elevation Certifications – Zones A1-A w according to the b chmark Utilized version/Comments Top of bottom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the control of the case of t	Construction Drawing ted when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. 	heck the measurement feet feet feet feet feet feet feet f	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) meters (Puerto Rico only) meters (Puerto Rico only) meters (Puerto Rico only)
A ne belor Bend Conv	ew Elevation Certifications – Zones A1-Aw according to the behandre Utilized	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the control of the case of t	Construction Drawing ted when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. 	heck the measurement feet feet feet feet feet feet feet f	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A nec2. Elevibelor Benoc Control (a) (b) (c) (d) (e)	ew Elevation Certifications – Zones A1-Aw according to the behandre Utilized	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the contro	Construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7.	gs Book Book Book Book Book Book Book Boo	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. 	heck the measurement feet feet feet feet feet feet feet f	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A nec2. Elevibelor Benco Conn a) b) c) d) e)	ew Elevation Certifications – Zones A1-/w according to the behavior of the behavior of the next high Bottom of the lowest elevation of (Describe type of e Lowest adjacent (fill Highest adjacent grieves and some serior of the lowest adjacent (fill Highest adjacent grievest adjacent	cased on: Cate will be required. A30, AE, AH, A (woulding diagram such the floor state of the floor state	construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7. In the construction of the construction	gs Bin of the building is 30, V (with BFE), A Use the same date enclosure floor) ences only) ences on	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. 	heck the measurement of feet feet feet feet feet feet feet	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A nec2. Elevibelor Bence Conn a) b) c) d) e)	ew Elevation Certifications – Zones A1-Aw according to the behandre Utilized	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the contro	construction Drawing and when construction with BFE), VE, V1-V3 specified in Item A7. The construction of	gs Bin of the building is 30, V (with BFE), A Use the same date of the sa	uilding Under Core complete. AR, AR/A, AR/AE, turn as the BFE. Vertical Datum OR AR AR/AE, turn as the BFE. Vertical Datum OR AR AR/AE, turn as the BFE. Vertical Datum OR AR AR/AE, turn as the BFE. Vertical Datum	heck the mease feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A nec2. Elevibelor Bence Conv. a) b) c) d) e) f) g)	ew Elevation Certifications – Zones A1-kw according to the behand Version/Comments Top of bottom floor Top of the next high Bottom of the lowest Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (fill Lowest adjacent grant structural support	cased on: Case will be required. A30, AE, AH, A (woulding diagram so the floor stands of the floor stand	construction Drawing and when construction with BFE), VE, V1-V3 specified in Item A7. The construction of	gs Brown of the building is 30, V (with BFE), A Use the same date enclosure floor) ences only) ences	uilding Under Cor complete. AR, AR/A, AR/AE, tum as the BFE. Vertical Datum OR ARCHITEC Vertical Corporation of the corpora	heck the measurement of feet feet feet feet feet feet feet	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) atto
A nec2. Elevibelor Benc Conv. a) b) c) d) e) f) g) h)	ew Elevation Certifications – Zones A1-/w according to the behavior of the behavior of the lower	cased on: Cate will be required. A30, AE, AH, A (woulding diagram such a control of the contro	construction Drawing ted when construction with BFE), VE, V1-V3 specified in Item A7. In the construction of the construction	gs Book of the building is 30, V (with BFE), A Use the same date of the s	uilding Under Core complete. AR, AR/A, AR/AE, tum as the BFE. Vertical Datum OR ARCHITEC ect authorized by outs to interpret the	heck the mease feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A nec2. Elevibelor Benc Conv. a) b) c) d) e) f) minute certain formation of the convergence of the converge	ew Elevation Certifications – Zones A1-/w according to the behavior of the behavior of the lower	cased on: Cate will be required. A30, AE, AH, A (woulding diagram such a control of the contro	construction Drawing ted when construction with BFE), VE, V1-V3 specified in Item A7. The construction with BFE), VE, V1-V3 specified in Item A7. The construction of the construction o	gs Book of the building is 30, V (with BFE), A Use the same date of the s	uilding Under Core complete. AR, AR/A, AR/AE, tum as the BFE. Vertical Datum OR ARCHITEC ect authorized by outs to interpret the	heck the mease feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) ATION
A nec2. Elevibelor Bend Conv. a) b) c) d) e) f) g) h) This ceinforma I unglers	ew Elevation Certifications – Zones A1-/w according to the behavior of the behavior of the lower	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the control of the case of t	construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7. The construction with BFE), VE, V1-V3 specified in Item A7. The construction of the construction o	gs Bin of the building is 30, V (with BFE), A Use the same date of the sa	uilding Under Core complete. AR, AR/A, AR/AE, turn as the BFE. Vertical Datum Vertical Datum Vertical Datum OR ARCHITEC ect authorized by orts to interpret the under 18 U.S. Coold longitude in Section (Complete Core).	heck the mease feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) ats ATION levation 2.1. by a
A nec2. Elevibelor Bend Conv. a) b) c) d) e) f) g) h) This ceinforma I unglers	ew Elevation Certifications – Zones A1-/w according to the behanded by the beh	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the control of the case of t	construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7. The construction with BFE), VE, V1-V3 specified in Item A7. The construction of the construction o	gs Bin of the building is 30, V (with BFE), A Use the same date enclosure floor) ences only) be building irs, including irs, including irs, including irs, indicate highest and lower to	uilding Under Core complete. AR, AR/A, AR/AE, turn as the BFE. Vertical Datum Vertical Datum Vertical Datum OR ARCHITEC ect authorized by orts to interpret the under 18 U.S. Coold longitude in Section (Complete Core).	heck the mease feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) ats ATION levation 2.1. by a
A nec2. Elevibelor Benc Conv. a) b) c) d) e) f) g) h) This cer informa / under Under Under Conv.	ew Elevation Certifications – Zones A1-/w according to the behanded by the beh	cased on: Cate will be required. A30, AE, AH, A (woulding diagram so the control of the control of the case of t	construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7. The construction with BFE), VE, V1-V3 specified in Item A7. The construction of the construction o	gs Brown of the building is 30, V (with BFE), A Use the same date of the	uilding Under Core complete. AR, AR/A, AR/AE, turn as the BFE. Vertical Datum Vertical Datum Vertical Datum OR ARCHITEC ect authorized by orts to interpret the under 18 U.S. Coold longitude in Section (Complete Core).	heck the mease feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) ats ATION levation 21. 15 by a
A nec2. Elevibelor Benc Conv. a) b) c) d) e) f) g) h) This cer informa / under Under Under Conv.	ew Elevation Certifications – Zones A1-/w according to the behander Utilized	cased on: Cate will be required. A30, AE, AH, A (woulding diagram shoulding diagram shoulding diagram shoulding diagram shoulding basember floor st horizontal structor of slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or equipment and locustre of slab (slab) If machinery or eq	construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7. The construction with BFE), VE, V1-V3 specified in Item A7. The construction of the construction o	gs Brown of the building is 30, V (with BFE), A Use the same date of the	uilding Under Core complete. AR, AR/A, AR/AE, turn as the BFE. Vertical Datum Vertical Datum Vertical Datum OR ARCHITEC et authorized by ourst to interpret the under 18 U.S. Coold longitude in Sectiveyor?	heck the mease feet feet feet feet feet feet feet fe	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)
A nec2. Elevibelor Benc Conv a) b) c) d) e) f) g) h) This cei informa / unders	ew Elevation Certifications – Zones A1-/w according to the behavior of the behavior of the lower Attached garage (to Lowest elevation of (Describe type of e Lowest adjacent (fill Highest adjacent (fill Highest adjacent grant tructural support of the tower adjacent grant that the stand that any false eck here if comment of the lower adjacent (fill Lowest adjacent (fill Lowest adjacent (fill Lowest adjacent grant tructural support of the stand that any false eck here if comment of the lower adjacent grant that any false eck here if comment of the lower adjacent grant that any false eck here if comment of the lower adjacent grant that any false eck here if comment of the lower adjacent grant that any false eck here if comment of the lower adjacent grant g	cased on: Cate will be required. A30, AE, AH, A (woulding diagram is considered. (including basement floor is thorizontal structor of slab) f machinery or equipment and locinished) grade new finished) grade new finished) grade new finished. SECTION TO SECTION IS A CONTROL OF TO SECTION I	construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7. Intent, crawlspace, or catural member (V Zor pulperent servicing the cation in Comments) at to building (LAG) ext to building (LAG) ext to building (HAG) ext to building (HAG) by a land surveyor, extraction of deek proper this Certificate represe punishable by fine in back of form.	gs Bin of the building is 30, V (with BFE), A Use the same date of the sa	uilding Under Core complete. AR, AR/A, AR/AE, turn as the BFE. Vertical Datum Vertical Datum Vertical Datum OR ARCHITEC ent authorized by ontation interpret the under 18 U.S. Cool longitude in Section in Section 18 U.S. Cool longitude 18 U.S. Co	heck the mean feet feet feet feet feet feet feet fee	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only) ATION PADILLA CARLOS PADIL
A nec2. Elevibelor Bend Conv. a) b) c) d) e) f) g) h) This certifier Certifier Title	ew Elevation Certifications – Zones A1-/w according to the behander Utilized	cased on: Cate will be required. A30, AE, AH, A (woulding diagram is considered. (including basement floor is thorizontal structor of slab) f machinery or equipment and locinished) grade new finished) grade new finished) grade new finished. SECTION TO SECTION IS A CONTROL OF TO SECTION I	construction Drawing the when construction with BFE), VE, V1-V3 specified in Item A7. In the construction of the construction	gs Brown of the building is 30, V (with BFE), A Use the same darenclosure floor) enclosure floor indicate highest and to indicate hig	uilding Under Core complete. AR, AR/A, AR/AE, turn as the BFE. Vertical Datum Vertical Datum Vertical Datum OR ARCHITEC ent authorized by ontation interpret the under 18 U.S. Cool longitude in Section in Section 18 U.S. Cool longitude 18 U.S. Co	heck the mean feet feet feet feet feet feet feet fee	Finished Construction R/AH, AR/AO. Complete Items C2.a-h CCA surement used. meters (Puerto Rico only)

Building Photographs See Instructions for Item A6.

			For Insurance Company Use:
Building Street Address (inclu- 11355 South Old Nogal	ding Apt., Unit, Suite, and/or Bldg. No.) or P.O. as Highway	Policy Number	
City Tucson	State	ZIP Code 85756	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



LEFT VIEW 7/01/12

Building Photographs See Instructions for Item A6.

			For Insurance Company Use:
Building Street Address (included)	Policy Number		
11355 South Old Nogale	es Highway		CALL THE STREET
City Tucson	State	ZIP Code 85756	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



FRONT VIEW 7/01/12

Building Photographs See Instructions for Item A6.

			For Insurance Company Use:
Building Street Address (inclu	Policy Number		
11355 South Old Nogak	es Highway		
City Tucson	State	ZIP Code 85756	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



REAR VIEW 7/01/12

Building Photographs See Instructions for Item A6.

			For Insurance Company Use:	
Building Street Address (include	Policy Number			
11355 South Old Nogale	s Highway			
City Tucson	State	ZIP Code 85756	Company NAIC Number	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the



RIGHT VIEW 7/01/12