FPUP# 10-373 E P 10 CP 04336 U.S. DEPARTMENT OF HOMELAND SECURITY

U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

5/30/13

OMB No. 1660-0008 Expiration Date: July 31, 2015

SECTION A – PROPERTY INFORMATION					FOR INSURANCE COMPANY USE	
A1.	A1. Building Owner's Name VENTURA TRANSPORTATION			Po	Policy Number:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bld.			g. No.) or PO. Route and Box No.		Company NAIC Number:	
	City Tucson		State AZ	ZIF	Code 857	41
АЗ. х С	Property Description (Lot and Block ode 275-37-707D Township	12 Range 3 ES	section 31 ORANG	eWOOD ESTATE	5 W.319.9	5 of LOT 440
A4.	Building Use (e.g., Residential, Non- Latitude/Longitude: Lat. 32.351	Residential, Addition, Acces	ssory, etc.) NoN-HABITA g 111-0494-30			
A5.	Attach at least 2 photographs of the		•		itum: NAD:	1927 📉 NAD 198
A7.	Building Diagram NumberA	_				
A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage:						
a) Square footage of crawlspace or enclosure(s) No. of permanent flood openings in the crawlspace or No. of permanent flood openings in the crawlspace or No. of permanent flood openings in the crawlspace or						in the attached garage
	enclosure(s) within 1.0 foot above	ve adjacent grade	NA	within 1.0 foot above a	idjacent grade	NA_
	c) Total net area of flood openingsd) Engineered flood openings?	in A8.b ☐ Yes ☐ No		Total net area of flood	-	
	u) Engineered flood openings?	Lies Lino	a)	Engineered flood open	ings? Ye	s 🖂 No
04		CTION B - FLOOD INS				Chata
Pima	NFIP Community Name & Community a County / 040073		B2. County Name Pima			3. State AZ
B4.	Map/Panel Number B5. Suffix	B6. FIRM Index Date	B7. FIRM Panel Effective, Revised Date	B8. Flood Zone(s)		ood Elevation(s) (Zone base flood depth)
040	19C 1610 L	6-16-11	Tionida Bata	A		08, 83
B10	. Indicate the source of the Base Floor	od Elevation (BFE) data or b	ase flood depth entered in	tem B9:		
	☐ FIS Profile ☐ FIRM ☐ Com	munity Determined	other/Source: DRAINA6C D 1929 MAVD 1988			(PRE, INC) Nat. Grade (=100
112	. Is the building located in a Coastal Designation Date:/N/A	_/ CBRS	OPA	otested Area (or A):	∐ Yes 📉 N	0
	SECT	ION C - BUILDING ELE	VATION INFORMATION	(SURVEY REQUIRE	ED)	
C1.	Building elevations are based on: *A new Elevation Certificate will be	Construction Drawin		and the second s	Finished Cons	struction
C2.	Elevations - Zones A1-A30, AE, AH,			AE, AR/A1-A30, AR/AH	, AR/AO. Compl	lete Items
				nter meterc		ete items
	C2.a-h below according to the build	ling diagram specified in Ite	m A7. In Puerto Rico only, e		3	icte iteria
	C2.a-h below according to the build Benchmark Utilized: PCDoT Go Indicate elevation datum used for the	ling diagram specified in Ite RODETIC CONTROL PT ne elevations in Items a) the	m A7. In Puerto Rico only, e . T○ \ Vertical Datum: _ rough h) below. □ NGVD 1	NAVD 88 929 MAVD 1988		:
	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations	ling diagram specified in Ite CONTROL P ne elevations in Items a) the must be the same as that the	m A7. In Puerto Rico only, e TO Vertical Datum: _ rough h) below. NGVD 1 used for the BFE.	NAVD 86 929 NAVD 1988 Check the mea	asurement used	:
	C2.a-h below according to the build Benchmark Utilized: PCDoT Go Indicate elevation datum used for the Datum used for building elevations a) Top of bottom floor (including base)	ling diagram specified in Ite CONTROL P ne elevations in Items a) the must be the same as that the	m A7. In Puerto Rico only, e TO Vertical Datum: _ rough h) below. NGVD 1 used for the BFE.	NAVO 88 929 NAVD 1988 Check the mea	asurement used	:
	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations	ling diagram specified in Ite RODETIC CONTROL PT ne elevations in items a) the must be the same as that the sement, crawlspace, or end	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) AA.	NAVD 86 929 NAVD 1988 Check the mea	asurement used	:
	C2.a—h below according to the build Benchmark Utilized: PCDoT Go Indicate elevation datum used for the Datum used for building elevations a) Top of bottom floor (including bath) Top of the next higher floor	ling diagram specified in Ite RODETIC CONTROL PT ne elevations in items a) the must be the same as that the sement, crawlspace, or end	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) AA.	NAVO 88 929 NAVO 1988 C Check the mea	meters	:
	C2.a-h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal sections.	ling diagram specified in Ite RODETIC CONTROL PT the elevations in items a) the must be the same as that use sement, crawlspace, or end structural member (V Zones r equipment servicing the b	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) AA. rouly) uilding	NAVO 88 929 NAVO 1988 C Check the mea	meters meters meters meters	:
	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal s) d) Attached garage (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grade	ling diagram specified in Ite RODETIC CONTROL Pr The elevations in items a) the must be the same as that the sement, crawlspace, or end structural member (V Zones Trequipment servicing the be I location in Comments) The property of the comments of the control of the comments of the control of the con	m A7. In Puerto Rico only, e . To \ Vertical Datum: _ rough h) below NGVD 1 used for the BFE. losure floor)	NAVD 88 929 ☑ NAVD 1988 ☐ Check the mer ☐ ☐ ☐ feet	asurement used meters meters meters meters meters meters meters meters	:
	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal stop of Attached garage (top of slab) e) Lowest elevation of machinery or (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade	ling diagram specified in Ite RODETIC CONTROL Pr ne elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones r equipment servicing the be l location in Comments) next to building (LAG) e next to building (HAG)	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) NA. only) NA. uilding 2308 2312	NAVD 88 929 NAVD 1988 C Check the mer feet	asurement used meters meters meters meters meters meters meters meters meters	:
	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations: a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal statement of Attached garage (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade the Lowest adjacent grade at lowest structural support	ling diagram specified in Ite CONTROL P me elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones r equipment servicing the b l location in Comments) next to building (LAG) e next to building (HAG) elevation of deck or stairs,	m A7. In Puerto Rico only, e . To \ Vertical Datum: _ rough h) below NGVD 1 used for the BFE. losure floor)	NAVO 86 929 NAVO 1988 C Check the mea	asurement used meters meters meters meters meters meters meters meters	:
	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations: a) Top of bottom floor (including base) Top of the next higher floor: c) Bottom of the lowest horizontal standard diagrams (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grades (b) Highest adjacent (finished) grades (c) Highest adjacent grade at lowest structural support (c) When B.9 is a control of the building the bu	ling diagram specified in Ite CONTROL P me elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones r equipment servicing the be l location in Comments) mext to building (LAG) e next to building (HAG) elevation of deck or stairs, depth above grade, it is required to in	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) NA. only) NA. uilding 2308 2312 including NA. dicate highest and lowest NATURAL	NAVO 86 929 NAVD 1988 C Check the mer	meters	:
hie	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations: a) Top of bottom floor (including base) Top of the next higher floor: c) Bottom of the lowest horizontal standard discounty of the lowest horizontal standard discounty of the lowest elevation of machinery of (Describe type of equipment and flowest adjacent (finished) grades (Bighest adjacent (finished) grades (Bighest adjacent grade at lowest structural support (When B.9 is a SECO)	ling diagram specified in Ite CONTROL P The elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones Trequipment servicing the be allocation in Comments) The comments of the comments	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) 2310. NA. rough uilding NA. 2308. 2312. including NA. dicate highest and lowest NATURAL ENGINEER, OR ARCHIT	Check the median feet Check the median feet feet feet feet feet feet feet feet	meters	a:
nform	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations: a) Top of bottom floor (including base) Top of the next higher floor: c) Bottom of the lowest horizontal standard diagrams (top of slab) e) Lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grades (b) Highest adjacent (finished) grades (c) Highest adjacent grade at lowest structural support (c) When B.9 is a control of the building the bu	ling diagram specified in Ite CONTROL P me elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones r equipment servicing the be l location in Comments) mext to building (LAG) e next to building (HAG) e elevation of deck or stairs, depth above grade, it is required to in CTION D — SURVEYOR, end by a land surveyor, enginent this Certificate represents	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) NA. I only) NA. I including A condition of the best and lowest NATURAL ENGINEER, OR ARCHIT eer, or architect authorized in best efforts to interpret	Check the mean of the feet of	meters	:
und 1 Ch	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations: a) Top of bottom floor (including base) b) Top of the next higher floor c) Bottom of the lowest horizontal standard discount (florished) grade (Describe type of equipment and flowest adjacent (finished) grade g) Highest adjacent (finished) grade h) Lowest adjacent grade at lowest structural support SEC Coertification is to be signed and sealer mation. I certify that the information of	ling diagram specified in Ite CONTROL P me elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones r equipment servicing the be l location in Comments) mext to building (LAG) e next to building (HAG) e elevation of deck or stairs, depth above grade, it is required to in CTION D — SURVEYOR, end by a land surveyor, enginent this Certificate represents the punishable by fine or im ment back of form. Were	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) NA. I only) NA. I including A condition of the best and lowest NATURAL ENGINEER, OR ARCHIT eer, or architect authorized in best efforts to interpret	Check the mean of the feet of	meters	a:
nform und 1 Ch	C2.a—h below according to the build Benchmark Utilized: PCDOT Gold Indicate elevation datum used for the Datum used for building elevations: a) Top of bottom floor (including base) b) Top of the next higher floor c) Bottom of the lowest horizontal stand d) Attached garage (top of slab) e) Lowest elevation of machinery on (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade h) Lowest adjacent grade at lowest structural support SEC certification is to be signed and sealer mattion. I certify that the information of erstand that any false statement may neck here if comments are provided of each here if attachments.	ling diagram specified in Ite CONTROL P me elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones r equipment servicing the b l location in Comments) mext to building (LAG) e next to building (HAG) elevation of deck or stairs, depth above grade, it is required to in CTION D — SURVEYOR, end by a land surveyor, enging this Certificate represents the punishable by fine or im an back of form. Were	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) 23 0 NA rough h) below. NGVD 1 used for the BFE. losure floor) 23 0 NA rough h) below. NGVD 1 used for the BFE. losure floor) 23 0 NA rough h) below. NGVD 1 Licensimple NGVD 1 Licens Togght House of NATURAL Licens Licens Togght House of NATURAL Licens Licens Togght House of NATURAL Licens Licens Licens	Check the mean of feet	meters	a:
onformund 1 Ch	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations: a) Top of bottom floor (including base) Top of the next higher floor: c) Bottom of the lowest horizontal structural discontinuous discontinuou	ling diagram specified in Ite CONTROL P me elevations in items a) the must be the same as that to sement, crawlspace, or enc structural member (V Zones r equipment servicing the b location in Comments) next to building (LAG) e next to building (HAG) elevation of deck or stairs, depth above grade, it is required to in CTION D - SURVEYOR, and by a land surveyor, enging this Certificate represents be punishable by fine or im this Certificate represents be punishable by fine or im the back of form. Were licens	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) 2310. NA. In only) Wilding NA. Including NA.	Check the mean of feet	meters	1. Tolando
onform und Ch Ch Certi	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal s d) Attached garage (top of slab) e) Lowest elevation of machinery or (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade h) Lowest adjacent grade at lowest structural support SEC certification is to be signed and sealer attaction. I certify that the information of erestand that any false statement may neck here if comments are provided of eleck here if attachments.	ling diagram specified in Ite CONTROL P The elevations in items a) the must be the same as that to sement, crawlspace, or end structural member (V Zones Trequipment servicing the be clocation in Comments) mext to building (LAG) the next to building (HAG) the levation of deck or stairs, depth above grade, it is required to in CTION D — SURVEYOR, and by a land surveyor, enging the this Certificate represents the punishable by fine or im this Certificate represents the punishable by fine or im the back of form. Comp	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) 2310. NA. rough h) below. NGVD 1 used for the BFE. losure floor) 2310. NA. rough h) below. NGVD 1 used for the BFE. losure floor) 2310. NA. rough NA. uilding NA. 2308. 2312. including NA. dicate highest and lowest NATURAL ENGINEER, OR ARCHIT eer, or architect authorized in yest efforts to interpret prisonment under 18 U.S. Co. latitude and longitude in Seied land surveyor? Yes Licens Report Name Record Ston Land	Check the mean of feet	meters	1. Tolando
Title	C2.a—h below according to the build Benchmark Utilized: PCDOT Go Indicate elevation datum used for the Datum used for building elevations a) Top of bottom floor (including base) Top of the next higher floor c) Bottom of the lowest horizontal statement of the lowest horizontal statement of the lowest elevation of machinery of (Describe type of equipment and f) Lowest adjacent (finished) grade g) Highest adjacent (finished) grade g) Highest adjacent (finished) grade h) Lowest adjacent grade at lowest structural support SEC certification is to be signed and sealer attaction. I certify that the information of erstand that any false statement may neck here if comments are provided on each fire is attachments. The President Sturning Care of the building statement of	ling diagram specified in Ite CONTROL P The elevations in items a) the must be the same as that to sement, crawlspace, or end structural member (V Zones Trequipment servicing the be clocation in Comments) mext to building (LAG) the next to building (HAG) the levation of deck or stairs, depth above grade, it is required to in CTION D — SURVEYOR, and by a land surveyor, enging the this Certificate represents the punishable by fine or im this Certificate represents the punishable by fine or im the back of form. Comp	m A7. In Puerto Rico only, e TO Vertical Datum: rough h) below. NGVD 1 used for the BFE. losure floor) NA. I only) NA. I only) NA. I including A 2 3 08 2 3 12. Including MA. I serior of architect authorized only best efforts to interpret prisonment under 18 U.S. Co. I latitude and longitude in Serior of a latitude and longitude in Serior of a latitude and longitude in Serior of a latitude and longitude in Serior of latitude and lat	Check the mean of feet	meters	1. IZS37 FREDRICKJ

FPUP# 10-373E P10 CP 04336

ELEVATION CERTIFICATE, page 2

Policy Number:	
this eleva	
1	
FLOOD F	
T BFE)	
A, B,and	
adjacent	
the HAG.	
the LAG.	
the HAG.	
the HAG.	
the HAG.	
nagement	
sued BFE)	
-	
tachment	
C (or E), a	
or archite	
ied	
-	
tachment	
ious editio	

BUILDING PHOTOGRAPHS


See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corre	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, 9	Suite, and/or Bldg, No.) or P.O. Route and Box No.	Policy Number:
City Tucson	State AZ ZIP Code 85741	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



North Side Photo taker Sl25/2013



South

BUILDING PHOTOGRAPHS

Continuation Page

IMPORTANT: In these spaces, copy the	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., 1	Unit, Suite, and/or Bldg. No.) or PO. Route and Box No.	Policy Number:
City	State ZIP Code SC 741	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



EAST

Photo Photo 78/2013



west sipe