P 10 CP 07023

ELEVATION CERTIFICATE

OMB No. 1660-0008

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

National Flood Insurance Program

Important: Read the instructions on pages 1-9.

Expires March 31, 2012

SECTION A - PROPERTY INFORMATION						For Insurance Company Use:		
A1. Build	A1. Building Owner's Name JOESEPH LITTREL							Policy Number
								Company NAIC Number
City	TUCSON			State	AZ	1	Z	IP Code 85736
	perty Description (L e 301-19-084F	ot and Block Num Township 1	ibers, Tax Parcel Number 6S Range 10E Se		n, etc.)			
A4. Build	ding Use (e.g., Res	idential, Non-Resi	idential, Addition, Access	ory, etc.) Reside	ntial: Mar	ufactur	ed Hom	e
A5. Latit	tude/Longitude: Lat	32.060626	Long1	111.267415		Horiz	zontal De	tum: 🔲 NAD 1927 🕱 NAD 198
	ch at least 2 photog ding Diagram Numl		ling if the Certificate is be	ing used to obtain	flood insura	nce.		
	a building with a cn		sure(s):		A9. For a bu	ildina with	an attac	ned garage:
	Square footage of	•		A sq ft		-		hed garage sq ft
	No. of permanent fl		ne crawlspace or					openings in the attached garage
	enclosure(s) within Total net area of flo			sq in				jacent grade //A sq in
	Engineered flood of			7 od 111		neered flo		
		SECTI	ON B - FLOOD INSUI	RANCE RATE I	MAP (FIRM)	INFORI	MATION	
	Community Name	& Community Nu	mber B2. C	ounty Name	ma County			33. State AZ
	ounty / 040073		DO 517041-4	1 1	340			
B4. Maj	p/Panel Number	B5. Suffix	B6. FIRM Index	B7. FIRM Pa		B8. F		B9. Base Flood Elevation(s) (Zon AO, use base flood depth)
04019C	2775	K	2/8/99	2/8/99		X		0.5
MA India	cate the source of t	he Rase Flood Flo	evation (BFE) data or bas	e flood denth ente	ared in Item B	10		
	FIS Profile		Community Determined	Other (D				
_	_		Item B9: NGVD 192		088 7	Whor (Doe	oriba) H	ighest Adjacent Natural Grad
			er Resources System (CB					Yes X No
	ignation Date N/A		Tresources Cystem (CE	CBRS OP		00711001	21 747.	
		SECTION	C - BUILDING ELEV	ATION INFORM	LATION (SL	RVEY R	EQUIR	ED)
1 Buildi	ing elevations are b	pased on:	Construction Drawings*	Ruildin	Under Cons	etruction*	V	Finished Construction
			ed when construction of the			SE COCOTT	-	3 1 11101100 0011011000011
C2. Eleva	ations - Zones A1-A	430, AE, AH, A (wi						
below	v according to the b	uilding diagram si	ith BFE), VE, V1-V30, V	(with BFE), AR, Al	RIA, ARIAE,	AR/A1-A3	D, AR/AH	, AR/AO. Complete Items C2.a-h
	hmark Utilized LC	ATA E	ith BFE), VE, V1-V30, V (pecified in Item A7. Use	(with BFE), AR, Al	RIA, ARIAE,			
Conv	rersion/Comments	CAL	ith BFE), VE, V1-V30, V pecified in Item A7. Use	(with BFE), AR, Al	RIA, ARIAE,			AR/AO. Complete Items C2.a-h ADJACENT GRADE
		CAL	ith BFE), VE, V1-V30, V pecified in Item A7. Use	(with BFE), AR, Al	R/A, AR/AE, As the BFE.	0.00=LC	WEST	ADJACENT GRADE
		NONE	pecified in Item A7. Use	(with BFE), AR, AI the same datum a	R/A, AR/AE, As the BFE. Tical Datum_	0.00=LC	WEST	ADJACENT GRADE nent used.
	Top of bottom floor	NONE (including baseme	ith BFE), VE, V1-V30, V (pecified in Item A7. Use	(with BFE), AR, AI the same datum a	R/A, AR/AE, As the BFE. tical Datum_	0.00=LC	WEST neasuren	ADJACENT GRADE nent used. ers (Puerto Rico only)
	Top of bottom floor Top of the next high	NONE (including basement floor	ent, crawispace, or enclose	(with BFE), AR, Al the same datum a	RIA, ARIAE, Is the BFE. titeal Datum_ CI 4 0 2	0.00=LC	meter meter	ADJACENT GRADE nent used. ers (Puerto Rico only) ers (Puerto Rico only)
c) I	Top of bottom floor Top of the next high Bottom of the lowes	NONE (including basementer floor st horizontal struct	pecified in Item A7. Use	(with BFE), AR, Al the same datum a	RIA, ARIAE, Is the BFE. Tical Datum_ CI 4 .0 X N/A X	neck the market feet feet feet	meter meter	ADJACENT GRADE ment used. ers (Puerto Rico onty) ers (Puerto Rico onty) ers (Puerto Rico onty)
c) (Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to	NONE (including basementer floor st horizontal structop of slab)	ent, crawlspace, or enclosural member (V Zones or	(with BFE), AR, AI the same datum a Voi sure floor)	RIA, ARIAE, Is the BFE. Itical Datum_ CI 4.0 X N/A X N/A X	neck the management of the man	metal metal metal metal	ADJACENT GRADE nent used. ers (Puerto Rico only) ers (Puerto Rico only) ers (Puerto Rico only) ers (Puerto Rico only)
c) I d) / e) I	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of	(including basema her floor st horizontal struct op of slab) f machinery or equ	ent, crawispace, or enclosural member (V Zones or	(with BFE), AR, AI the same datum a Voi sure floor)	RIA, ARIAE, Is the BFE. Itical Datum_ CI 4.0 X N/A X N/A X	neck the market feet feet feet	metal metal metal metal	ADJACENT GRADE ment used. ers (Puerto Rico onty) ers (Puerto Rico onty) ers (Puerto Rico onty)
c) I d) / e) I	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to	(including basement floor st horizontal struct op of slab) f machinery or equipment and local	ent, crawlspace, or enclosural member (V Zones or bipment servicing the build atton in Comments)	(with BFE), AR, AI the same datum a Voi sure floor)	RIA, ARIAE, Is the BFE. Itical Datum_ CI 4.0 X N/A X N/A X	neck the management of the feet feet feet feet feet feet feet	measuren mete mete mete mete	ADJACENT GRADE nent used. ers (Puerto Rico only) ers (Puerto Rico only) ers (Puerto Rico only) ers (Puerto Rico only)
c) I d) / e) I f) I	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of ed Lowest adjacent (fin	(including basementer floor st horizontal structop of slab) f machinery or equipment and locanished) grade next	ent, crawlspace, or enclosural member (V Zones or bipment servicing the build atton in Comments)	(with BFE), AR, AI the same datum a Voi sure floor)	RIA, ARIAE, Is the BFE. Itical Datum CI 4.0 X PIA X N/A X 4.0 X	neck the management of the feet feet feet feet feet feet feet	measuren mete mete mete mete mete mete	ADJACENT GRADE nent used. ers (Puerto Rico only)
c) (d) //e) (f) (g) (Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fir Highest adjacent (fir	(including basement floor st horizontal struct op of slab) f machinery or equipment and locanished) grade next inished) grade next ade at lowest elevitation.	ent, crawispace, or enclosural member (V Zones or alignment servicing the build attion in Comments) to building (LAG) at to building (HAG) retion of deck or stairs, increases	(with BFE), AR, AI the same datum a Ver sure floor) mly) ding cluding	RIA, ARIAE, Is the BFE. Itical Datum CI 4.0 X PIA X N/A X 4.0 X 7.0 X 0.0 X 0.6 X	neck the management of the state of the stat	measuren mete mete mete mete mete mete mete me	ADJACENT GRADE nent used. ers (Puerto Rico only)
c) d) // e) l f) l g) l h) l	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fir Highest adjacent (fir	(including basement floor st horizontal struct op of slab) f machinery or equipment and locanished) grade next inished) grade next ade at lowest elevitation.	ent, crawispace, or enclosural member (V Zones or alipment servicing the build tion in Comments) to building (LAG) at to building (HAG)	(with BFE), AR, AI the same datum a Ver sure floor) mly) ding cluding	RIA, ARIAE, Is the BFE. Itical Datum CI 4.0 X PIA X N/A X 4.0 X 7.0 X 0.0 X 0.6 X	neck the management of the state of the stat	measuren mete mete mete mete mete mete mete me	ADJACENT GRADE ment used. ers (Puerto Rico only)
c) d) // e) f) g) h) f	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of ed Lowest adjacent (fir Highest adjacent gra structural support	(including baseme her floor st horizontal struct op of slab) f machinery or equ quipment and loca nished) grade nex inished) grade nex ade at lowest elev when B.9 is a depth a	ent, crawispace, or enclosural member (V Zones or bipment servicing the build tion in Comments) to building (LAG) at to building (HAG) ration of deck or stairs, included the company of t	(with BFE), AR, AI the same datum a Voi sure floor) mly) ding cluding atchighest and lowest NA IGINEER, OR A	RIA, ARIAE, IS the BFE. Itical Datum CI FIG. 10 N/A N/A Y-O ATURAL grade in RCHITECT	neck the management of the man	meter	ADJACENT GRADE ment used. ers (Puerto Rico only)
c) (d) // (e) (f) (g) (h) (f) (f) (f) (f) (f) (f) (f) (f) (f) (f	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fit Highest adjacent grastructural support ification is to be sig ion. I certify that the	(including baseme her floor st horizontal struct op of slab) f machinery or equ quipment and loca nished) grade nex inished) grade nex ade at lowest elev When B.9 is a depth a SECTIOI ined and sealed by e information on the	ent, crawispace, or enclosural member (V Zones or incomments) in Comments) in to building (LAG) in to building (HAG) in the building	(with BFE), AR, AI the same datum a Ver sure floor) mly) ding cluding ate highest and lowest N/ NGINEER, OR A eer, or architect au my best efforts to	RIA, ARIAE, IS the BFE. Itical Datum CI J. O. N. N/A. N/	neck the man feet feet feet feet feet feet feet fee	metal	ADJACENT GRADE ment used. ers (Puerto Rico only)
c) d) // e) d) // e) f) g) h) l	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fit Highest adjacent grastructural support iffication is to be sig ton. I certify that the tend that any false is	(including basement ther floor st horizontal struction of slab) if machinery or equipment and locanished) grade next and art lowest elev when B9 is a depth of the statement may be	ent, crawispace, or enclosural member (V Zones or state of the building (LAG) at to building (HAG) at to building (HAG) at to building (HAG) at to building (HAG) at the buildin	with BFE), AR, Al the same datum a Voi sure floor) mly) ding cluding atchighest and lowest NA GINEER, OR A eer, or architect au my best efforts to orisonment under	RIA, ARIAE, IS the BFE. Itical Datum CI III III III III III III III III II	neck the management of the section D Co	measuren mete mete mete mete mete mete mete me	and and a control of the control of
c) d) // e) d) // e) f) g) h) l	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fit Highest adjacent grastructural support ification is to be sig ion. I certify that the	(including basement ther floor st horizontal struction of slab) if machinery or equipment and locanished) grade next and art lowest elev when B9 is a depth of the statement may be	ent, crawispace, or enclosural member (V Zones or incomments) in Comments) to building (LAG) at to building (HAG) ration of deck or stairs, incompensed in the comments of the	with BFE), AR, Al the same datum a Volume sure floor) mly) ding cluding atchighest and lowest N/AIGINEER, OR Al ther, or architect aumy best efforts to orisonment under a latitude and longi	RIA, ARIAE, IS the BFE. Itical Datum CI III III III III III III III III II	neck the name of feet feet feet feet feet feet feet	measuren mete mete mete mete mete mete mete me	and and a control of the control of
c) d) // d	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fit Highest adjacent grastructural support iffication is to be sig ton. I certify that the tend that any false is	(including basement ther floor st horizontal struction of slab) if machinery or equipment and locanished) grade next and art lowest elev when B9 is a depth of the statement may be	ent, crawispace, or enclosural member (V Zones or incomments) in Comments) to building (LAG) at to building (HAG) ration of deck or stairs, incompensed in the comments of the	with BFE), AR, Al the same datum a Voi sure floor) mly) ding cluding atchighest and lowest NA GINEER, OR A eer, or architect au my best efforts to orisonment under	RIA, ARIAE, IS the BFE. Itical Datum CI III III III III III III III III II	neck the management of the section D Co	measuren mete mete mete mete mete mete mete me	and ADJACENT GRADE ment used. are (Puerto Rico only)
c) d) d) e) f) g) h) This cert informati underst	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fit Lowest adjacent grastructural support iffication is to be signon. I certify that the tend that any false is ck here if comments	(including basement of the floor of slab) f machinery or equipment and local nished) grade next inished) grade next ade at lowest elevitable and sealed by the information on the statement may be a reprovided on the statement of the floor	ent, crawispace, or enclosural member (V Zones or incomments) in Comments) to building (LAG) at to building (HAG) ration of deck or stairs, incompensed in the comments of the	with BFE), AR, Al the same datum a Ven Sure floor) Inly) ding cluding atchighest and lowest NA NGINEER, OR A ter, or architect au my best efforts to orisonment under elatitude and longised land surveyor Licensi	RIA, ARIAE, IS the BFE. INTERNI Datum CI INTERNI DATUM INTERNI	neck the name of feet feet feet feet feet feet feet	measuren mete mete mete mete mete mete mete me	and a control of the
c) d) d) e) f) g) h) finderst V Checker Certifier's EDGAR	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fit Highest adjacent gristructural support iffication is to be sig ion. I certify that the tand that any false is ck here if comments	(including basement ther floor is thorizontal struct op of slab) if machinery or equipment and local nished) grade next inished) grade next ade at lowest elevitable when B.9 is a depth a second of the statement may be some provided on the statement may be some	ent, crawispace, or enclosural member (V Zones or support servicing the build atton in Comments) to building (LAG) at to building (HAG) ration of deck or stairs, included the company of	(with BFE), AR, AI the same datum a Voi sure floor) mly) ding cluding cluding atchighest and lowest N/ MGINEER, OR A my best efforts to orisonment under latitude and longi sed land surveyor'	RIA, ARIAE, IS the BFE. IS the	neck the name of feet feet feet feet feet feet feet	measuren mete mete mete mete mete mete mete me	and ADJACENT GRADE ment used. are (Puerto Rico only)
c) d)	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of el Lowest adjacent (fil Highest adjacent grant gr	(including basement ther floor is thorizontal struct op of slab) if machinery or equipment and local nished) grade next inished) grade next ade at lowest elevitable when B.9 is a depth a second of the statement may be some provided on the statement may be some	ent, crawispace, or enclosural member (V Zones or imprement servicing the build attion in Comments) to building (LAG) to building (HAG) ration of deck or stairs, included the company of the company of the company of the company Name	with BFE), AR, AI the same datum a Ver sure floor) mly) ding cluding ate highest and lowest NA GINEER, OR A per, or architect au my best efforts to orisonment under e latitude and longi sed land surveyor License AZ 3	R/A, AR/AE, as the BFE. Ities Datum CI J.A. N/A. N/A. N/A. J.O. XTURAL grade in RCHITECT Thorized by Is interpret the 18 U.S. Cocke itude in Section? Pyes e Number 1031	neck the name of feet feet feet feet feet feet feet	measuren mete mete mete mete mete mete mete me	and ADJACENT GRADE ment used. pers (Puerto Rico only)
c) d)	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of et Lowest adjacent (fit Highest adjacent grant Structural support structural support initication is to be sig ion. I certify that the tend that any false is ck here if comments S Name R B. REYNOLD	(including basement of the floor of slab) f machinery or equipment and local nished) grade next inished) grade next ade at lowest elevity when B.9 is a depth of the floor of	ent, crawispace, or enclosural member (V Zones or support servicing the build atton in Comments) to building (LAG) at to building (HAG) ration of deck or stairs, included the company of	with BFE), AR, Al the same datum a Ven Sure floor) Inly) ding cluding cluding atchighest and lowest NA INGINEER, OR A interpretation or architect au my best efforts to orisonment under clatitude and longi sed land surveyor License AZ 3 DS AND ASSO State	RIA, ARIAE, IS the BFE. IS the	neck the name of feet feet feet feet feet feet feet	metales metale	and ADJACENT GRADE ment used. pers (Puerto Rico only)
c) i d) // e) i f) i g) i h) i This certifier's Certifier's Certifier's AND S Address	Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of ed Lowest adjacent (fit Highest adjacent gra structural support iffication is to be sig ion. I certify that the tend that any false is ck here if comments s Name R B. REYNOLD SURVEYOR	(including basement of the floor of slab) f machinery or equipment and local nished) grade next inished) grade next ade at lowest elevity when B.9 is a depth of the floor of	ent, crawispace, or enclosural member (V Zones or imprement servicing the build attion in Comments) to building (LAG) to building (HAG) atto building (HAG) artion of deck or stairs, included the company of the company of the company Name EDGAR REYNOLI	with BFE), AR, Al the same datum a vent same dat	R/A, AR/AE, as the BFE. Ities Datum CI J.A. N/A. N/A. N/A. J.O. XTURAL grade in RCHITECT Thorized by Is interpret the 18 U.S. Cocke itude in Section? Pyes e Number 1031	neck the name of feet feet feet feet feet feet feet	metales metale	ADJACENT GRADE ment used. pers (Puerto Rico only)

FEMA Form 81-31, Mar 09

See reverse side for continuation.

Replaces all previous editions

IMPORTANT: In these spaces, copy the corresponding information from Section A.					
t., Unit, Suite, and/or Bldg. No.) or P.O.	Route and Box No.		Policy Number		
State	TOTAL TE	ZIP Code 85736	Company NAIC Number		
N D - SURVEYOR, ENGINEER, OF	R ARCHITECT CEI	RTIFICATION (CO	NTINUED)		
dificate for (1) community official, (2) inst	urance agent/compan	ny, and (3) building ov	vner.		
1.0 Lowest adjacent natu	ural grade is		MISTILL IS.		
DOWN CODEFA TO BE	NSTALLEN	Pen DWN			
3/7	Date 1/25/2011		Check here if attachmen		
VATION INFORMATION (SURVE	Y NOT REQUIRED) FOR ZONE AO	AND ZONE A (WITHOUT BFE)		
grade, if available. Check the measure or the following and check the appropria jacent grade (LAG). g basement, crawlspace oclosur) i g basement, crawlspace oclosur) i	ement used. In Puerto te boxes to show whe	et meters at meters at meters at meters at	ters. above or below the highest adjacent below the HAG. below the LAG.		
	COLUMN TO SERVICE STATE OF THE PARTY OF THE	9 (see pages 8-9	of Instructions), the next higher floor		
		AND REAL PROPERTY.	IIIE FIAG.		
7 P. C.			above or below the HAG.		
			community's floodplain managemen		
N F - PROPERTY OWNER (OR OY	NNER'S REPRESE	ENTATIVE) CERT	FICATION		
			MA-issued or community-issued BFE		
zed Representative's Name	na new (2002) mali	w 2 a a a a a a	, , , , , , , , , , , , , , , , , , , ,		
WES S	City	State	ZIP Code		
O V SN SURVIVE - VILL	Da	Telepho	one		
ul au Juder Clinstri ce plote.	al policies a sono de si sono de	cilon De la constante			
IK ARIA, ARIAE, AR	-V30, V (with BFE), A	1V,3V,6	Check here if attachm		
SECTION G - COMMUNIT	Y INFORMATION	(OPTIONAL)			
mplete the applicable item(s) and sign b was taken from other documentation the elevation information. (Indicate the so ted Section E for a building located in Zo	pelow. Check the meanat has been signed a ource and date of the conne A (without a FEM)	asurement used in Ite and sealed by a licens elevation data in the (A-issued or commun	ms G8 and G9. ed surveyor, engineer, or architect wi Comments area below.)		
G5. Date Permit Issued	G6. Da	te Certificate Of Con	pliance/Occupancy Issued		
New Construction Substa	ntial Improvement				
including basement) of the building	-	feet meters (PR) Datum_		
oding at the building site		feet meters (PR) Datum_		
on		feet meters (PR) Datum_		
	Title	y the transfer of the transfer	ч		
	Telephone				
	i analytical to				
Although the state of the state	Date				
A A A A A A A A A A A A A A A A A A A	the blocker has addle at a different and the		31303		
	the blocker has addle at a different and the				
	State AZ N D - SURVEYOR, ENGINEER, OF tificate for (1) community official, (2) instant (C2.e) is the Community of C2.e) is the	State AZ N.D SURVEYOR, ENGINEER, OR ARCHITECT CEI tificate for (1) community official, (2) insurance agent/compare set (C2e) is the Council Warrand the Coulty To Lowest displaced ensurant grade is C. C. Date 1/25/2011 EVATION INFORMATION (SURVEY NOT REQUIRED complete Items E1-E5. If the Certificate is intended to support or the following and check the measurement used. In Puerty or the following and check the appropriate boxes to show who is pasement, crawlspace of colosure is personal and a Sectic I A Items a general property of the building is general food opening special property is property of the building is number is available, is the top of the bottom floor elevated in unknown. The local official must certify this information. N.F PROPERTY OWNER (OR OWNER'S REPRES) rized representative who completes Sections A, B, and E for the section information. (Indicate the source and date of the section E for a building located in Zone A (without a FEM series G4-G9) is provided for community floodplain managements G5. Date Permit Issued G6. Date Permit Issued G6. Date Date of the building located in Zone A (without a FEM series G4-G9) is provided for community floodplain managements G5. Date Permit Issued G6. Date Date of the building located in Zone A (without a FEM series G4-G9) is provided for community floodplain managements G5. Date Permit Issued G6. Date Date of the building located in Zone A (without a FEM series G4-G9) is provided for community floodplain managements G6. Date Permit Issued G7. Date Date of the building located in Zone A (without a FEM series G4-G9) is provided for community floodplain managements of the building located in Zone A (without a FEM series G4-G9) is provided for community floodplain managements of the building located in Zone A (without a FEM series G4-G9) is provided for community floodplain managements of the building located in Zone A (without a FEM series G4-G9) is p	State AZ ZIP Code 85736 N D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CO titicate for (1) community official, (2) insurance agent/company, and (3) building over the community official, (2) insurance agent/company, and (3) building over the community of the building of the community of the building of the community of the building over the community of the building over the community of the building in the community of the community of the building in the community of the building in the community of the building in the community of the community of the building in the community of		

FPUP# 10535-E

Building Photographs(Four Color Photographs Required)

See Instructions for Item A6.

Building Street Address (inclu 14300 W. KESTREL ROAD	Policy Number		
City TUCSON	State	ZIP Code 85736	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least Four building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the reverse.



