IPUF# 11-347E P

P 11 CP 06414

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

4/2/12

OMB No. 1660-0008 Expires March 31, 2012

Important: Read the instructions on pages 1-9.

| | | | NA - PROPERTY INFO | | | For Insurance Company Use: |
|--|---|---|--|--|--|--|
| A1. Building Owner's Name David Miller | | | | | | Policy Number |
| A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 11851 W. Hermans Rd. | | | | | | Company NAIC Number |
| City Tucson | | 94.0 | State A7 | L | Z | IP Code 85736 |
| A3. Property Description (L Tax Code 209-23-206C | | bers, Tax Parcel Num 55 Range 11E | | .) | 53124 | Ac active way |
| A4. Building Use (e.g., Res | idential, Non-Res | idential, Addition, Acce | essory, etc.) Residential | : Manufactu | red Hom | e Replacement |
| A5. Latitude/Longitude: Lat | 32.103342 | Long. | -111.218646 | Ho | rizontal Dat | tum: NAD 1927 NAD 198 |
| A6. Attach at least 2 photog | | ding if the Certificate is | being used to obtain flood | insurance. | | 211 125105 |
| A7. Building Diagram Numt A8. For a building with a cra a) Square footage of c b) No. of permanent fl enclosure(s) within c) Total net area of flo d) Engineered flood op | awlspace or enclo crawlspace or enc ood openings in the 1.0 foot above ad od openings in As | blosure(s) /_7 he crawlspace or ljacent grade 3 8.b3 | 4/2 sq ft a B b b 3/2 sq in c) | within 1.0 for | ge of attach inent flood o ot above adj a of flood op | hed garage: hed garage penings in the attached garage jacent grade penings in A9.b |
| , , , | - | | SURANCE RATE MAP (| | | |
| B1. NFIP Community Name Pima County / 040073 | & Community Nu | mber B2 | County Name Pima C | ounty | B | AZ |
| B4. Map/Panel Number | B5. Suffix | B6. FIRM Index | B7. FIRM Panel | B8. | Flood | B9. Base Flood Elevation(s) (Zon |
| 04019C 2850 | L | Date 6-16-11 | Effective/Revised Date 6-16-11 | | ne(s) X | AO, use base flood depth) 0.5 |
| 310. Indicate the source of the | | | | | Λ | 0.5 |
| 12. Is the building located in Designation Date <u>N/A</u> | - | | CBRS) area or Otherwise I | | | Yes X No |
| Designation Date <u>N/A</u> 1. Building elevations are b *A new Elevation Certific 2. Elevations – Zones A1-A | SECTION ased on: C ate will be require 30, AE, AH, A (wi | I C - BUILDING ELI Construction Drawings ad when construction of ith BFE), VE, V1-V30, | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A | REQUIRE | ED) |
| Designation Date <u>N/A</u> C1. Building elevations are b *A new Elevation Certific C2. Elevations – Zones A1-A below according to the b | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp | I C - BUILDING ELI Construction Drawings ad when construction of ith BFE), VE, V1-V30, pecified in Item A7. U | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. | REQUIRE * 🗹 30, AR/AH, | D) Finished Construction , AR/AO. Complete Items C2.a-h |
| Designation Date <u>N/A</u> C1. Building elevations are b *A new Elevation Certific C2. Elevations – Zones A1-A below according to the b Benchmark Utilized | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp LocaL | I C - BUILDING ELI Construction Drawings' ad when construction o ith BFE), VE, V1-V30, pecified in Item A7. Us | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. | REQUIRE * 🗹 30, AR/AH, | D) Finished Construction , AR/AO. Complete Items C2.a-h |
| Designation Date <u>N/A</u> C1. Building elevations are b *A new Elevation Certific C2. Elevations – Zones A1-A below according to the b | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp LocaL | I C - BUILDING ELI Construction Drawings' ad when construction o ith BFE), VE, V1-V30, pecified in Item A7. Us | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum/00, c | REQUIRE * 🗹 30, AR/AH, | ED) Finished Construction , AR/AO. Complete Items C2.a-h .C. (HATURAL) |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp LocAL | I C - BUILDING ELI Construction Drawings ^a ed when construction o ith BFE), VE, V1-V30, pecified in Item A7. Us | CBRS OPA | PN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum_/00, c Check the | REQUIRE 30, AR/AH, = + measurement | ED) Finished Construction , AR/AO. Complete Items C2.a-h .C. (HATURAL) ent used. |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments _ | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp LocAL work (including baseme | I C - BUILDING ELI Construction Drawings ^a ed when construction o ith BFE), VE, V1-V30, pecified in Item A7. Us | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum_/00, C Check the Check the | REQUIRE * ✓ .30, AR/AH, > - Measurement measurement measurement meter | ED) Finished Construction , AR/AO. Complete Items C2.a-h .C. (HATURAL) ent used. |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments _ a) Top of bottom floor b) Top of the next high c) Bottom of the lowes | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp LocAL wowe (including baseme er floor t horizontal struct | I C - BUILDING ELI Construction Drawings ad when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ment, crawlspace, or end | CBRS OPA | PN (SURVEY er Construction R/AE, AR/A1-A BFE. Daturn/00, c Check the X feet X feet X feet | REQUIRE 30, AR/AH, 5 = H/A. measurement meter meter meter meter | ED) Finished Construction , AR/AO. Complete Items C2.a-h .G. (HATURAL) ent used. rs (Puerto Rico only) rs (Puerto Rico only) rs (Puerto Rico only) rs (Puerto Rico only) |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments _ a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp LocAL wowe (including baseme er floor t horizontal struct p of slab) | I C - BUILDING ELI Construction Drawings ad when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones | CBRS OPA | PN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum/20, c Check the SX feet AX feet AX feet AX feet | REQUIRE 30, AR/AH, a = H/A. measurement meter meter meter meter meter meter | ED) Finished Construction , AR/AO. Complete Items C2.a-h |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of educations) | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp COCAL WOWE (including baseme er floor t horizontal struct p of slab) machinery or equi uipment and loca | I C - BUILDING ELI Construction Drawings' ed when construction o ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones sipment servicing the b titon in Comments) | CBRS OPA | PN (SURVEY er Construction R/AE, AR/A1-A BFE. Daturn/00, c Check the SX feet AX feet AX feet S feet S feet | REQUIRE 30, AR/AH, a = H/A. measurement meter meter meter meter meter meter | ED) Finished Construction , AR/AO. Complete Items C2.a-h .G. (HATURAL) ent used. rs (Puerto Rico only) rs (Puerto Rico only) rs (Puerto Rico only) rs (Puerto Rico only) |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of eq f) Lowest adjacent (fin | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp CoCAL wowe (including baseme er floor t horizontal struct p of slab) machinery or equi uipment and loca ished) grade next | I C - BUILDING ELI Construction Drawings' ed when construction o ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones sipment servicing the b titon in Comments) t to building (LAG) | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum_/00, C Check the S X feet A X feet A X feet S X feet S X feet D X feet | REQUIRE 30, AR/AH, a = H/A. measurement meter | ED) Finished Construction , AR/AO. Complete Items C2.a-h |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent grad | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp bocAL wowe (including baseme er floor t horizontal struct p of slab) machinery or equ uppment and loca ished) grade next hished) grade next de at lowest eleve | I C - BUILDING ELI Construction Drawings' ed when construction o ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones signment servicing the b tition in Comments) t to building (LAG) et to building (HAG) ration of deck or stairs, | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum _ /00, c Check the S X feet A X feet A X feet S X feet S X feet S X feet S X feet S X feet | REQUIRE 30, AR/AH, a = H/A. measurement meter | ED) Finished Construction , AR/AO. Complete Items C2.a-h |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments _ a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fin g) Highest adjacent (fin | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp bocAL wowe (including baseme er floor t horizontal struct p of slab) machinery or equ uipment and loca ished) grade next hished) grade next hished) grade next when B.9 is a depth | I C - BUILDING ELI Construction Drawings' ed when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones upment servicing the b titon in Comments) t to building (LAG) ation of deck or stairs, above grade, it is required to in | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum/00, c Check the S X feet A X feet A X feet S X feet | REQUIRE 30, AR/AH, a = H/A measurem meter mete | ED) Finished Construction AR/AO. Complete Items C2.a-h C. (HATURAL) ent used. rs (Puerto Rico only) rs (Puerto Rico only) |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent gra structural support This certification is to be sign information. <i>I certify that the</i> | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp bocAL wowe (including baseme er floor t horizontal structure p of slab) machinery or equi uipment and local ished) grade next hished) grade next hished) grade next bished) grade next bished ard sealed by information on th | I C - BUILDING ELI Construction Drawings' ed when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones sipment servicing the b titon in Comments) t to building (LAG) ation of deck or stairs, above grade, It is required to in N D - SURVEYOR, y a land surveyor, enginis Certificate represent | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum/00, c Check the S X feet A X feet A X feet S X | REQUIRE | ED) Finished Construction , AR/AO. Complete Items C2.a-h |
| Designation Date <u>N/A</u> C1. Building elevations are b *A new Elevation Certific C2. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of eq f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest a | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp be CAL (including baseme er floor t horizontal structure p of slab) machinery or equi uished) grade next hished) grade next hished) grade next bished) grade next bished of the statement may be | I C - BUILDING ELI Construction Drawings ad when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones ipment servicing the b tilon in Comments) t to building (LAG) at to building (HAG) at to building (HAG) building (HAG) at to building (HAG) at to building (HAG) building (HAG) at to building (HAG) building (HAG) at to building (HAG) building (HAG) at to building (HAG) building (HAG | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum 100, C Check the S X feet X feet X feet S X Feet S | REQUIRE 30, AR/AH, a = H/A measureme meter met | ED) Finished Construction , AR/AO. Complete Items C2.a-h |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent gra structural support This certification is to be sign information. <i>I certify that the</i> <i>I understand that any false</i> s | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp be CAL (including baseme er floor t horizontal structure p of slab) machinery or equi uished) grade next hished) grade next hished) grade next bished) grade next bished of the statement may be | I C - BUILDING ELI Construction Drawings ¹ ad when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones upment servicing the b tion in Comments) t to building (LAG) ation of deck or stairs, above grade, it is required to in N D - SURVEYOR, I y a land surveyor, enging punishable by fine or to back of form. We lice | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum 100, c Check the S Teet A T | REQUIRE 30, AR/AH, 30, AR/AH, a = A/A, measureme meter mete | ED) Finished Construction AR/AO. Complete Items C2.a-h C. (HATURAL) ent used. rs (Puerto Rico only) rs (Puerto Rico only) |
| Designation Date <u>N/A</u> C1. Building elevations are b *A new Elevation Certific C2. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of eq f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent gra structural support This certification is to be sign information. <i>I certify that the</i> <i>I understand that any falses</i> Check here if comments | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp LocAL (including baseme er floor thorizontal struct p of slab) machinery or equi uipment and loca ished) grade next hished) grade next hished) grade next when B.9 is a depth SECTION ned and sealed by information on the tatement may be are provided on la | I C - BUILDING ELI Construction Drawings' ed when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones ipment servicing the b titon in Comments) t to building (LAG) ation of deck or stairs, above grade, it is required to in N D - SURVEYOR , y a land surveyor, enginis Certificate represent punishable by fine or in back of form. We lice | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum 100, d Check the S X feet X feet X feet S X Feet S | REQUIRE 30, AR/AH, 30, AR/AH, a = A/A, measureme meter mete | ED) Finished Construction AR/AO. Complete Items C2.a-h G. (MATURAL) ent used. rs (Puerto Rico only) rs (Puer |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent gra structural support This certification is to be sign information. <i>I certify that the</i> <i>I understand that any falses</i> s Check here if comments Certifier's Name EDGAA B. REY. | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp bocal (including baseme er floor t horizontal struct p of slab) machinery or equi uipment and local ished) grade next hished) grade next hished) grade next hished) grade next bished) grade next bished) grade next ished at lowest elev When B.9 is a depth a SECTION ned and sealed by information on the datement may be are provided on I tothos Sn | I C - BUILDING ELI Construction Drawings' ed when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones lipment servicing the b titon in Comments) t to building (LAG) ation of deck or stairs, above grade, It is required to in N D - SURVEYOR, y a land surveyor, enginis Certificate represent punishable by fine or in back of form. We lice Company Name City | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum 100, d Check the S X feet X feet X feet S X Feet S | REQUIRE 30, AR/AH, 30, AR/AH, a = A/A, measureme meter mete | ED) Finished Construction AR/AO. Complete Items C2.a-h G. (MATURAL) ent used. rs (Puerto Rico only) rs (Puer |
| Designation Date <u>N/A</u> 21. Building elevations are b *A new Elevation Certific 22. Elevations – Zones A1-A below according to the b Benchmark Utilized Conversion/Comments a) Top of bottom floor + b) Top of the next high c) Bottom of the lowes d) Attached garage (to e) Lowest elevation of (Describe type of ec f) Lowest adjacent (fin g) Highest adjacent (fin h) Lowest adjacent (fin h) Lowest adjacent grasstructural support This certification is to be sign information. <i>I certify that the</i> <i>I understand that any falses</i> s Check here if comments Certifier's Name EDCAN B. REY Title LAND Survey | SECTION ased on: C ate will be require 30, AE, AH, A (wi uilding diagram sp bocal (including baseme er floor t horizontal struct p of slab) machinery or equi uipment and local ished) grade next hished) grade next hished) grade next hished) grade next bished) grade next bished) grade next ished at lowest elev When B.9 is a depth a SECTION ned and sealed by information on the datement may be are provided on I tothos Sn | I C - BUILDING ELI Construction Drawings" ed when construction of ith BFE), VE, V1-V30, pecified in Item A7. Us ent, crawlspace, or end ural member (V Zones ipment servicing the b tion in Comments) t to building (LAG) ation of deck or stairs, above grade, it is required to in N D - SURVEYOR , y a land surveyor, enginis Certificate represent punishable by fine or in back of form. We lice Company Name City | CBRS OPA | DN (SURVEY er Construction R/AE, AR/A1-A BFE. Datum 100, d Check the S X feet X feet X feet S X Feet S | REQUIRE 30, AR/AH, 30, AR/AH, a = H/A measurem meter | ED) Finished Construction AR/AO. Complete Items C2.a-h G. (MATURAL) ent used. rs (Puerto Rico only) rs (Puer |

See reverse side for continuation.

Replaces all previous editions

| MPORTANT: In these spaces, copy the corresponding inform | mation from Section | n A. | F | or Insurance Company Use: |
|---|---|------------------------------|------------------|---|
| uilding Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P. 851 W. Hermans Rd. | ingial and the state | 813121 | | olicy Number |
| Tucson State _A | Z | ZIP 8573 | | ompany NAIC Number |
| SECTION D - SURVEYOR, ENGINEER, | OR ARCHITECT C | ERTIFICAT | TION (CONTI | NUED) |
| opy both sides of this Elevation Certificate for (1) community official, (2) | insurance agent/comp | any, and (3) | building owner. | |
| omments The lowest service equipment (C3.e) is the AC a | and the France | - WATE | n HERE | is/are above this elevation |
| | natural grade is _ 99 | | _ | |
| NEW SET UP OF USED MANUFACT. | MED Marie | B6 | ch skm | TED, Thene is |
| S'BOTWEEN H.A.C. & L.S.M. DINT G | LADING UPT | o Block | 01 5 | SE. Soos |
| Signature 173 | Date | | | Check here if attachmer |
| SECTION E ZEVILDING ELEVATION INFORMATION (SUR | VEY NOT REQUIR | ED) FOR Z | ONE AO AND | |
| For Zones AO and A (without BFE), complete Items E1-E5. If the Certific and C. For Items E1-E4, use natural grade, if available. Check the meas | cate is intended to support surement used. In Pue | ort a LOMA erto Rico only | or LOMR-F req | uest, complete Sections A, B, |
| Provide elevation information for the following and check the appropriate (HAG) and the lowest adjacent grade (LAG). | priate boxes to show w | hether the e | levation is abov | e or below the highest adjacent |
| a) Top of bottom floor (including basement, crawlspace oclosur | | eet Lm | eters above | |
| b) Top of bottom floor (including basement, crawlspace of losur E2. For Building Diagrams 6-9 with permanent flood openings page 4 | | | | e or below the LAG. structions), the next higher floor |
| (elevation C2.b in the diagrams) of the building is | feet meter | ove or | below the H | |
| E3. Attached garage (top of slab) is feet me E4. Top of platform of machinery and/or equipment servicing the building | bove or | | | e or below the HAG. |
| Zone AO only: If no flood depth number is available, is the top of th | | | | |
| ordinance? Yes No Unknown. The local official mus | at certify this informatio | n in Section | G. | |
| SECTION F - PROPERTY OWNER (OR | OWNER'S REPRE | SENTATIV | E) CERTIFIC | ATION |
| he property owner or owner's authorized representative who completes | | | | ssued or community-issued BFE |
| r Zone AO must sign here. The statements in Sections A, B, and E are o roperty Owner's or Owner's Authorized Representative's Name | correct to the best of h | IY KNOWIBOGE | | |
| Topenty Owner's of Owner's Addicated Representative of Rame | - | | S THE PARTY | Daid man and a share |
| ddress | City | | State | ZIP Code |
| Signature | Dat | | Telephone | |
| Comments | | | | |
| search and the second state and second states and second | | | | Check here if attachme |
| SECTION G - COMMUN | NITY INFORMATIO | N (OPTION | AL) | Carefornia Distance |
| e local official who is authorized by law or ordinance to administer the co | mmunity's floodplain n | nanagement | ordinance can | complete Sections A, B, C (or E) |
| d G of this Elevation Certificate. Complete the applicable item(s) and sig | n that has been signed | and sealed | by a licensed s | urveyor, engineer, or architect wh |
| is authorized by law to certify elevation information. (Indicate the | | | | |
| A community official completed Section E for a building located in | | | | sued BFE) or Zone AO. |
| B. The following information (Items G4-G9) is provided for communi | | | | |
| 64. Permit Number G5. Date Permit Issued G5. | G6. 1 | Date Certifica | ate Of Compliar | ice/Occupancy Issued |
| . This permit has been issued for: New Construction | stantial Improvement | Let's portyout | | antina a) to make the basis (a ministra |
| Elevation of as-built lowest floor (including basement) of the building _ | anthe and antes | feet | meters (PR) | Datum |
| BFE or (in Zone AO) depth of flooding at the building site | | feet | meters (PR) | Datum |
| 0. Community's design flood elevation | · | feet L | meters (PR) | Datum |
| ocal Official's Name | Title | | | The second second second second |
| community Name | Telephone | mailing | and the previous | Check man Prominent and |
| Signature | Date | | | |
| Comments | | | 111 ES | HOLLAN SI DASCO |
| MILLER BUSIESS MILLER 25 MODERA | N RODGEN SA | . really | | addance brace |
| | | | | |

Replaces all previous editions

Building Photographs See Instructions for Item A6.

| | | | For Insurance Company Use: |
|---|---------------|---------------------|----------------------------|
| Building Street Address (includ 11851 W. Hermans Rd. | Policy Number | | |
| City Tucson | State | Z ZIP Code 85736 | Company NAIC Number |

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page on the





11-347E