FEMA Form 81-31, MAY 90

## **ELEVATION CERTIFICATE**

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

Type 1 MHDAG mobile

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

		··,			
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME		POLICY NUMBER			
STREET ADDRESS (Including Ap	Sean J. McQuat., Unit, Suite and/or Bldg. F		ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
	4700 W. Flyi				
OTHER DESCRIPTION (Lot and E	Block Numbers, etc.) 821.49 °S3	NE4 SE	<b>L</b>	S 12	T. 12 R. 12
CITY	021147 03	ND4 DD		STATE	ZIP CODE
	Tucson			AZ	85741
	· SECTION B FL	OOD INSUR	ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX 09/30/92	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
040073	1015	D	LOMR 11/06/92	AO	Depth 1
7. Indicate the elevation dat	tum system used on t	he FIRM for B	ase Flood Elevations (BFE	): NGVD '29	Other (describe on back)
8. For- <del>Zones</del> -A-o <del>r V, where</del>	<del>ne BFE is provided o</del>	n-the-FIRM, a	nd the community has ost	<del>IBHSNOG Q CIT E 1</del>	or this building site, indicate
the community's BFE:	<u> </u>	GVD (or other	FIRM datum-see Section	B, Item-7).	
	SECTION	ON C BUILD	ING ELEVATION INFORM	IATION	
of Label Head  (b). FIRM Zones V1-V30, title selected diagram.  (c). FIRM Zone A (without below (check one)  (d). FIRM Zone AO. The sone) the highest grade level) elevated in account and control on Page 1.	ot NGVD (or other FIF VE, and V (with BFE) is at an elevation of it. BFE). The floor used the highest grade as floor used as the refer adjacent to the build ordance with the computum system used in dige 2). (NOTE: If the its on Page 2.)	The bottem- The bottem- d as the refered lipacent to the barrence level from the following. If no flood nunity's flood petermining the elevation datulated the elevation	Section B, Item 7).  of the lewest herizontal standard from the selected building.  In the selected diagram is a depth number is available above reference level elements to the datum system uses to the datum system uses to the datum system uses the selected diagram is a selected diagram is a depth number is available and the selected diagram is a selected diagram is a depth number of the selected diagram is a selected diagram is a depth number of the selected diagram is a selecte	watural member M. datum—see S d diagram is L  L  L  L  J  Geet a e, is the building ce? T  Yes T  vations: X  NG  Nevations is diffesed on the FIRM	bove or below (check is lowest floor (reference) No Unknown VD 29 Other (describe)
5. The reference level elever (NOTE: Use of construct case this certificate will or will be required once con.	ation is based on: X tion drawings is only nly be valid for the bu struction is complete.	actual constrivalid if the buil valid if the buil ilding during th )	uction  construction diding does not yet have the course of construction.	rawings o reference level A post-construc	RIOH Elevation Certificate
6. The elevation of the lowe Section B, Item 7).	est grade immediately	-adjacent to th	ne building is:	-L_J-feet-NGVD	<del>(or other FIRM datum see</del>
	S	ECTION D C	OMMUNITY INFORMATION	ON	
is-not-the-"lowest-floor"-s	s defined in the commordinance is: L_L_L	nunity's floodp feet	<del>NGVD (or ether FIRM dat</del>	Ce, ale elevanor	ndicated in Section 6, Item 1 ref the building's "lewest -B, Item 7)

note Torinot 21 JAKI1993


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

<del>(</del>	LICENSE NUMBER (or Affix Sea	0				
CERTIFIER'S NAME	FIGERASE HOWING TO CHINA GOD	···				
TITLE .	COMPANY NAME					
		STATE ZIP				
ADDRESS	d TUCSON	A7. 85741				
SIGNATURE MED LAMONS	JUNE 30, 1993	PHONE 579-0978				
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.						
	in and Erosion Hazard Management					
Article X requires the bottom of	the structural frame of a manufa	actured home to be a				
	se flood elevation. For "A" or					
neguines the manufactured home f	loor reference level to be a min	imum of one and one half				
and the second section and the second	uctural frame elevation which equal is a listed in item 6 of Section B	of this form. This				
	ertified in Section E. A copy is anufactured home, to Pima County					
Section, 201 N. Stone 4th floor,	Tucson, AZ. 85701 - Phone 7	40-6350				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.