

OMB No 3067-0011  
Expires May 31, 1993

Type 2 CHDAG 93-321

**ELEVATION CERTIFICATE**  
FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances to determine the proper insurance premium rate and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages

**SECTION A PROPERTY INFORMATION**

FOR INSURANCE COMPANY USE

BUILDING OWNER'S NAME

Sunset Quality Builders, Inc

POLICY NUMBER

STREET ADDRESS (Including Apt Unit Suite and/or Bldg Number) OR P.O. ROUTE AND BOX NUMBER

6641 S Draper Road

COMPANY NAIC NUMBER

OTHER DESCRIPTION (Lot and Block Numbers, etc.)

Lot 98, Diablo Village Estates - T C # 210-34-098 S 16 T 15 R 12

CITY

Tucson,

STATE

AZ.

ZIP CODE

85746

**SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION**

Provide the following from the proper FIRM (See Instructions)

1 COMMUNITY NUMBER	2 PANEL NUMBER	3 SUFFIX	4 DATE OF FIRM INDEX	5 FIRM ZONE	6 BASE FLOOD ELEVATION (in AO Zones use depth)
040073	2225	C	9/6/89	A	-----

- 7 Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE) ☐ NGVD '29 ☐ Other (describe on back)
- 8 For Zones A or V where no BFE is provided on the FIRM and the community has established a BFE for this building site, indicate the community's BFE      feet NGVD (or other FIRM datum—see Section B Item 7)

**SECTION C BUILDING ELEVATION INFORMATION**

- 1 Using the Elevation Certificate Instructions indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 1
- 2(a) FIRM Zones A1-A30-AE-AH and A (with BFE) The top of the reference level floor from the selected diagram is at an elevation of      feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b) FIRM Zones V1-V30-VE and V (with BFE) The bottom of the lowest horizontal structural member of the reference level from the selected diagram is at an elevation of      feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c) FIRM Zone A (without BFE) The floor used as the reference level from the selected diagram is      feet above ☐ or below ☐ (check one) the highest grade adjacent to the building
- (d) FIRM Zone AO The floor used as the reference level from the selected diagram is      feet above ☐ or below ☐ (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? ☒ Yes ☐ No ☐ Unknown
- 3 Indicate the elevation datum system used in determining the above reference level elevations ☐ NGVD '29 ☐ Other (describe under Comments on Page 2) (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B Item 7] then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2)
- 4 Elevation reference mark used appears on FIRM ☐ Yes ☒ No (See Instructions on Page 4)
- 5 The reference level elevation is based on ☒ actual construction ☐ construction drawings  
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
- 6 The elevation of the lowest grade immediately adjacent to the building is      feet NGVD (or other FIRM datum—see Section B Item 7)

**SECTION D COMMUNITY INFORMATION**

- 1 If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is      feet NGVD (or other FIRM datum—see Section B Item 7)
- 2 Date of the start of construction or substantial improvement

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor engineer or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30 AE AH A (with BFE) V1-V30 VE and V (with BFE) is required Community officials who are authorized by local law or ordinance to provide floodplain management information may also sign the certification In the case of Zones AO and A (without a FEMA or community issued BFE) a building official a property owner or an owner's representative may also sign the certification


Reference level diagrams 6 7 and 8 Distinguishing Features-If the certifier is unable to certify to breakaway/non breakaway wall enclosure size location of servicing equipment area use wall openings or unfinished area Feature(s) then list the Feature(s) not included in the certification under Comments below The diagram number Section C Item 1 must still be entered

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available  
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code Section 1001

Dario L Phillips		B 092540	
CERTIFIER'S NAME		LICENSE NUMBER (or Affix Seal)	
President	SUNSET	Builder	
TITLE		COMPANY NAME	
288	W Mesa Verde place	Tucson	
ADDRESS		CITY	STATE
			85791
ZIP		DATE	PHONE
10/10/93		499-2828	
SIGNATURE			

Copies should be made of this Certificate for 1) community official, 2) insurance agent/company, and 3) building owner

COMMENTS This completed certificate is to be returned to Pima County Floodplain Management Section, 201 N Stone 4th floor Tucson, AZ 85701 prior to B2/B3 inspection



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones  
Elevations for all A Zones should be measured at the top of the reference level floor  
Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member