## EVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

0.M B. No 3067-0077 Expires May 31, 1993 94-35)

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.


SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER ·
JESSE HOLMES	
STREET ADDRESS (Including Apt., Unit, Sulte and/or Bidg. Number) OR P.O. ROUTE AND BOX HUMBER  12517 TEFFERS PL	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	
	7145 R 16 E ZIP CODE
CITY STATE  LUGSON AUZONI	2570B
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	
Provide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 6. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
040073 2280 15 Feb 15,1983 B	2644.7
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): LINGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: LILL teet NGVD (or other FIRM datum-see Section B, Item 7).	
SECTION C BUILDING ELEVATION INFORMATION	
1. Using the Elevation Certificate Instructions, Indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level	
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)	
5. The reference level elevation is based on:  ectual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)	
6. The elevation of the lowest grade immediately adjacent to the building is: LIZIGIAL LE feet NGVD (or other FIRM datum-see Section B, Item 7).	
SECTION D COMMUNITY INFORMATION	
1. If the community official responsible for vertifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is:	

94-351

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpre I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code RLS 13007 CERTIFIER'S NAME LICENSE NUMBER (or Affix 60) BOWLIN GERALD SURVEYOR me COMPANY NAME ADDRESS ZIP SIGNATURE Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. BM= RM-252 2664.40 P.C.H.D. Banss Disc COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.