

ELEVATION CERTIFICATE

O.M.B. NO. 3067-0077 Expires May 31, 1996

Date Issued:

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

Type 1 MHDAG

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	III SUUCUOIIS IOF COI	inhiering ruis	iomi can be lound on the	ile ioliowing pag	jes		
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME CHRIS TAPPAN					POLICY NUMBER .		
STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg. Number) OR P.O. ROUTE AND BOX NUMBER 11350 W PEACEFUL LIANE					COMPANY NAIC NUMBER		
OTHER DESCRIPTION (Lot and E	3lock Numbers, etc.) -04-0100			s 3	T 15 R 11		
TUCSON				STATE	ZIP CODE 85735		
	SECTION B FL	.ÖOD INSURA	NCE RATE MAP (FIRM)				
Provide the following from the	ne proper FIRM (See	Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION		
040073	2200	C	9/6/89	A	(in AO Zones, use depth)		
7. Indicate the elevation date 8. For Zones A or V, where					Other (describe on back)		
the community's BFE:			FIRM datum—see Section		or this balloting site, malcate		
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	IATION			
(b). FIRM Zones V1-V30, VE, and V (with BFE). The bottem of the lewest herizental structural member of the reference level from the selected diagram, is at an elevation of							
5. The reference level elevation is based on: X actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 6. The elevation of the lowest grade immediately adjacent to the building is:							
Section B, Item 7).							
SECTION D COMMUNITY INFORMATION							
 If the community official re is not the "lowest floor" as floor" as defined by the or Date of the start of constri 	defined in the comm	unity's floodple	xin management ordinanc	e, the elevation (of the building's "lowest —		

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law-to certify clevation information when the clevation information for Zones A1 – A30, AE, AH, A (with BFE),V1 – V30,VE, and V (with BFE) is required.

Community efficials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Turioerstand tr	I \ \ \			•		
CERTIFIER'S NAM	LICENSE NUMBER (or Affix Seal)					
-TITLE		COMP	ĐNA NỚWE	1		
ADDRESS SIGNATURE	_	Peacaful	Tucson	Az 85735 PHONE 877-7017		
		tificate for: 1) community	9-21-10	ompany, and 3) building owner.		
COMMENTS:	requires the bottomators above the base for	om of the structural fra flood elevation. For "A ence level to be a min elevation which equals of Section B of this for y is to be returned wit Floodplain Manageme	me of a manufactured no "AO" Zones Pima Conimum of one and one had the about the control of the	rdinance 1988-FC2 in Article X me to be a minimum of one footh ounty requires the manufactured alf feet above the bottom of the pove the base flood elevation as ate is to be certified in Sections nent of the manufactured home at 4th floor, Tucson, AZ 85701		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.