VSR

ELEVATION CERTIFICATE

O.M.B. NO. 3067-0077 Expires May 31, 1996

15 11 12 Ja-7277

Date Issued: //12/96

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

Type 2 CHDAG

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

<u> </u>	SECTION A PR	OPERTY INFO	DRMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	BOB WA	L DEN			POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and E	Block Numbers, etc.)	(ے *		s 7	T'/2 R / 2_
CITY			ANA	STATE	ZIP CODE
	SECTION B F	LOOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	ne proper FIRM (See	Instructions):		-	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
040073	995	~	9-30-92	AD	(in AO Zones, use depth)
3. For Zones A or V, where	no BFE is provided o	n the FIRM, ar	ase Flood Elevations (BFE nd the community has est FIRM datum-see Section	ablished a BFE fo	Other (describe on back) r this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION	
(b). FIRM Zenes V1-V30, \ the selected diagram, i (c). FIRM Zone A (without below ☐ (check one) (d). FIRM Zone AO. The fi one) the highest grade level) elevated in according to the comments on Page under Comments on Page	s at an elevation of L BFE). The floor used the highest grade ac oor used as the refer adjacent to the build dance with the commun um system used in de 2). (NOTE: If the e 1, Item 7), then conve	The bettern of the base of the series of the base of t	of the lowest horizontal strain the lowest horizontal strain the selected uilding. In the selected diagram is depth number is available ain management ordinance.	M datum-see Sed diagram is [0] diagram is [0] diagram is [0] diagram is [0] feet ab et al. (a) the diagram is different in the diagram in the diagram is different in the diagram in	ove or or below (check lowest floor (reference No Unknown 129 Other (describe
. Elevation reference mark		RM: 🗌 Yes 🏗	No (See Instructions or	Page 4)	
i. The reference level eleva	tion is based on: Xion drawings is only to build for the b	actual constru valid if the build	ction construction dr	awings reference level fl	oor in place, in which on Elevation Certificate
Section B, Item 7):-	st grade immediately	adjacent to the	building is:		or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO	N	
. If the community official re is not the "lowest floor" as floor" as defined by the or . Date of the start of constru	sponsible for verifyir defined in the comm dinance is:	g building elev	rations specifies that the realing management ordinance	eference level ind	the building's "lovest

SECTION E CERTIFICATION


4-40-18- West 1999

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to entity signed information when the elevation information for Zones A1 A30, AE, AH, A (with BFE), V1 V30, VE, and V (with BFE) is required. Germmunity efficials who are authorized by local law or ordinance to provide floodplain management information, have also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)					
TITLE 124 Salt	COMPANY NAME :	9				
10640 Seale	Marana At	1575				
ADDAESS/UN DES	CITY 1-29-94	STATE ZIP				
SIGNATURE	DATE	PHONE				
Copies should be made of this Ce	ertificate for: 1) community official, 2) insurance agent/con	npany, and 3) building owner.				
COMMENTS:	•					
This certificate	completed in Sections C and E is to be returne	d to Pima County Floodolain				
Management Se	ection, 201 N. Stone 4th Floor, Tucson, AZ. 8570	1 prior to B2/B3 inspection.				
-						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.