ELEVATION CERTIFICATE

O.M.B. NO. 3067-0077 Expires May 31, 1996

FPUP: #

FEMA Form 81-31, MAY 93

Date Issued: 2/24/96

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

Type 2 CHDAG

SEE REVERSE SIDE FOR CONTINUATION

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
Building owner's NAME Toledo, Francisco and Rosario	POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) QR P.O. ROUTE AND BOX NUMBER 5030 W. Elvado W. # / OTHER DESCRIPTION (Lot and Block Numbers, etc.)	COMPANY NAIC NUMBER
s /3	T15 R 12
Tueson, Arizona state	ZIP CODE 85746
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	
Provide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE	6. BASE FLOOD ELEVATION
040073 2825 C 9/6/89 AO,	(in AO Zones, use depth) / Foot
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE to the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).	Other (describe on back) for this building site, indicate
SECTION C BUILDING ELEVATION INFORMATION	
2(a). FIRM Zenes A1 A30, AE, AH, and A (with BFE). The top of the reference level floor from the select of left NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zenes V1 V30, VE, and V (with BFE). The bettem of the lewest herizontal structural member the selected diagram, is at an elevation of left NGVD (or other FIRM datum—see S (c). FIRM Zene A (without BFE). The floor used as the reference level from the selected diagram is left below (check one) the highest grade adjacent to the building. (d). FIRM Zene AO. The floor used as the reference level from the selected diagram is level) elevated in accordance with the community's flood depth number is available, is the building level) elevated in accordance with the community's floodplain management ordinance? Yes level elevation datum system used in determining the above reference level elevations: NGT under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different floor under Comments on Page 2.)	bove or below (check 's lowest floor (reference No Other (describe
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4) 5. The reference level elevation is based on: A actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level case this certificate will only be valid for the building during the course of construction. A post-construction will be required once construction is complete.)	floor in place, in which tion Elevation Certificate
	(or other FIRM datum-see
SECTION D COMMUNITY INFORMATION	
I. If the community official responsible for verifying building elevations specifies that the reference level in is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation floor" as defined by the ordinance is: Label Label feet NGVD (or other FIRM datum-see Section I Date of the start of construction or substantial improvement	of the building's "lowest

REPLACES ALL PREVIOUS EDITIONS

SECTION E CERTIFICATION

4-3125 11-2019-4


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1—A30, AE, AH, A (with BFE), V1—V30, VE, and V (with BFE) is required.—

Community efficials who are authorized by local law or ordinance to provide fleedplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAM	aris 8 olive	LIC	ENSE NUMBER (or Af	fix Seal)	
TITLE .		COMPANY NAME	:		·
ADDRESS		CITY		STATE	ZIP
SIGNATURE			DATE	PHONE	
Copies should	d be made of this Certificate for: 1) community official, 2) insurance agen	/company, and 3) buil	ding owner.
COMMENTS:	This certificate completed i Management Section, 201 I				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.