17-3PHO.-UP-71-77

SEE REVERSE SIDE FOR CONTINUATION

FPUP: #

FEMA Form 81-31; MAY 93

ELEVATION CERTIFICATE

O.M.B. NO. 3067-0077 Expires May 31, 1996

Date Issued:

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

Type 2 . CHDAG

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	FOR INSURANCE COMPANY USE					
BUILDING OWNER'S NAME	POLICY NUMBER					
STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and I	HOTVIN Lan	1e				
Tax Code	# 224-15-0	2 <i>0</i> 0		s 7	T 12 R 13	
TUCSON STATE AZ					ZIP CODE	
SECTION B FLOOD-INSURANCE RATE MAP (FIRM) INFORMATION						
Provide the following from the proper FIRM (See Instructions):						
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
040073	1020	D	9/30/92	AO	(in AO Zones, use depth)	
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:						
	SECTION	ON C BUILDI	NG ELEVATION INFORM	ATION		
 Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level _1 2(a). FIRM Zenes A1 A30, AE, AH, and A (with BFE). The top of the reference level fleer from the selected diagram is at an elevation—of						
under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)						
4. Elevation reference mark			•			
5. The reference level elevation is based on: A actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)						
6. The elevation of the lowest grade immediately adjacent to the building is: L. L. feet NGVD (or other FIRM datum-see Section B, Item 7).						
SECTION D COMMUNITY INFORMATION						
If the community official rules not the "lowest floor" as floor" as defined by the or 2. Date of the start of constructions.	odefined in the commodinance is:	unity's floodple	rations specifies that the real management ordinance GVD (or other EIRM datur	e, the elevation c	f the building's "lowest	

REPLACES ALL PREVIOUS EDITIONS

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer; or architect who is authorized by state or local law to certify elevation information when the elevation information for Zenes A1 A30, AE, AH, A (with BFE), V1 V30, VE, and V (with BFE) is required.

Community officials who are authorized by local law or ordinance to provide fleedplain management information, may also sign the certification. In the case of Zenes AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME 10016	LICENSE NUMBER (or	Affix Seal)
PRESIDENT CO	BBLESTONE BLD	DEV DUC.
4.0 box # 217	VAIL	AZ STATE BS LOY
SIGNATURE	8-9-96	PHONE 1-3443
Copies should be made of this Certificate for:	1) community official, 2) insurance age	nt/company, and 3) building owner.
COMMENTS: This certificate completed Management Section, 201	in Sections C and E is to be re N. Stone 4th Floor, Tucson, AZ.	turned to Pima County Floodplain 85701 prior to B2/B3 inspection.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.