FPUP_96-252E-A

アリストーファーアのにたーの

SEE REVERSE SIDE FOR CONTINUATION

PUP: #

ELEVATION CERTIFICA

O.M.B. NO. 3067-0077 **Expires May 31, 1996**

Type 2 CHDAG

late Issued:

FEMA Form 81-31, MAY 93

FEDERAL EMERGENCY MANAGEMENT AGENCY 1996
NATIONAL FLOOD INSURANCE PROGRAM 527 NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase coefficient. This com is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ardinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPENIT INFO	JOHNATION		FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME					POLICY NUMBER	
STREET ADDRESS (Including A		· C/ 7. [IERDUGO			
					COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and	RHART ROA	to Incse	DIC HZ	· · · · · · · · · · · · · · · · · · ·		
PARCEL 74-		0-074C		s 14	T /2 R 10	
CITY				STATE	ZIP CODE	
Theson				Az	85714	
	***************************************		NCE-PATE-MAP (FIRM)	INFORMATION		
Provide the following from the	he proper FIRM (See	Instructions):		•		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
040073	1615 \$	B	Aug 2,1995	4	(in AO Zones, use depth)	
*. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 3. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE:						
	SECTION C BUILDING ELEVATION INFORMATION					
chi. FIRM Zenes V1 V30, Van the selected diagram, in the selected diagram in the selected diagram in the selected diagram in the selected diagram in the selected diagram,	Iding's reference levence. AE, AH, and A (with ETA) TOWN (or other FIRM E, and V (with BFE), at an elevation of L BFE). The floor used the highest grade addition used as the reference adjacent to the building dance with the community.	M datum see The bettem e as the referent facent to the bettem e ence level from ng. If no flood funity's floodple etermining the	of the reference level flee Section B, Item 7). of the lewest horizontal str feet NGVD (or other FIR nce level from the selected uilding. In the selected diagram is depth number is available ain management ordinance	r from the selected uctural member of M datum-see See di diagram is (of diagram is at an elevation of the reference level from ction B, Item 7). D'eet above or ove or below (check s lowest floor (reference	
the FIHM [see Section E equation under Comment	ß, Item 7], then convei is on Page 2.)	t the elevation	ns to the datum system us	ed on the FIRM a	and show the conversion	
Elevation reference mark				- •		
 The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons 	ion drawings is only v ly be valid for the buil	alid if the build	ling does not vet have the	reference level f	loor in place, in which on Elevation Certificate	
3. The elevation of the lower Section B, Item 7).	st grade immediately (adjacent to the	building is:	LJ.feet NGVD (d	or other FIRM datum-see	
	SE	CTION D CO	MMUNITY INFORMATIO	N	· · · · · · · · · · · · · · · · · · ·	
I. If the community official re is not the "lowest floor" as floor" as defined by the or 2. Date of the start of constru	dinance is:	Unity's floodpia	lin management ordinanc G VD (or other FIRM datu i	e, the elevation o	f the building's "lowest	

REPLACES ALL PREVIOUS EDITIONS

SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zenes A1—A30, AE, AH, A (with BFE),V1—V30,VE, and V (with BFE) is required.—

Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zenes AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an invited by the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CumMonison	.09	91804-B			
CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)				
/ GENERAL CONTRACTOR	WINDSTAR CONST	TRUCTION'			
TITLE - 9238 W. MANUA - AV-OV-OV	COMPANY NAME		79775		
ADDRESS DOWN MAYBROOK &.	. MARANA. CITY 9/8/9	STATE 6 6 6 7 7	<u> </u>		
SIGNATURE	DATE	PHONE	 		
Copies should be made of this Certificate for: 1) community official, 2) insurance age	nt/company, and 3) buildi	ng owner.		
COMMENTS: This certificate completed in Management Section, 201 N	n Sections C and E is to be re N. Stone 4th Floor, Tucson, AZ.	turned to Pima Count 85701 prior to B2/B3	ty Floodplain		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.