FPUP_96-258E-A

ELEVATION CERTIFICATE

Date Issued:

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

Type 1 MHDAG

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

	Instructions for c	ompleting this	s form can be found on	the following pa	ges.	
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME PHILLIP CAMACHO					POLICY NUMBER	
STREET ADDRESS (Including Apt 75.02 VV	Unit, Suite and/or Bldg. I	Number) OR P.O. R	OUTE AND BOX NUMBER		COMPANY NAIC NUMBER	
OTHER DESCRIPTION (Lot and B	lock Numbers, etc.)			T/5	R/2 5 21	
TU WON	,			STATE A	Z ZIP CODE SS24	
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	·	
rovide the following from th	e proper FIRM (See	Iristructions):		, . 		
1. COMMUNITY NUMBER 040073	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
Indicate the elevation dat For Zones A or V, where the community's BFE.	no BFE_, is provided c	n the FIRM, ar	nd the community has esta	ablished a BF = to	Other (describe on backer this building site, indicate	
	SECTI	ON C BUILDI	NG ELEVATION INFORM	MATION		
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade	is at an elevation of the BFE). The floor use the highest grade a floor used as the referencies adjacent to the build	d as the refere djacent to the bearence level from	feet NGVD (or other FIF nce level from the selecte building. m the selected diagram is depth number is availab	tM datum see Sed d diagram is feet alle, is the building	sction B, Item 7): Signal feet above for feet above for feet above feet above for feet above feet	
level) elevated in acco	tum system used in	munity's 1100ap	lain management ordinan	ovations: X-NGV	/D=29= Other (describe	
under Comments on Pag the FIRM [see Section equation under Commer	ge 2). (NOTE: If the B, Item 7], then conv nts on Page 2.)	elevation datu ert the elevation	m used in measuring the ons to the datum system u	sed on the FIRM	rent than that used on	
I. Elevation reference mark						
case this certificate will on will be required once con	ction drawings is only only be valid for the b estruction is complete	valid if the bui uilding during ti .)	lding does not yet have th he course of construction.	e reference level A post-construc	ion Elevation Certificate	
6. The elevation of the low Section B, Item 7).			•	. ,	(or other FIRM datum-see	
	. \$	SECTION D C	OMMUNITY INFORMATI	ON .		
If the community official is not the "lowest floor" a defined by the 2. Date of the start of cons	responsible for verify as defined in the com ordinance is:	ring building ele munity's floods	evations specifies that the plain management ordinar NGVD (or other FIRM dat	reference level in	of the building a lowest	

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1—A30, AE, AH, A (with BFE), V1—V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.


I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Kober T CAmmelo		, ===	<i>i</i>
CERTIFIER'S NAME?	· LICENSE NUMBER (or Affix	Seal)	·
TITLE >	COMPANY NAME		
ADDRESS ADDRESS	Tucson	AZ	85746
SIGNATURE>	4-12-00	- 883-9	STATE ZIP
	DATE	PHONE	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:

Pima County Floodplain and Erosion Hazard Management Ordinance 1994-FC2 in Article XI requires the bottom of the structural frame of a manufactured home to be a minimum of one foot above the base flood elevation. For "A" or "AO" Zones Pima County requires the manufactured home floor reference level to be a minimum of one and one half feet above the bottom of the structural frame elevation which equals two and one half feet above the base flood elevation as listed in item 6 of Section B of this form. This elevation certificate is to be certified in Sections C and E. A copy is to be returned within seven days of placement of the manufactured home, to Pima County Floodplain Management Section, 201 N. Stone Ave., 4th Floor, Tucson, AZ 85701. Phone 740-6350.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zone's should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.