## PUP 98-006E-A PFPUP # 98-006E Date Issued: 1.8.98

### **ELEVATION CERTIFICATE**

# FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999 Type 4 CHNGVD

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for comple	ng this form can be found o	on the following pages.	:
SECTION A PROPER	FOR INSURANCE (	FOR INSURANCE COMPANY USE POLICY NUMBER	
BUILDING OWNER'S NAME LOCHRIPGE HOMES			
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number)		COMPANY NAIC N	UMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	VERPE TRA	ics	;
CITY TUCSOK			ZIP CODE
SECTION B FLOOD	SURANCE RATE MAP (FIRM		
Provide the following from the proper FIRM (See Instru	ions):		
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. S	FFIX 4. DATE OF FIRM INDEX	5. FIRM ZONE 6. BASE FLO	OD ELEVATION les, use depth)
040073 /Q70 E	8-19-97	1 AE 2.5 8	
7. Indicate the elevation datum system used on the FIFB. For Zones A or V, where no BFE is provided on the the community's BFE feet NGVD	RM, and the community has e	stablished a BFE-for this building	
SECTION C	BUILDING ELEVATION INFOR	RMATION	<del></del>
of 25 9/ 8 feet NGVD (or other FIRM date (b). FIRM Zones V1-V30, VE, and V (with BFE). The the selected diagram, is at an elevation of 4 (c). FIRM Zone A (without BFE). The floor used as the below (eheck one) the highest grade adjacent (d). FIRM Zone AO. The floor used as the reference one) the highest grade adjacent to the building. If level) elevated in accordance with the community (s). Indicate the elevation datum system used in determining under Comments on Page 2). (NOTE: If the elevation the FIRM [see Section B, Item 7], then convert the equation under Comments on Page 2.)	reference level from the select of the building.  vel from the selected diagram to flood depth number is availated floodplain management ordinating the above reference level of the datum used in measuring the levations to the datum system.	IRM datum-see Section B, Item 7 ted diagram is feet above or belable, is the building's lowest floor (ance? Yes No Unknow elevations: M NGVD '29 Other elevations is different than that used on the FIRM and show the design of the second	ve or  check reference own er (describe used on
4. Elevation reference mark used appears on FIRM: $\overline{f X}$	Yes No (See Instructions	on Page 4)	
5. The reference level elevation is based on: X actual (NOTE: Use of construction drawings is only valid it case this certificate will only be valid for the building will be required once construction is complete.)	he building does not yet have t uring the course of construction	the reference level floor in place, in A post-construction Elevation C	Certificate
<ol><li>The elevation of the lowest grade immediately adjact Section B, Item 7).</li></ol>	nt to the building is: 1259	<u>Ø</u> . [5] feet NGVD (or other FIRM	datum-see
SECTIO	D COMMUNITY INFORMAT	ION	
If the community official responsible for verifying but is not the "lowest floor" as defined in the community floor" as defined by the ordinance is:	floodplain management ordina feet NGVD (or other FIRM da	ance, the elevation of the building	tion C, Item 1 's "lowest

### SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued-BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway-wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.


I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)					
Steven M. Corrales,	Jr. R.L.S., P.E.	16516				
TITLE	COMPAN	Y NAME				
President	Steve Corrales	Engineering	Corporation			
ADDRESS	CITY			STATE	ZIP	
1008 W. St. Mary's	Rd. Tucson-	• .		ΑZ	85745	
SIGNATURE M. Corrales.	L. A. A. A. A. A. A. A.	DATE Jan. 21	PHONE , '98 622-2	553		

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

#### COMMENTS:

This certificate completed in Sections C and E is to be returned to Pima County Floodplain Management Section, 201 N. Stone Ave., 4th Floor, Tucson, AZ. 85701 prior to B2/B3 inspection.



The diacrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.