**ELEVATION CERTIFICATE** 

298-599ER-A Date Issued:

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999 Type 4 CHNGVD

SEE REVERSE SIDE FOR CONTINUATION

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

	Instructions for c	ompleting this	s form can be found on	the following pa	ges.	
SECTION A PROPERTY INFORMATION				F	FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME MATALONE					POLICY NUMBER	
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  2140 N. CONESTOGA AVE.						
OTHER DESCRIPTION (Lot and I	Block Numbers, etc.)	,		T 14 R	16,5 G	
Theson		·		STATE A	ZIP CODE	
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION		
Provide the following from the	he proper FIRM (See	Instructions):				
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
040073	2280	K	2-8-99	A5	(in AO Zones, use depth) 2613.6	
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided o	<del>n the FIRM, an</del>	d the community has est	a <del>blished a BFE fo</del> i	☐ Other (describe on back) r this building site, indicate	
SECTION C BUILDING ELEVATION INFORMATION						
(c). FIRM Zone A (without below (check one)  (d). FIRM Zone AO. The form one) the highest grade levei) elevated in accomments on Pagethe FIRM [see Section Benefits on the FIRM [see Section Benefits on the comments on the comments on the page section benefits on the comments of the comm	th NGVD (or other FIRM VE, and V (with BFE) is at an elevation of Label BFE). The floor used the highest grade addressed as the refer adjacent to the build related with the common system used in die 2). (NOTE: If the early then converts on Page 2.)	IM datum—see The bottom of the	Section B, Item 7).  If the lowest horizontal standard feet NGVD (or other FIF ince level from the selecte wilding in the selected diagram is depth number is available aim management ordinant above reference level elements to the datum system used in the datum system used.	diagram is feet ab e, ie the building's vations: X NGVI elevations is differenced on the FIRM a	the reference level from ction B, Item 7).  teer above or or or ove or level from (check levest floor (reference level) or below or level floor (reference level) or other (describe ent than that used on	
<ul> <li>4. Elevation reference mark used appears on FIRM: X Yes No (See Instructions on Page 4)</li> <li>5. The reference level elevation is based on: X actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)</li> </ul>						
6. The elevation of the lowe Section B, Item 7).			e building is: \ \Z\G\\\A	. I feet NGVD (d	or other FIRM datum-see	
	SE	CTION D CO	MMUNITY INFORMATION	DN .		
If the community official resistant the "lowest floor" as floor" as defined by the oral to the oral to the start of construction.	s defined in the comm rdinance is:	nunity's floodpla	ain management ordinand GVD (or other FIRM date	ce, the elevation o	f the building's "lowest	

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data of the statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 10 171

WILLIAM B. MARUM

CERTIFIER'S NAME

LICENSE NUMBER (or Affix Seal)

MARUM

TITLE

COMPANY NAME

S521 E. 3 P ST

TOCSON

ADDRESS

SIGNATURE

DATE


PHONE

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

## COMMENTS:

This certificate completed in Sections C and E is to be returned to Pima County Floodplain Management Section, 201 N. Stone Ave., 4th Floor, Tucson, AZ. 85701 prior to B2/B3 inspection.

This elevation centrificate indicates compliance with the conditions of floodplain use Permit 98-599ER 27 April 8-29-00



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.