FPUP# 98-657E

PO CP 193

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

### **ELEVATION CERTIFICATE**

OMB No. 1660-0008

Expires February 28, 2009

National Floo	d Insurance Pro	gram		Read the instr		1 0	3.	and white discrete
A4 D 11-11-	0 1 11		SECT	ION A - PROPE	RTY INFOR	MATION		For Insurance Company Use:
A1. Building	1. Building Owner's Name Roxana Porter					Policy Number		
A2. Building 11425	Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 11425 North Musket Road				de sign	Company NAIC Number		
City	Гucson	2. 346.11. 24.	Washington Cardon 1888 - C		State AZ		Z	IP Code 85746
A3. Propert	ty Description (Le <b>208-25-0260</b>	ot and Block Nu Township	mbers, Tax Parcel Nu 12 Range 10	Section 04	ription, etc.)			
		*	esidential, Addition, Ad	cessory etc.) Re	sidential:	Manufactu	red Hom	e #3
A5. Latitude	e/Longitude: Lat.	32.411834	Lon	g111.334814			orizontal Da	tum: NAD 1927 X NAD 1983
A6. Attach	at least 2 photog	raphs of the bu	ilding if the Certificate	is being used to o	btain flood in	surance.		la seraji ia "a" ii in vau
	g Diagram Numb uilding with a cra		closure(s), provide:		A9 For	a building wi	th an attacl	ned garage, provide:
a) Squ	uare footage of o	rawl space or e	nclosure(s) _	N/A sq ft	a) :	Square foota	ige of attac	hed garage AU/A sq ft
			the crawl space or ove adjacent grade _	u/A	b) (	No. of perma	nent flood	openings in the attached garage ve adjacent grade NA
	al net area of floo			M/A sq in	c) ·	Total net are	a of flood o	penings in A9.b NA sq in
		SECT	TION B - FLOOD IN	ISURANCE RA	TE MAP (FI	RM) INFO	RMATION	No. 10 of will be and position of the con-
B1 NFIP Co	nty / 040073	& Community N	umber	32. County Name	Pima Cou	inty	E	33. State AZ
	anel Number	B5. Suffix	B6. FIRM Index	B7. FIRI			Flood	B9. Base Flood Elevation(s) (Zone
04019C 09		K	Date	Effective/Re	evised Date	Zo	ne(s)	AO, use base flood depth)
			2/8/99	2/8/			.01	1.0
			levation (BFE) data o		entered in Ite er (Describe)	em B9.		
and the same of	Control of the last of the las	A STATE OF THE PARTY OF THE PAR	n Item B9: NGVD	THE OLD THE SECOND		V Other (De	escribe) H	ighest Adjacent Natural Grade
B12. Is the b	uilding located in		ier Resources System			tected Area	(OPA)?	Yes X No
Designa	ation Date N/A			_ CBRS _				
		SECTIO	N C - BUILDING EI	EVATION INC	DMATION	(CLIDVEY	DECLURE	70
04 D !!!!		A Park III					The second second second	
*A new E	elevations are ballevation Certification	ased on:	Construction Drawing ed when construction	s" Bu of the building is a	Iding Under (	Construction	* IX	Finished Construction
C2. Elevation	s - Zones A1-A	30. AE. AH. A (v	vith BFE), VE, V1-V30	V (with BFF) AF	ARIA ARIA	AE, AR/A1-A	30, AR/AH,	AR/AO. Complete Items C2.a-g
Benchma	cording to the bu	ilding diagram s	Specified in Item A7.	He Rudolfg	Vertical Date	! !	00	
Conversion	on/Comments	TI JIOU TE TEA	GOV. POSTIC PI	DSRETRA	_vertical Datt	III NAVI	000	
	A Proficed etc.		ibio Mejosyenemiki			Check the	measureme	ent used.
a) Top	of bottom floor (	including basem	ent, crawl space, or e	enclosure floor)	1961.2	X feet	☐ meter	rs (Puerto Rico only)
b) Top	of the next higher	er floor	n vi neletis kas ke j	restagle a later many a	NA.	X feet		s (Puerto Rico only)
			tural member (V Zone	es only)	NA.	X feet		rs (Puerto Rico only)
	ched garage (top	,	uipment servicing the	h II-li-	NA .	X feet	-	rs (Puerto Rico only)
(Des	scribe type of equ	uipment in Com	ments)	building	1900.2	X feet	meter	s (Puerto Rico only)
	est adjacent (fini	, -		_	958 0	X feet	meter	rs (Puerto Rico only)
g) High When B.9 is a dept	est adjacent (fin	ished) grade (Ha	AG) lest and lowest NATURAL gr	ade in Section D Commer	1958.0	X feet	meter meter	s (Puerto Rico only)
	1910		ND-SURVEYOR,			CERTI	FICATION	Consuming the Consuming to
This certificat	tion is to be sign	ed and sealed b	y a land surveyor, en	gineer, or architect	authorized b	y law to cert	ify elevation	Lillas (Bosis - OA supa ut vij 1919 (bo
I understand	that any false st	information on t atement mav be	his Certificate represe punishable by fine or	nts my best efforts imprisonment und	s to interpret t der 18 U.S. C	the data avai ode. Section	ilable.	
Property .				imprisonirion and	101 10 0.0. 0	oue, occion	1001.	ERED LAND SUA
Check ne	ere if comments	are provided on	back of form.					S LATIFICATE VICE
Certifier's Na				Lice	ense Number			— GEOFFREY K.
Title	reyKI	Drimhal	Company Name	RL				BRIMHALL
Resistere	ed Land	Surveyor	Company Name	al Resource	e Ens	necrin	5	10/1/
Address 4655	V F/2	is Wells	City	47 Star	5 705	ZIP Code		- Oned L. 13
Signature	4721	1	Date	Tele	phone		,	- XIQNA RISH
1117	MISVV	1	12.15.09	-	520 69	0 1669		EXP 3.31.11
								PL 2.21.11

IMPORTANT: In these spaces	s, copy the corresponding in	nformation from Section	on A.	For Insurance Company Use:
Building Street Address (including A 11425 North Musket Ro		or P.O. Route and Box No	). 	Policy Number
City Tucson	Sta	ate AZ	ZIP Code 85746	Company NAIC Number
SECTION	ON D - SURVEYOR, ENGINE	ER, OR ARCHITECT O	ERTIFICATION (CO	NTINUED)
Copy both sides of this Elevation Co	ertificate for (1) community official	, (2) insurance agent/comp	pany, and (3) building ov	vner.
				(1960.2) is/are above this elevation.
Highest adjacent natural grade is 19				
Signature / // KR/		Data	3 317 323 4 4 43174	Market B. The Court of the Cour
1/1/10/100	$\mathcal{N}$	Date 12.15	-09	Check here if attachments
SECTION'E - BUILDING EL	LEVATION INFORMATION (S	SURVEY NOT REQUIR	ED) FOR ZONE AO	AND ZONE A (WITHOUT BFE)
grade (HAG) and the lowest a a) Top of bottom floor (includid b) Top of bottom floor (includid E2. For Building Diagrams 6-8 with (elevation C2.b in the diagram E3. Attached garage (top of slab) E4. Top of platform of machinery and E5. Zone AO only: If no flood dep	for the following and check the apadjacent grade (LAG).  Ing basement, crawl space in the permanent flood openings purely of the building is feet mand/or equipment servicing the building is the building is the permanent flood openings purely of the building is feet mand/or equipment servicing the building is the purely feet mand/or equipment servicing the building is the purely feet mand/or equipment servicing the building is the purely feet mand/or equipment servicing the building is the purely feet mand/or equipment servicing the building is the purely feet mand/or equipment servicing the building is the purely feet mand/or equipment servicing the building is the purely feet mand/or equipment servicing the building is the purely feet feet mand/or equipment servicing the building is the purely feet feet mand/or equipment servicing the building is feet feet feet feet feet feet feet feet feet	closure) is	feet meters a meters a meters a feet meters	above or below the highest adjacent above or below the HAG. above or below the LAG. nstructions), the next higher floor the HAG.
SECTIO	ON F - PROPERTY OWNER (	OR OWNER'S REPRE	SENTATIVE) CERTII	FICATION
				MA-issued or community-issued BFE)
or Zone AO must sign here. <i>The sta</i> Property Owner's or Owner's Author	atements in Sections A, B, and E a	are correct to the best of m	y knowledge.	AW TE THE TE
Address	STORY OF SHARE	City	State	ZIP Code
Signature	The state of the state of	D# e	Telepho	ne
Comments				THE STATE OF THE S
a B TO B STORY BUSINESS CONTRACTOR	ACER BELLEVIE	200 00 000 000	THE STATE OF	
	desition Alberto 28	and the first of the second	a mas and late	Check here if attachments
		MUNITY INFORMATION		
ind G of this Elevation Certificate. Co  The information in Section ( is authorized by law to certificate.)  A community official completion	omplete the applicable item(s) and	I sign below. Check the mation that has been signed the source and date of the ed in Zone A (without a FE)	easurement used in Iter and sealed by a license e elevation data in the C MA-issued or communit	ed surveyor, engineer, or architect who omments area below.)
G4. Permit Number FPUP# 98-657E	G5. Date Permit Issued	G6. D	Date Certificate Of Comp	oliance/Occupancy Issued
67. This permit has been issued for: 68. Elevation of as-built lowest floor (i 69. BFE or (in Zone AO) depth of floo	including basement) of the building	Substantial Improvement	feet meters (P	
Local Official's Name		Title	A service of the control of	COLUMN THE REAL PROPERTY.
Community Name		Telephone	West for Kell (1998)	CONTRACTOR OF THE PROPERTY OF
Signature		Date	A20	8 7
Comments	Facilities of	Assess Reserved	New York	Edward Lond Sur
A STATE OF THE STA	C44.5	15 - 5 Km	Viello Vocas	Hilly of Floreing 1
TO STATE OF THE ST	179/ 659 97		8 21	Check here if attachments

FEMA Form 81-31, February 2006

Replaces all previous editions

FPUP# 98-657E

## **Building Photographs**(Four Color Photographs Required)


See Instructions for Item A6.

and the second s				For Insurance Company Use:
Building Street Address (inclu	Policy Number			
11425 North Musket Ro	oad			
City Tucson	State	AZ	ZIP Code 85746	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least Four building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



Front



FPUP# 98-657E

# Building Photographs Continuation Page

				For Insurance Company Use:
Building Street Address (inclu-	Policy Number			
11425 North Musket Ro	oad			
City	State	AZ	ZIP Code 85746	Company NAIC Number
Tucson	07.02			

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."



Right



# **ELEVATION CERTIFICATE** EDERAL EMERGENCY MANAGEMENT AGENCY

O.M.B. No. 3067-002 Expires July 31, 1999

Type 1 MHDAG

NATIONAL FLOOD INSURANCE PROGRAM ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages. SECTION A PROPERTY INFORMATION FOR INSURANCE COMPANY USE BUILDING OWNER'S NAME POLICY NUMBER Negson STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER COMPANY NAIC NUMBER Muske 7 OTHER DESCRIPTION (Lot and Block Numbers, etc.) ZIP CODE UCSON SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION Provide the following from the proper FIRM (See Instructions): 1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZONE 6. BASE FLOOD ELEVATION 2.8.99 040073 965 /C  $\circ$ 7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site; indicate-. Lefeet NGVD (or other FIRM datum-see Section B, Item 7) the community's BFE. SECTION C BUILDING ELEVATION INFORMATION 1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level. 2(a). FIRM Zones A1-A30, AE, AH, and A (with EFE). The top of the reference level floor from the selected diagram is at an elevation \_\_\_\_\_ feet NGVD (or other FIRM datum-see Section B. Item 7): (b): FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from \_ \_\_ feet NGVD (or other FIRM datum-see Section B, Item 7): the selected diagram, is at an elevation of (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is \_\_\_\_\_. feet above \_\_\_ or below (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is 4. 10 feet above 10 or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes ... No ... Unknown 3. Indicate the elevation datum system used in determining the above reference level elevations: X NGVD '29 U Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.) 4. Elevation reference mark used appears on FIRM: Yes X No (See Instructions on Page 4) 5. The reference level elevation is based on: 🔀 actual construction 🗀 construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.) 6. The elevation of the lowest grade immediately adjacent to the building is: l - feet NGVD (or other FIRM datum-see Section B, Item 7). SECTION D COMMUNITY INFORMATION 1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest-floor" as defined in the community's floodplain management ordinance; the elevation of the building's "lowest floor" as defined by the ordinance is: L feet NGVD (or other FIRM datum-see Section B, Item 7). 2. Date of the start of construction or substantial improvement

#### SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1—A30, AE, AH, A (with BFE), V1—V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001:

Jami	e Gregson	···•	
CERTIFIER'S NAM	E	LICENSE NUMBER (or Affix	Seal)
CEO		PG ENERPRISES	Yell of the Control
CTITLE		COMPANY NAME	26157
11425	n. MUSICET	marana 9	2 85653
ADDRESS	. 2/	CITY	STATE ZIP
- dan	ue X le gon	3/22/00	682-6084
SIGNATURE		DATE	PHONE
_//		The state of the s	
Conies should	he made of this Cartificate to	r: 1) community official, 2) insurance agent/c	company and 3) building owner
Copies should	be made of this certificate to	1. 1/ community official, 2/ msdrance agenuc	ompany, and 3) building owner.

#### COMMENTS:

Pima County Floodplain and Erosion Hazard Management Ordinance 1994-FC2 in Article XI requires the bottom of the structural frame of a manufactured home to be a minimum of one foot above the base flood elevation. For "A" or "AO" Zones Pima County requires the manufactured home floor reference level to be a minimum of one and one half feet above the bottom of the structural frame elevation which equals two and one half feet above the base flood elevation as listed in item 6 of Section B of this form. This elevation certificate is to be certified in Sections C and E. A copy is to be returned within seven days of placement of the manufactured home, to Pima County Floodplain Management Section, 201 N. Stone Ave., 4th Floor, Tucson, AZ 85701. Phone 740-6350.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.