ELEVATION CERTIFICATE

JGENCY

O.M.B. No. 3067-0077 Expires July 31, 1999

Date Issued 120/99 NATIONAL FLOOD INSURANCE PROGRAM

Type 2 CHDAG ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

FRAL EMERGENCY MANAGEMEN

| | Instructions for d | completing thi | s form can be found on | the following p | ages. | |
|--|--|--|--|---|--|--|
| | | FOR INSURANCE COMPANY USE | | | | |
| BUILDING OWNER'S NAME | | POLICY NUMBER | | | | |
| STREET ADDRESS (Including A | | COMPANY NAIC NUMBER | | | | |
| OTHER DESCRIPTION (Lot and Lot # 228 | | Kege Esta | ts (Bk 28, Pg. 33 |) T/5 | R/2 s/6 | |
| CITY / 4CSO S | | | | STATE A2 | ZIP CODE | |
| | SECTION B F | LOOD INSURA | NCE RATE MAP (FIRM) | | 83/40 | |
| Provide the following from t | he proper FIRM (See | Instructions): | | • | | |
| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION | |
| 040073 | 2200 | K | 2/8/99 | A | (in AO Zones, use depth). Of tabove Highes Of adic cent top-of- | |
| 8. For Zones A or V, where the community's BFE: | no BFE is provided o | n the FIRM, an | ise Flood Elevations (BFE in the community has esta FIRM datum-see Section | ablished a BFE fo | Other (describe on back) or this building site, indicate | |
| | SECTION | ON C BUILDI | NG ELEVATION INFORM | IATION | | |
| (c). FIRM Zone A (without below (check one)(d). FIRM Zone AO. The fone) the highest grade | VE, and V (with BFE) is at an elevation of EBFE). The floor used the highest grade addressed as the refer adjacent to the building ance with the commum system used in dee 2). (NOTE: If the early, then conve | The bottom of the bottom of the series of the bottom of the bottom of the bottom of the bottom of the series of the bottom of th | of the lowest horizontal string the lowest horizontal string feet NGVD (or other FIR ace level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elements of the selected in measuring the selected level in measuring the selected in the s | M datum-see Seed diagram is Land diagram is Land diagram is Land diagram is different diagram | cotion B, Item 7). L feet above or or ove or ove or below (check check ch | |
| 4. Elevation reference mark | used appears on FIR | | | | | |
| 5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons | ion drawings is only v ly be valid for the buil | alid if the build Iding durina the | ing does not vet have the | reference level t | floor in place, in which ion Elevation Certificate | |
| 5. The elevation of the lowe: Section B, Item 7): | st grade immediately | adjacent to the | building is. | L feet NGVD (| or other FIRM datum-se' e | |
| | SE | CTION D CO | MMUNITY INFORMATIO | N . | | |
| I. What the community official resistance is not the "lowest floor" as defined by the or the start of construction of the start of construction. | dinance is: | Unity's floodpla □ . □ feet N | th management ordinanc | e , the elevation c | of the building's "lowest | |
| FEMA Form 81-31 MAR 97 | | II PDC/4OUS CO. | TOLIC | | | |


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required: Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the recrification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| Salla | MIKANCA | | · | # 11749 | 3 1 | |
|-----------------|-------------------|-------------------------|-----------------|-------------------------|--------------------------|-----------|
| CERTIFIER'S NAI | | | • | LICENSE NUMBER (or Affi | x Seal) | |
| | uction Su | YEAIN TENDENT | GNITED | Housing & | Educational Des | velopmenT |
| TITLE | | · • · | COMPANY NAM | E | | |
| | NO KACle | Kol | Theson | | Ariz | 85739 |
| ADDRESS | n 1 | 1.11.0 | ĆITY | - / / | STATE | ZIP |
| - Ash | 15mm/ | UHEDC | | 8/4/49 | 825.790 | 12 |
| SIGNATURE | | | | DATE | PHONE | |
| | | | | | | |
| Copies shoule | d be made of this | Certificate for: 1) com | munity official | 2) insurance agent/ | company, and 3) building | OWDOR |
| | | - | | | | owner. |
| COMMENTO. | | | | | | |
| COMMENTS: | This certificate | completed in Secti | ions C and E | is to be returned to | Dima County | |
| | Floodulain Ma | macamant Castian | | A Afterna | or ma County | |
| | | | 201 N. Stone | Ave., 4" Floor, 11 | ucson, AZ. 85701 pric | or |
| | to B2/B3 inspe | ection. | | | | |
| | - | | | | | |
| | | • | • | | | |
| | | • | | | | |
| | | | | | • | |



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.