**ELEVATION CERTIFICATE** FEDERAL EMERGENCY MANAGEMENT AGENCY

O.M.B. No. 3067-0077 Expires July 31, 1999

FPUP: #99-425E Date Issued 7/20/99 Date Issued /20/99 NATIONAL FLOOD INSURANCE PROGRAM

Type 2 CHDAG ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

		FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME		POLICY NUMBER			
STREET ADDRESS (Including A)		COMPANY NAIC NUMBER			
OTHER DESCRIPTION (Lot and しまナ #237		lege Esta	ts (Bk 28, Pg. 33	) I/5	R/2 \$ 16
14CSOL				STATE A2	ZIP CODE 85746
N	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
rovide the following from t	he proper FIRM (See	Instructions):		214	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
040073	2200	K	2/8/99	A	(in AO Zones, use depth), 0,5 ft above Higher 0,5 adja cent top-on
Indicate the elevation dat	um system used on ti	ne FIRM for Ba	se Flood Elevations (BFE	): NGVD '29	Other (describe on back)
-the community's BFE: L		GVD (or other	FIRM datum-see Section	B, Item 7).	or this building site, fridicate
	SECTIO	NC BUILDI	NG ELEVATION INFORM	IATION	
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fi one) the highest grade level) elevated in accordindicate the elevation dat under Comments on Pag the FIRM [see Section E equation under Comments	BFE). The floor used the highest grade addition used as the refer adjacent to the building dance with the commum system used in deep 2). (NOTE: If the ear, Item 7], then converts on Page 2.)	as the referent acent to the beance level from the series of the series	uilding.  In the selected diagram is depth number is available ain management ordinance above reference level element of the element of the element of the element of the datum system uses to the datum system uses the datum system	d diagram is diagram diag	bove or below (check is lowest floor (reference No Unknown /D '29 Other (describe
Elevation reference mark	used appears on FIR	M: 🗌 Yes 🗓	No (See Instructions or	n Page 4)	
The reference level eleval (NOTE: Use of construct case this certificate will on will be required once cons	ion drawings is only v ly be valid for the buil	alid if the build	ling does not vet have the	reference level	floor in place, in which ion Elevation Certificate
The elevation of the lower Section B, Item 7):	st grade immediately :	adjacent to the	building is:	L feet NGVD	(or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO	и ,	
If the community official re is not the "lowest floor" as floor" as defined by the or Date of the start of constru	dinance is:	unity's floodpla LLL feet N	ations specifies that the r tin management ordinanc GVD (or other FIRM datu	e, the elevation-	oicated in Section C, Item 1 of the building's "lowest 3, Item 7).
EMA Form 81-31, MAR 97		L PREVIOUS EDI	TIONS	-= eee nev	FRSE SIDE FOR CONTINUITATION

SEE REVERSE SIDE FOR CONTINUATION

EC99-425.


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required: Community efficials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NA	ME									
UNITED	LICENSE NUMBER (or Affix South									
TITLE	THOUSING IL D	EVELOP MEN	LORT							
200000000000			COMPANY NAME	7 K ()						
16150 ADDRESS	N ORACLE	<u> </u>	TUCSON		AZ	45720				
7	11/1		CITY		CYATE	0000				
Caron	11/4		. 9	77-09	STATE	ŽIP				
SIGNATURE				12//	825-7942	3 = - 1				
				DATE	PHONE					
COMMENTS:					/company, and 3) building					
	This certificate co	mpleted in Sec	tions C and E is	to be returned to	o Pima County					
	Floodplain Manag	ement Section	201 N Stone A	rea Ath Tile To	ucson, AZ. 85701 prior	•				
	to B2/B3 inspection	- Controlled December 1	ZOT IV. BIOHE A	ve., 4" Floor, 1	ucson, AZ. 85701 prior	Γ				
	co parpo mebeciio	ш.	2							
					are i					
······································	water process of	•								
		•				r <sup>a</sup>				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.