FPUP_99_610E-A

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 1999 Type 1 MHDAG

Date Issued: 1/5/99

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.


oquilos to roopena to ame	Instructions for cor	npleting this	s form can be found on	the following	pages.
SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 7910 5. (amiso De Orste					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and E			,	т <i>1</i> .5	R 12 S 24
Tucso y	in the		NCE RATE MAP (FIRM	J'ELVIE	ZIPTCODE
	SECTION B FLO	OOD ÎNSUR	NCE RATE MAP (FIRM	INFORMATIC	N.
Provide the following from t	ne proper FIRM (See Ir	nstructions):			·
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
040073	2825	k_	218/99	1	15001
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE.	no BFE is provided on	the FIRM, at	nd the community has es	tablished a BFI	29 Other (describe on back) 5-for this building site, indicate
	SECTIO	NC BUILD	ING ELEVATION INFOR	MATION	
of	et NGVD (or other FIRM VE, and V (with BFE). is at an elevation of the BFE). The floor used the highest grade adjusted as the reference adjacent to the building ordance with the comments.	as the reference level from level	Section B, Item 7): of the lowest horizontal s feet NGVD (or other F) ince level from the select building. m the selected diagram is d depth number is availablain management ordina	tructural members and diagram is seed diagram is seed the	t above or below (checking's lowest floor (reference) Unknown
under Comments on Pa the FIRM [see Section equation under Comme 4. Elevation reference man	ge 2). (NOTE: If the e B, Item 7], then conver nts on Page 2.) ck used appears on FIR ration is based on: XX ction drawings is only v only be valid for the buil nstruction is complete.)	levation datu If the elevation IM: Yes actual construction of the building during the	m used in measuring the cons to the datum system X No (See Instructions ruction Construction diding does not yet have the course of construction	elevations is dused on the Filon Page 4) drawings the reference leter Apost-const	AGVD 29 DATE describe ifferent then the to the conversion 15343 THOMAS H. TRIMBLE VELVO PRINCE DE TITAL TRIMBLE VELVO OT OTHER TITAL DE TITAL VELVO OT OTHER TITAL DE TITAL VELVO OT OTHER TITAL DE TITAL VELVO OTTO OTHER TITAL DE TITAL
Section B, Item 7).	est grade immediately	adjacent to the			
			OMMUNITY INFORMAT		
If the community official is not the "lowest floor" floor" as defined by the 2. Date of the start of constant of constant is the start of con	as defined in the commordinance is:	tunity's flood;	NGVD (or other FIRM da	ince, the elevat	e l indicated in Section C, Item 1- ion of the building's "lowest on D, Item 7) .


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.





The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.