PCE RRYTYBRAM

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY

O.M.B. No. 3067-0077 Expires July 31, 1999

Date Issued \ 3 00 NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages

	SECTION A PRO	<u> </u>	Total can be lound on						
		FOR INSURANCE COMPANY USE							
BUILDING OWNER'S NAME JOHN DARK	POLICY NUMBER								
STREET ADDRESS (Including Ap	COMPANY NAIC NUMBER								
OTHER DESCRIPTION (Lot and I	Block Numbers, etc.)				- R /2 s /3				
TUCSON	state A Z				ZIP CODE 85742				
	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	•				
Provide the following from t	he proper FIRM (See	Instructions):		•					
1. COMMUNITY NUMBER	2. PANEL NUMBER.	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)				
040073	04019C-1015	K	2-8-99	AO	1				
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: Life Indicate I									
			NG ELEVATION INFORM		,				
the selected diagram, (c). FIRM Zone A (without below (check one)) (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in account of the FIRM [see Section or counter comments on Patter FIRM [see Section or counter page 20].	VE, and V (with BFE), is at an elevation of the BFE). The floor used it BFE). The floor used it BFE is the highest grade at floor used as the reference adjacent to the build ordance with the compatum system used in the build i	d as the refere djacent to the berence level from munity's flood determining the elevation data.	of the lowest horizontal state to the lowest horizontal state feet NGVD (or other FIF) nee level from the selected building. In the selected diagram is a depth number is available of the later of the level element of the level element of the level element of the later of the l	d diagram is L d le, is the buildinge? Yes C evations: No elevations is diffused on the FIRI	above or or below (check g's lowest floor (reference) No Unknown				
4. Elevation reference mark used appears on FIRM: Yes X No (See Instructions on Page 4) 5. The reference level elevation is based on: X actual construction construction construction drawings									
(NOTE: Use of construction case this certificate will will be required once co	iction drawings is only only be valid for the binstruction is complete	r valid if the bui uilding during to e.)	he course of construction.	A post-constru	el floor in place, in which ction Elevation Certificate O (or other FIRM datum-see				
Section B, Item 7).									
			OMMUNITY INFORMATI						
is not the "lowest floor" -floor" as defined by the	as defined in the con	munity's flood	NGVD (or o ther FIRM d a	ice, the elevatio	ndicated in Section C, item 1 n of the building's "lowest n B, Item 7).				


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required: Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

J	DARROW)			, , , , , , , , , , , , , , , , , , , ,	-
CERTIFIER'S NA	ME /	· LIC	ENSE NUMBER (or Affix Sea	,	
TITLE	LE OWNER Builder		CITOL HOMBER (or Amx Sea	l)	
1012	2 N. QUAIL LANE	COMPANY NAME	/		
ADDRESS (8 47	CITY		Hz.	8574
SIGNATURE	bh Hi Damer		4-11-2000	244-0866	ZIP
			DATE	PHONE	<u>'</u>
Copies shoul	d be made of this Certificate for: 1) c	ommunity official, 2)	insurance agent/com	nany and all a war	
COMMENTO			agenticoni	pany, and 3) building ow	ner.
COMMENTS:	This certificate completed in Se	ections C and E is to	be returned to Pin	12 County	
	Floodplain Management Section to B2/B3 inspection.	n, 201 N. Stone Av	e., 4 th Floor, Tucson	n, AZ. 85701 prior	
				F	
	•			•	
······	•				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.